


JOHN DEERE Parts Catalog

640A, 640D AND 640T OEM ENGINES AND ACCESSORIES




John Deere 6404D OEM Engine

Specifications and design subject to change without notice.

HOW TO IDENTIFY PARTS FOR OEM ENGINES

1. Determine the engine model number from the serial number plate located on the side of the engine. (See page 5-6 for engine serial number information.)



2. Determine the code number of the desired engine component from the code label located on the upper surface of the rocker arm cover. (See page 5-4 or 5-5 for code label information.)

3.	Determine the page location of the desired
	engine component by part name in the cata-
	log Alphabetical Index.

	, ·
 Determine the page location of the desire engine component by part name in the cat log Alphabetical Index. 	ed EXTENSION, MUFFLE FANFAN BELTFAN SHROUDFAN SHROUDFAN SHROUD

ALPHABETICAL INDEX	
EXTENSION, MUFFLER. 15-5 FAN. 20-6 FAN. 20-7 FAN BELT. 20-7 FAN SHROUD. 20-2 FAN SHROUD 20-4 FAN AND WATER PUMP. 20-6 FIELD COIL 85-9	3
FIELD COIL .85-11 FILTER. ENGINE OIL .10-26	R24508

4. If the part number desired is known, the page location can be found by referring to the Numerical Index.


	NUMERIO	CAL INDEX			
AR AR AR AR AR AR	44840 45530 45530 45953 46386 46805 46820	20-8 10-20 10-21 10-30 25-4 20-6 85-10	9 3 9 18 26 9	4	
AR AR AR	47249 47303 48219	10-6 15-4 25-8	1 5 19		R24509

5. Determine the correct identification of the specific component (by engine number, engine serial number and code number) in the title and sub-titles on the parts listing page.


OEM ENGINES AND ACCESSORIES - 6404D, 6404T, AND 6404A

FAN AND WATER PUMP (6404D)

Determine the exact part desired by locating it in the exploded view. Note the key number assigned to the part.



7. Determine the exact part number required by referring from the key number in the exploded view to the keyed listing below the exploded view.



EXPLANATION OF OPTION CODES

Your engine is equipped with optional equipment. Each option is cataloged under a code number which is listed at the top of the page between the page heading and the exploded view. Parts used with all codes have no identifying codes of the part.

OPTION GROUP PAGE REFERENCE

Code Group No.	Description	Page No.
11 14 15 16 18 24 25 27 30 31 32 33 34 55 58	Rocker Arm Cover Flywheel Housing Engine Flywheel Fuel Injection System Cleaner Fan Belt Fan Blade Assembly Radiator Starting Motor Alternator Instrument Panel Tachometer Hour Meter Engine Stand PTO and Clutch	10-17 15-14 10-12 25-6 - 25-53 15-10 - 15-12 20-4, 20-5 20-4, 20-5 20-2, 20-3 80-9 - 80-11 85-4 - 85-8 76-6 - 85-2 75-6, 75-8 15-15 30-2

ACCESSORY CODE LABEL (Without Turbocharger) (6404D)

	JOI	INF	DEE	ERE	•	_
	ROL:				XXX	
BASI	C ENGI	N E	XXXX	Χ		_
	0	PTION	CODE	S		
XXX	X X X X X	X X X X	X X X X	X X X X	X X X X	
ххх	X X X X X	XXXX	XXXX	XXXX	X X X X	
XXX	XXXXX	XXXX	XXXX	XXXX	X X X X	
XXX	X XXXX	XXXX	XXXX	X X X X	X X X X	
XXX	X XXXX	XXXX	XXXX	X X X X	X X X X	
XXX	X XXXX	XXXX	XXXX	XXXX	X X X X	
XXX	X X X X X	X X X X	X X X X	X X X X	X X X X	

T35527

To assist your John Deere dealer in giving you prompt and efficient service, a code label is attached to the rocker arm cover of your John Deere engine. This code label will identify parts that are unique to the original equipment manufacturer's application by option code. The basic engine code identifies the engine model.

Basic Engine Code: 1121F

Option Codes	Description	Option Codes	Description
1101 1102	Rocker Arm Cover, Center Filler Rocker Arm Cover, No Filler	2803	Exhaust Manifold, Front Vertical
*1400 1403	No Flywheel Housing Flywheel Housing, SAE No. 3	2806	Exhaust Manifold, Front with Side Outlet
1405	Flywheel Housing, SAE No. 2	*3000 3004	No Starting Motor Starting Motor
*1500 1501	No Flywheel Flywheel, Overcenter Clutch,	*3100	No Alternator Electrical System,
1505	For 10-Inch (25.4 cm) Flywheel, Overcenter Clutch,	3101	37 Ampere (37A)
1507	For 11.5-Inch (29.21 cm) Flywheel, Single Plate, for	3102	Electrical System, 55 Ampere (55A)
1602	14-Inch (35.56 cm) Injection System, Regular Governor	3103	Electrical System, 72 Ampere (72A)
1603 *1800	Injection System, 3% - 5% Governor No Air Cleaner	*3200 3203	No Instrument Panel Instrument Panel
1801 *2400	Air Cleaner	*3300 3303	No Tachometer Tachometer
2401	No Fan Belts Fan Belt	*3400 3401	No Hour Meter Electric Hour Meter
*2500 2501	No Fan Fan, 5 Blade	5505	Engine Stand Engine Stand
2502 *2700	Fan, 6 Blade No Radiator	5506 5508	Engine Stand
2701	Radiator and Fan Shroud	*5800 5801	No PTO PTO and Clutch for In-Line Loading
		5802	PTO and Clutch for Side Loading

*NOTE: Accessories not sold by John Deere will be indicated on the code label with the designation "00" as the last two digits of the option code. The original equipment manufacturer will be responsible for warranty service on this category of accessory.

ACCESSORY CODE LABEL (With Turbocharger) (6404T)

	JOI	IN	DE	ERE	
CONTR	OL:	XXX	(XXXX)	(XXXXX	XXX
BASIC	ENGI	NE	X X X X	Χ	
	0	PTION	CODE	S	
XXXX	X X X X	XXXX	X X X X	X X X X	X X X X
XXXX	X X X X	X X X X	X X X X	X X X X	X X X X
XXXX	X X X X	X X X X	X X X X	X X X X	X X X X
XXXX	X X X X	X X X X	X X X X	X X X X	X X X X
		X X X X			
XXXX	XXXX	X X X X	X X X X	X X X X	X X X X
xxxx /	X X X X	X X X X	X X X X	X X X X	X X X X

T35527

To assist your John Deere dealer in giving you prompt and efficient service, a code label is attached to your John Deere engine. This code label will indentify parts that are unique to the original equipment manufacturer's application by option code. The basic engine code identifies the engine model.

Basic Engine Code: 1131F

Option Codes	Description	Option Codes	Description
1101	Rocker Arm Cover, Center Filler	*3100	No Alternator
1102	Rocker Arm Cover, No Filler	3101	Electrical System,
*1400	No Flywheel Housing		37 Ampere (37A)
1403	Flywheel Housing, SAE No. 3	3102	Electrical System,
1405	Flywheel Housing, SAE No. 2	2.422	_ 55 Ampere (55A)
*1500	No Flywheel	3103	Electrical System,
1501	Flywheel, Overcenter Clutch,	2424	72 Ampere (72A)
	For 10-Inch (25.4 cm)	3104	Electrical System,
1505	Flywheel, Overcenter Clutch,	*2222	30 Ampere (30A)
	for 11.5-Inch (29.21 cm)	*3200	No Instrument Panel
1507	Flywheel, Single Plate, for	3203	Instrument Panel with
1001	14-Inch (35.56 cm)	3205	Speed Controls Instrument Panel without
1601	Injection System, Regular Governor	3205	
1604	Injection System, 3% - 5% Governor	*3300	Speed Controls No Tachometer
*1800 1801	No Air Cleaner	3303	Tachometer
*2400	Air Cleaner	*3400	No Hour Meter
2401	No Fan Belts Fan Belts	3401	Electric Hour Meter
*2500	No Fan	5505	Engine Stand
2503	Fan	5506	Engine Stand
*2700	No Radiator	5508	Engine Stand
2700	Radiator and Fan Shroud	*5800	No PTO
*3000	No Starting Motor	5801	PTO and Clutch for
3004	Starting Motor	3001	In-Line Loading
3004	Ottaking Motor	5802	PTO and Clutch for
		0002	Side Loading

*NOTE: Accessories not sold by John Deere will be indicated on the code plate with the description "00" as the last two digits of the option code. The original equipment manufacturer will be responsible for warranty service on this category of accessory.

ACCESSORY CODE LABEL (With Turbocharger) (6404A)

	JOI	IN	DE	ERE	
CONTR					XXX
BASIC	ENGI	N E	XXXX	X	
	0	PTION	CODE	S	
X X X X	X X X X	X X X X	X X X X	X X X X	X X X X
XXXX	XXXX	XXXX	XXXX	XXXX	XXXX
XXXX	XXXX	XXXX	XXXX	XXXX	XXXX
XXXX	XXXX	XXXX	XXXX	X X X X	X X X X
XXXX	X X X X	X X X X	X X X X	X X X X	X X X X
X X X X	X X X X	XXXX	X X X X	X X X X	X X X X
XXXX	XXXX	XXXX	XXXX	XXXX	X X X X

T35527

To assist your John Deere dealer in giving you prompt and efficient service, a code label is attached to your John Deere engine. This code label will identify parts that are unique to the original equipment manufacturer's application by option code. The basic engine code identifies the engine model.

Basic Engine Code: 1141F

Option Codes	Description	Option Codes	Description
1101	Rocker Arm Cover, Center Filler	*3100	No Alternator
1102	Rocker Arm Cover, No Filler	3101	Electrical System,
*1400	No Flywheel Housing		_, 37_Ampere (37A)
1403	Flywheel Housing, SAE No. 3	3102	Electrical System,
1405	Flywheel Housing, SAE No. 2	0400	55 Ampere (55A)
*1500	No Flywheel	3103	Electrical System,
1501	Flywheel, Overcenter Clutch,	2104	72 Ampere (72A)
	For 10-Inch (25.4 cm)	3104	Electrical System, 30 Ampere (30A)
1505	Flywheel, Overcenter Clutch,	*3200	No Instrument Panel
4507	for 11.5-Inch (29.21 cm) Flywheel, Single Plate, for	3203	Instrument Panel with
1507	14-Inch (35.56 cm)	0200	Speed Controls
1601	Injection System, Regular Governor	3205	Instrument Panel without
1604	Injection System, 116 Guiding Governor		Speed Controls
*1800	No Air Cleaner	*3300	No Tachometer
1801	Air Cleaner	3303	Tachometer
*2400	No Fan Belts	*3400	No Hour Meter
2401	Fan Belts	3401	Electric Hour Meter
*2500	No Fan	5505	Engine Stand
2503	Fan	5506	Engine Stand
*2700	No Radiator	5508 *5000	Engine Stand
2701	Radiator and Fan Shroud	*5800 5801	No PTO
*3000	No Starting Motor	3001	PTO and Clutch for
3004	Starting Motor	5802	In-Line Loading PTO and Clutch for
		3002	Side Loading

^{*}NOTE: Accessories not sold by John Deere will be indicated on the code plate with the description "00" as the last two digits of the option code. The original equipment manufacturer will be responsible for warranty service on this category of accessory.

AN EXPLANATION OF ENGINE SERIAL NUMBER




- 1. Designates number of cylinders:
- 2. Designates the cubic inch displacement:
- 3. Designates the fuel:
- 4. Designates the factory user:
- 5. Designates the variation:
- 6. Designates the consecutive serial number of the engine:
- 7. Manufacturer:

404


- D Diesel
- T Turbocharged
- A Turbocharged and intercooled
- F John Deere OEM
- 00 -None
- R John Deere Waterloo Tractor Works

6404D



Engine Type and Engine Serial Number

6404A and T



Engine Type and Engine Serial Number

The engine serial number is stamped on a plate located on the right side of the engine.

SERIAL NUMBER COLUMN

Serial number information given on any page is applicable only to parts listed and illustrated on that page.
When the parentheses include only the dash (-) the part is used on all engines.
When a serial number appears before the dash(000000-) the part was introduced beginning with that serial number and is still being used.
When a serial number appears after the dash
When serial numbers appear both before and after the dash
When a serial number contains XXXXXX before the dash
When a serial number contains XXXXXX after the dash

BOLT AND CAP SCREW STRENGTH IDENTIFICATION

Bolts and cap screws required to have high-strength qualities equivalent to SAE Grade 8 are identified throughout this catalog by the description HS SAE 8. Unless identified by this description all standard bolts and cap screws are SAE Grade 5.

SI (International System) UNITS OF MEASURE

Metric equivalents have been included, where applicable, throughout this parts catalog.

AN EXPLANATION OF CHANGE INDICATOR LINE

New and revised information is identified by vertical lines marked in the left-hand margin of revised pages. These lines indicate changes affecting the ordering of parts.

SECTIONAL INDEX

ENERAL INFORMATION5
NGINE 10
NGINE ACCESSORIES
OOLING SYSTEM
JEL SYSTEM
TO AND CLUTCH
STRUMENTS 75
ECTRICAL SYSTEM85
UMERICAL INDEX

	AL	PHABETI	CAL INI	DEX	
GRID C6 C5	A AIR CLEANER	15-13 15-12	GRID B13 B12 B22 B21	ENGINE OIL FILTER ENGINE OIL PUMP EXHAUST MANIFOLD (6404A, T) EXHAUST MANIFOLD (6404D)	PAGE 10-22 10-21 15-6 15-5
C7 G15 G17	AIR INTAKE PIPES	15-14 85-6 85-8		F	÷
G14 G16	ALTERNATOR (6404A, T)	85-5 85-7 85-4	C15 C14	FAN (6404A, T)	20-5 20-4
G13 G14 G16 G13	ALTERNATOR MOUNTING BRACKET (6404A, T) ALTERNATOR MOUNTING BRACKET (6404A, T) ALTERNATOR MOUNTING BRACKET (6404D)	85-5 85-7 85-4	C13 C12 B13	FAN SHROUD (6404A, T) FAN SHROUD (6404D) FILTER, ENGINE OIL	20-3 20-2 10-22
F11 E21 G18	ANEROID, INJECTION PUMP (6404A) ANEROID, INJECTION PUMP (6404T) ARMATURE, STARTER ARMATURE, STARTER	25-58 25-46 85-9 85-12	D1 D2 C22 A22	FILTER, FUEL (6404A, T)	25-3 25-4 25-2 10-9
G21 D20 D11	AUTO. ADVANCE, INJECTION PUMP (6404D) AUTOMATIC ADVANCE, INJECTION PUMP(6404D)	25-24 25-14	C9 D3 D1	FLYWHEEL HOUSING	15-16 25-5 25-3 25-4
D1	B BEARING, MAIN	10-10	D2 C22 F18 E12	FUEL FILTER (6404A, T)	25-4 25-2 25-65 25-37
B1 B1 A15 G3 G2	BEARING, MAIN THRUST BLOCK, CYLINDER BRACKET, THROTTLE CABLE (6404A, T) BRACKET, THROTTLE CABLE (6404D)	10-10 10-2 75-3 75-2	E3 F6 E5 E13 E15	FUEL INJECTION NOZZLE (6404D) FUEL INJECTION NOZZLE (6404T) FUEL INJECTION PUMP (6404A, T) FUEL INJECTION PUMP (6404A, T) FUEL INJECTION PUMP (6404A, T)	25-28 25-53 25-30 25-38 25-40
	C		D4 D16 C21	FUEL INJECTION PUMP (6404D)	25-6 25-20 25-1
G3 G2 B11 B11	CABLE, PUSH-PULL (6404A, T) CABLE, PUSH-PULL (6404D) CAMSHAFT CAMSHAFT GEAR	75-3 75-2 10-20 10-20	D4 C21 F17 F5	FUEL PIPES (6404D)	25-6 25-1 25-64 25-52
A21 C13 C12 C6	CAP, OIL FILLER CAP	10-8 20-3 20-2 15-13		G	
F20 B6 B5 C8	CLUTCH, PTO	30-2 10-15 10-14 15-15 10-24	A19 A18 B7 B11 B4	GASKET SET (6404A, T) GASKET SET (6404D) GASKET, CYLINDER HEAD GEAR, CAMSHAFT GEAR, CRANKSHAFT (6404A)	10-5 10-16 10-20
B15 B8 A21 B4 B3 A15 B7	COOLER, ENGINE OIL COVER, ROCKER ARM COVER, TIMING GEAR CRANKSHAFT (6404A) CRANKSHAFT (6404D, T) CYLINDER BLOCK CYLINDER HEAD	10-17 10-8 10-13 10-12 10-2 10-16	B3 B12 F9 F15 E9 D13	GEAR, CRANKSHAFT (6404D, T) GEARS, ENGINE OIL PUMP GOVERNOR, INJECTION PUMP (6404A) GOVERNOR, INJECTION PUMP (6404A) GOVERNOR, INJECTION PUMP (6404A, T) GOVERNOR, INJECTION PUMP (6404D) GOVERNOR, INJECTION PUMP (6404D)	10-12 10-21 25-56 25-62 25-34 25-16
	D		E19 F3	GOVERNOR, INJECTION PUMP (6404T)	25-44
A15 D11 D20	DIPSTICK DRIVE SHAFT, INJECTION PUMP (6404D) DRIVE SHAFT, INJECTION PUMP (6404D)	10-2 25-14 25-24		н	
	E		G11 D13 E1 B7	HARNESS, WIRING	25-16 25-26
B13 C8 C10 A14 B15	ELEMENT, ENGINE OIL FILTER ENGINE COOLANT HEATER ENGINE MOUNTS ENGINE OIL ENGINE OIL COOLER	10-22 15-15 15-17 10-1 10-24	C8 C9 C16 C17 C15	HEATER, ENGINE COOLANT HOUSING, FLYWHEEL HOUSING, THERMOSTAT (6404D) HOUSING, THERMOSTAT (6404D) HUB, FAN (6404A, T)	15-15 15-16 20-6 20-7

ALPHABETICAL INDEX - CONTINUED

	ALPHADE	IICAL IN	DEX - (CONTINUED	
GRID C14	HUB, FAN (6404D)	<i>PAGE</i> 20-4	GRID	. M	PAGE
	1		B1 B1	MAIN BEARING	10-10 10-10
	'		B22	MANIFOLD, EXHAUST (6404A, T)	
E4	INJECTION NOZZLE (6404D)	25-29	B21	MANIFOLD, EXHAUST (6404D)	15-5
F11	INJECTION PUMP ANEROID (6404A)	25-58	B19	MANIFOLD, INTAKE	15-3
E21	INJECTION PUMP ANEROID (6404T)	25-46	B20	MANIFOLD, INTAKE (6404A)	15-4
D20	INJECTION PUMP AUTO. ADVANCE (6404D)	25-24	B17	MANIFOLD, INTAKE (6404D)	15-1
D11	INJECTION PUMP AUTOMATIC ADVANCE (6404D)	25-14	B18	MANIFOLD, INTAKE (6404T)	15-2
D11	INJECTION PUMP DRIVE SHAFT (6404D)	25-14	C18	MANIFOLD, WATER (6404A, T)	20-8
D20	INJECTION PUMP DRIVE SHAFT (6404D)	25-24	C16	MANIFOLD, WATER OUTLET (6404D)	20-6
D10	INJECTION PUMP ELECTRIC SHUT-OFF	25-12	B14	METER, SPEED-HOUR	10-23
F9	INJECTION PUMP GOVERNOR (6404A)	25-56	C10	MOUNT, ENGINE	15-17
F15	INJECTION PUMP GOVERNOR (6404A)	25-62			
E9 D13	INJECTION PUMP GOVERNOR (6404A, T)	25-34	ţ	· N	
E1	INJECTION PUMP GOVERNOR (6404D)INJECTION PUMP GOVERNOR (6404D)	25-16 25-26		N	
E19	INJECTION PUMP GOVERNOR (6404D)	25-26 25-44	F18	NOZZLE, FUEL INJECTION (6404A)	25-65
F3	INJECTION PUMP GOVERNOR (6404T)	25-50	F6	NOZZLE, FUEL INJECTION (6404A)	
D13	INJECTION PUMP HEAD AND ROTOR (6404D)	25-16	E4	NOZZLE, INJECTION (6404D)	
E1	INJECTION PUMP HEAD AND ROTOR (6404D)	25-26	E12	NOZZLE, INJECTOR (6404A, T)	
D6	INJECTION PUMP LINKAGE (6404D)	25-8	E3	NOZZLE, INJECTOR (6404D)	25-28
D8	INJECTION PUMP LINKAGE (6404D)	25-10	D16	NOZZLES, FUEL INJECTION (6404D)	
D18	INJECTION PUMP LINKAGE (6404D)	25-22		, , , , , , , , , , , , , , , , , , , ,	
F7	INJECTION PUMP PARTS (6404A)	25-54			
F13	INJECTION PUMP PARTS (6404A)	25-60		0	
E7	INJECTION PUMP PARTS (6404A, T)	25-32			
E17	INJECTION PUMP PARTS (6404T)	25-42	B12	OIL COOLER BYPASS VALVE	
F1	INJECTION PUMP PARTS (6404T)	25-48	B15	OIL COOLER, ENGINE	
G4	INJECTION PUMP SHUT-OFF RACK PULLER	75-4	B13	OIL FILTER, ENGINE	10-22
E11 D15	INJECTION PUMP TRANSFER PUMP (6404A, T) INJECTION PUMP TRANSFER PUMP (6404D)	25-36 25-18	A17	OIL PAN	
E2	INJECTION PUMP TRANSFER PUMP (6404D)	25-16	B12 A21	OIL PUMP, ENGINE	
D4	INJECTION PUMP, FUEL (6404D)	25-27 25-6	A14	OIL, ENGINE	10-8
F18	INJECTOR NOZZLE (6404A)	25-65	C16	OUTLET MANIFOLD, WATER (6404D)	20-6
E12	INJECTOR NOZZLE (6404A, T)	25-37	0.0	(0.10.15)	200
E3	INJECTOR NOZZLE (6404D)	25-28			
F6	INJECTOR NOZZLE (6404T)	25-53		Р	
G8	INSTRUMENT PANEL (6404A, T)	75-8			
G6	INSTRUMENT PANEL (6404D)	75-6	A17	PAN, OIL	10-4
G8	INSTRUMENTS (6404A, T)	75-8	G8	PANEL, INSTRUMENT (6404A, T)	
G6	INSTRUMENTS (6404D)	75-6	G6	PANEL, INSTRUMENT (6404D)	
B19 B20	INTAKE MANIFOLDINTAKE MANIFOLD (6404A)	15-3 15-4	E13	PINES, FUEL INJECTION (6404A, T)	
B17	INTAKE MANIFOLD (6404D)	15-4	C21	PIPES, FUEL (6404D)	
B18	INTAKE MANIFOLD (6404T)	15-2	D4	PIPES, FUEL (6404D)	
C7	INTAKE PIPES, AIR	15-14	E5	PIPES, FUEL INJECTION (6404A, T)	25-30
B20	INTERCOOLER (6404A)	15-4	D16	PIPES, FUEL INJECTION PUMP (6404D)	
	,		B23	PIPES, TURBOCHARGER	15-7
			B6	PISTON (6404A, T)	10-15
	K		B5	PISTON (6404D)	10-14
			F20	PTO	30-2
A14	KIT, OFF-SEASON STORAGE	10-1	G4	PULLER, INJECTION PUMP RACK	75-4
G12	KIT, WIRING	85-3	G5	PULLER, RACK	
			B12	PUMP, ENGINE OIL	10-21
	L		C21 E5	PUMP, FUEL (6404D)	
	L		E13	PUMP, FUEL INJECTION (6404A, T)	25-30 25-38
C10	LIFT STRAP	15-17	E15	PUMP, FUEL INJECTION (6404A, T)	25-36 25-40
B6	LINER, PISTON (6404A, T)	10-15	D4	PUMP, FUEL INJECTION (6404D)	25-40
B5	LINER, PISTON (6404D)	10-14	D16	PUMP, FUEL INJECTION (6404D)	25-20
E15	LINES, FUEL INJECTION (6404A, T)	25-40	F17	PUMP, FUEL TRANSFER (6404A)	
D6	LINKAGE, INJECTION PUMP (6404D)	25-8	F5	PUMP, FUEL TRANSFER (6404T)	25-52
D8	LINKAGE, INJECTION PUMP (6404D)	25-10	E11	PUMP, INJECTION PUMP TRANSFER (6404A, T)	25-36
D18	LINKAGE, INJECTION PUMP (6404D)	25-22	D15	PUMP, INJECTION PUMP TRANSFER (6404D)	25-18
			E2	PUMP, INJECTION PUMP TRANSFER (6404D)	25-27
			L	50 0101D 0101T AND 0101A DO 1551 (10 D50 T0) ANTHON	

ALPHABETICAL INDEX - CONTINUED GRID PAGE **GRID** PAGE PUMP, WATER (6404A, T) V C15 20-5 C14 PUMP. WATER (6404D) 20-4 VALVE, FUEL CHECK (6404A, T) 25-5 D3 B12 VALVE, OIL COOLER BYPASS R B9 VALVE, ROCKER ARM 10-18 G5 RACK PULLER 75-5 W RADIATOR (6404A, T) 20-3 C13 RADIATOR (6404D) 20-2 C12 REAR OIL SEAL 10-8 C18 WATER MANIFOLD (6404A, T)..... 20-8 A21 WATER OUTLET MANIFOLD (6404D)..... RELAY, STARTING CIRCUIT 85-2 C16 G11 RINGS, PISTON (6404A, T) WATER PUMP (6404A, T) 10-15 C15 B6 10-14 WATER PUMP (6404D) B5 C14 WIRING HARNESS 10-17 G11 85-2 B8 ROCKER ARM SHAFTS 10-18 G12 WIRING KIT 85-3 **B9** ROCKER ARMS.... 10-18 B9 В6 ROD, CONNECTING (6404A, T) 10-15 ROD, CONNECTING (6404D)..... 10-14 B5 S 10-8 A21 SEAL, REAR OIL SHAFT, INJECTION PUMP DRIVE (6404D) 25-24 D20 10-18 SHAFT, ROCKER ARM B9 SHROUD, FAN (6404A, T) 20-3 C13 SHROUD, FAN (6404D) 20-2 C12 SHUT-OFF, INJECTION PUMP ELECTRIC 25-12 D10 SOLENOID SWITCH 85-9 G18 G20 SOLENOID SWITCH 85-11 SOLENOID SWITCH 85-12 G21 SOLENOID SWITCH 85-14 G23 SPEED-HOUR METER DRIVE 10-23 R14 STARTER DRIVE HOUSING 85-9 G18 G21 STARTER DRIVE HOUSING 85-12 STARTER GEAR 85-12 G21 G19 STARTER MAIN FRAME 85-10 STARTER MAIN FRAME 85-13 G22 G23 STARTER SOLENOID SWITCH 85-14 STARTING CIRCUIT RELAY G11 STRAP, LIFT 15-17 C10 C5 SUPPORT, AIR CLEANER 15-12 85-11 SWITCH, SOLENOID G20 SWITCH, SOLENOID 85-14 G23 SWITCH, STARTER SOLENOID 85-12 G21 Т 20-8 C18 THERMOSTAT (6404A, T) THERMOSTAT (6404D) C16 THERMOSTAT (6404D) 20-7 C17 THERMOSTAT HOUSING (6404D) 20-6 C16 THERMOSTAT HOUSING (6404D) 20-7 C17 THROTTLE CABLE (6404A, T) 75-3 G3 THROTTLE CABLE (6404D) 75-2 G2 A21 TIMING GEAR COVER 10-8 TRANSFER PUMP, INJECTION PUMP (6404A) F17 25-64 TRANSFER PUMP, INJECTION PUMP (6404A, T) 25-36 E11 TRANSFER PUMP, INJECTION PUMP (6404D) 25-18 D15 TRANSFER PUMP, INJECTION PUMP (6404D) 25-27 E2 TRANSFER PUMP, INJECTION PUMP (6404T) F5 25-52 TURBOCHARGER (AIRESEARCH) 15-9 C2 C4 TURBOCHARGER (SCHWITZER) 15-11 C1 TURBOCHARGER (6404A, T) 15-8 TURBOCHARGER (6404A, T) 15-10 C3 TURBOCHARGER OIL AND AIR PIPES B23

MEMORANDA

TORQ-GARD SUPREME ENGINE OIL

X3377




V5V 2457 NO	ENGINE	OFFICE IN COLUMN TO THE COLUMN
KEY PART NO.	SERIAL NO.	DESCRIPTION
AR 63980	(-) OIL (SAE 5W/20), 1 HALF PINT (0.2L) CAN
AR 63228	(-) OIL (SAE 5W/20), 1 QUART (0.9L) CAN
AR 63229	(-) OIL (SAE 5W/20), 5 GALLON (19L) CAN
AR 63230	(-) OIL (SAE 5W/20), 55 GALLON (208L) DRUM
AR 63223	(-) OIL (SAE 10W/20), 1 QUART (0.9L) CAN
AR 65889	(<u>-</u> .) OIL (SAE 10W/20), 1 GALLON (3.8L) CAN
AR 63224	(-) OIL (SAE 10W/20), 5 GALLON (19L) CAN
AR 63225	(-) OIL (SAE 10W/20), 16 GALLON (61L) DRUM
AR 63226	(-) OIL (SAE 10W/20), 30 GALLON (114L) DRUM
AR 63227	(-) OIL (SAE 10W/20), 55 GALLON (208L) DRUM
AR 63979	(-) OIL (SAE 30), A HALF PINT (0.2L) CÁN
AR 63218	(-) OIL (SAE 30), 1 QUART (0.9L) CÁN
AR 65888	(-) OIL (SAE 30), 1 GALLON (3.8L) CAN
AR 63219	(-) OIL (SAE 30), 5 GALLON (19L) CAN
AR 63220	<u>(</u> -) OIL (SAE 30), 16 GALLON (61L) DRUM
AR 63221	<u>(</u> -) OIL (SAE 30), 30 GALLON (114L) DRUM
AR 63222	<u>`</u>) OIL (SAE 30), 55 GALLON (208L) DRUM

KIT FOR OFF-SEASON STORAGE (NOT ILLUSTRATED)

KEY	PAI	RT NO.		ENGINE SERIAL NO.		DESCRIPTION
	AR	41785	(-)	KIT, OFF-SEASON STORAGE, FOR ENGINE POWERED EQUIPMENT. THIS KIT CONTAINS 1 QT. (0.9L) CAN OF INTERNAL CORROSION INHIBITOR, 1
	AR	41870	(-)	ROLL OF TAPE, AND 6 PLASTIC BAGS. INHIBITOR, 1 QT. (0.9L) CAN OF INTERNAL CORROSION

CYLINDER BLOCK






KEY	PART NO.	ENGINE SERIAL NO.		DESCRIPTION
1	AR 63271	-)	BLOCK, CYLINDER, WITH MAIN BEARING CAPS, CAMSHAFT BUSHINGS, STUDS, AND DOWEL PINS (MARKED R49650 OR R49470)
2	AT 13740	(-)	COCK, DRAIN
3	15H 564	<u>`</u>	í	PLUG, PIPE, HEX. CTSK., 1/2" (4 USED 6404A, T) (5 USED 6404D)
1 4	AR 80294	(-	ĺ	PLUG (SUB. FOR R47092)
1 5	15H 665	(-)	PLUG, PIPE, HEX. CTSK., 3/4"
6	R 27036	(-)	PLUG
7	R 42340	(-)	DOWEL, HOLLOW (2 USED)
8	R 55396	(-)	STUD, 3/8" X 1-11/16" (4 USED 6404A, T) (1 USED 6404D)
_	R 48755	(-)	STUD, 5/16" X 1-1/2" (4 USED 6404D)
9	R 56544	} -	(SCREW, SPECIAL CAP (4 USED 6404D)
40	R 56545	} -	1	SCREW, SPECIAL CAP (4 USED 6404A, T)
10	R 1612 R F 1743 R	· }	1	PIN, DOWEL (2 USED) PIN, DOWEL (2 USED)
11 12	R 27285	}	1	GASKET (6404A, T)
13	R 27286	} _	1	COVER (6404A, T)
14	14H 785	}	1	NUT, 5/16" (2 USED)
	12H 303	} -	í	WASHER, LOCK, 5/16" (2 USED)
15	R 48755	} -	í	STUD, 5/16" X 1-1/2" (2 USED)
16	R 21630	(-	ĺ	PLUG, SPECIAL PIPE (5 USED 6404D) (4 USED 6404A, T)
17	R 43621	<u> </u>)	ORIFICE, PISTON COOLING (6 USED)
18	R 39832	(-)	CONNECTOR, 1/8"-27 NPT X 3/8"-24 (6404A)
19	AR 58986	(-)	DIPSTICK
20	R_ 55395	(-)	STUD, 3/8" X 5/8"
21	AR 54557	(-	(TUBE, DIPSTICK
1 22	F 3646 R	} -	(STUD, 3/8" X 3"
23	30H 25 30H 17	} -	{	PLUG, EXPANSION, 2" PLUG, EXPANSION, 1-1/4"
24	30H 17 R 27149	}	{	O-RING
25	AR 61533	}	{	PLUG WITH O-RING (WITHOUT FLYWHEEL HOUSING)
25		}	1	PLUG, CAP (WITH FLYWHEEL HOUSING)
26	A 4365 R	} -	Ś	O-RING
27	AR 61589	<u> </u>	í	PLUG WITH O-RING
28	R 26115	<u>`</u> -	·)	PLUG
29	R 43634	<u>`</u> -)	PIN, DOWEL
30	15H 562	(-)	PLUG, PIPE, SQ. CTSK., 1"
1	AR 27977	(-)	SWITCH, ENGINE OIL PRESSURE (NO INSTRUMENT PANEL)

CYLINDER BLOCK - CONTINUED

KEY	PAF	RT NO.		ENGINE SERIAL NO.		DESCRIPTION
• •	AR	71120	(-)	BLOCK, SHORT, ENGINE REPLACEMENT, CONSISTING OF BLOCK, CONNECTING RODS, PISTONS, LINERS, CAMSHAFT, CRANKSHAFT, BEARING, MISC. PARTS AND NECESSARY GASKETS FOR INSTALLATION (6404A, T) (SUB. FOR AR63267)
• •	AR	71121	(-)	BLOCK, SHORT, ENGINE REPLACEMENT, CONSISTING OF BLOCK, CONNECTING RODS, PISTONS, LINERS, CAMSHAFT, CRANKSHAFT BEARING, MISC. PARTS AND NECESSARY GASKETS FOR INSTALLATION (6404D) (SUB. FOR AR63934)

R20194


OIL PAN



		ENGINE	
KEY	PART NO.	SERIAL NO.	DESCRIPTION
			0.4.01/57
1	R 50600	(-)	GASKET
2	R 53013	(-)	PAN, OIL (6404A)
	R 53138	(-)	PAN, OIL (6404D, T)
3	19H 2205	(-)	SCREW, CAP, 3/8" X 6" (2 USED)
	12H 304	(-)	WASHER, LOCK, 3/8" (2 USED)
1	19H 1856	(-)	SCREW, CAP, 3/8" X 5-1/4" (2 USED)
	12H 304	(-)	WASHER, LOCK, 3/8" (2 USED)
4	19H 1777	(-)	SCREW, CAP, 1/2" X 1-3/4" (6 USED)
	12H 301	(-)	WASHER, LOCK, 1/2" (6 USED)
5	A 4827 R	(-)	WASHER, ALUMINUM (2 USED)
6	R 51944	(-)	PLUG, DRAIN (2 USED)
7	19H 2552	(-)	SCREW, CAP, 3/8" X 1-1/8" (16 USED)
	19H 1765	(-)	SCREW, CAP, 3/8" X 1-3/4" (2 USED)
	12H 304	(-)	WASHER, LOCK, 3/8" (18 USED)
8	R 27693	(-)	SCREW, SPECIAL CAP (2 USED)

GASKET SET (6404D)

R22272




KEY	PAF	AT NO.		SERIAL NO.		DESCRIPTION
1 2	R R	53438 32593	* (-	}	GASKET, CYLINDER HEAD GASKET, ROCKER ARM COVER
2 3	R	50419	(-)	GASKET, OIL COOLER COVER
4	AR	58952	(•)	GASKET, OIL COOLER SPACER
5	R	53282	(-)	GASKET, OIL PAN
6	R	44374	* (-)	GASKET, EXHAUST MANIFOLD, OUTER (2 USED)
7	R	44373	* (•)	GASKET, EXHAUST MANIFOLD, INNER (2 USED)
1 8	R	62410	(-)	GASKET, SPEED-HOUR METER DRIVE GEAR HOUSING (SUB. FOR R44853)
9	R	50424	(•)	GASKET, OIL COOLER TUBE ADAPTER TO CYLINDER BLOCK
10	R	43595	(-)	GASKET, CYLINDER HEAD WATER OPENING COVER
11	R	53108	(-)	GASKET, STARTING MOTOR TO CYLINDER BLOCK
12	R	42693	* (-)	GASKET, WATER OUTLET MANIFOLD TO CYLINDER HEAD (2 USED)
13	R	52049	(=)	GASKET, OIL PUMP HOUSING COVER
14	R	48399	(•)	PACKING, FUEL PUMP
	Т	20328	(-)	GASKET, CRANKCASE OIL FILLER CAP
16	R	26297	* (-)	GASKET, INTAKE MANIFOLD (3 USED)
17	R	42694	* (-)	GASKET, WATER OUTLET MANIFOLD
18	R	43774	(-)	GASKET, OIL FILTER BODY TO CYLINDER BLOCK
19	R	42406	(-)	GASKET, WATER PUMP SPACER
20	R	50390	(-)	GASKET, INJECTION PUMP ACCESS COVER
21	R	26058	. (-)	GASKET, CRANKSHAFT OIL SEAL HOUSING
22	R	59343	* (•)	PACKING, O-RING, VENTILATOR OUTLET TUBE (SUB. FOR R495R)
23	R	43780	* (-)	PACKING, O-RING (2 USED)
24	R	50420	(-)	PACKING, O-RING (4 USED)
25	R	50378	· (-)	PACKING, O-RING BYPASS HOUSING TO CYLINDER BLOCK AND OIL PUMP
	_					TUBE (4 USED)
26	R	50353	(-)	GASKET, TIMING GEAR COVER
CET	LICTI	ED BELOV	AL CONITAINI	e ALL DADTE LICT	ED /	ON THIS DAGE

SET LISTED BELOW CONTAINS ALL PARTS LISTED ON THIS PAGE.
.. AR 63938 (-) GASKET, PACKAGED FOR ENGINE REBUILD

* SET LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE.
.. AR 63940 (-) GASKETS, PACKAGED FOR CYLINDER HEAD REMOVAL

GASKET SET (6404A, T)




KEY	PAR	T NO.		SERIAL NO.		DESCRIPTION
1	R	48291	*	· -	GASKET.	CYLINDER HEAD
2	R	50419	i	-		OIL COOLER COVER
3	R	44374	*	-		EXHAUST MANIFOLD, OUTER (2 USED)
4	R	44373	*	-) GASKET,	EXHAUST MANIFOLD, INNER (2 USED)
5	R	32593	*	-		ROCKER ARM COVER
6	AR	58952	(-		OIL COOLER SPACER (2 USED)
1 7	R	62410	(-) GASKET,	SPEED-HOUR METER DRIVE GEAR HOUSING (SUB. FOR R44853)
8	R	50397	*	-) GASKET,	INTAKE MANIFOLD
		50399	# (-) GASKET,	INTAKE MANIFOLD COVER (2 USED)
		46479	* (-) GASKET,	THERMOSTAT COVER TO MANIFOLD
		47395	(-) GASKET,	INTAKE MANIFOLD COVER ADAPTER, REAR
		50424	# (-) GASKET,	OIL COOLER TUBE ADAPTER TO CYLINDER BLOCK
		43595	. (-) GASKET,	CYLINDER HEAD WATER OPENING COVER
		27285	(-)) GASKET,	FUEL PUMP OPENING COVER
		52049	(-)) GASKET,	OIL PUMP HOUSING COVER
		53108	(-)) GASKET,	STARTING MOTOR TO CYLINDER BLOCK
		50353	(-)) GASKET,	TIMING GEAR COVER
		26058	(-)) GASKET,	CRANKSHAFT OIL SEAL HOUSING
		42406	(-)) GASKET,	WATER PUMP SPACER (2 USED)
		53282	(-)) GASKET,	OIL PAN
		43413	* (-)) GASKET,	TURBOCHARGER OIL INLET LINE ADAPTER
		43416	* (-)) GASKET,	TURBOCHARGER OIL INLET LINE
		43751	* (-)) GASKET,	TUROBCHARGER TO EXHAUST MANIFOLD
		42693	* (-)) GASKET,	WATER OUTLET MANIFOLD TO CYLINDER HEAD (2 USED)
		43774	(-)) GASKET,	OIL FILTER BODY TO CYLINDER BLOCK
		50390	(-)) GASKET,	INJECTION PUMP ACCESS COVER
		50420	* (-)) PACKING,	O-RING, WATER BYPASS TUBE (2 USED)
		48633	* (-)) WASHER,	COPPER, INJECTION NOZZLE TO CYLINDER HEAD (6 USED)
		50406	* (-)) PACKING,	O-RING INTAKE COUPLING
		50405	* (-)) PACKING,	O-RING INTAKE COUPLING
31	R	50378	(-) PACKING,	O-RING, BYPASS HOUSING TO CYLINDER BLOCK AND OIL PUMP
					TUBE (4 USED)

GASKET SET - CONTINUED (6404A, T)

KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
32 R 50420 33 R 52811 * 34 R 43780 *	{	PACKING, O-RING, OIL COOLER COVER TO ADAPTER TUBE (4 USED) PACKING, O-RING, INTERCOOLER (2 USED) PACKING, O-RING, TURBOCHARGER OIL OUTLET LINE TO CYLINDER BLOCK CONNECTOR
35 R 59343 * 36 R 51603 * 37 R 48693 38 T 20328	(-) (-) (-)	PACKING, O-RING, VENTILATOR OUTLET TUBE (SUB. FOR R495R) PACKING, O-RING, FUEL INJECTION NOZZLE (6 USED) GASKET, INJECTION LEAK-OFF LINE (12 USED) GASKET, OIL FILLER CAP
AR 63269	-)	ON THIS PAGE AND PAGES GASKET, PACKAGED FOR ENGINE REBUILD WED BY AN ASTERISK ON THIS PAGE AND PAGE 10-6 GASKET, PACKAGED FOR CYLINDER HEAD REMOVAL


REAR OIL SEAL AND TIMING GEAR COVER





KEY	PAF	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3	R R R	47074 41406 26058	(- · · · · · · · · · · · · · · · · · ·) SCREW, SPECIAL CAP (6 USED)) HOUSING, CRANKSHAFT REAR OIL SEAL) GASKET
1 4 5	AR AR AR R	63095 49025 50353	() SEAL, OIL, WITH CRANKSHAFT REAR WEAR SLEEVE (SUB. FOR AR49650)) SEAL, OIL, WITH WEAR SLEEVE) GASKET
6 7 8	R R	50353 50352 50390	} - -	OCOVER, TIMING GEAR OGASKET
8 9 10	R T	50354 20328	; - ; -	NIPPLE, OIL FILLER GASKET, CAP
11	T R R	20294 48628	(<u>-</u>)) CAP, CRANKCASE OIL FILLER) LABEL, OIL FILLER CAP) STUD. SPECIAL
12 13	14H 12H	50355 785 303	} - -) NUT, 5/16") WASHER, LOCK, 5/16"
14	19H 12H	1907 303	(- } -) SCREW, CAP, 5/16" X 2-3/4" (5 USED)) WASHER, LOCK, 5/16" (5 USED)
15 16	R 19H 12H	50393 2713 303	- - -) COVER, INJECTION PUMP ACCESS) SCREW, CAP, 5/16" X 1-7/8" (6 USED)) WASHER, LOCK, 5/16" (6 USED)
17 18	24H 19H	1136 1906	} -) WASHER, 11/32" X 11/16" X .060" (6 USED)) SCREW, CAP, 5/16" X 1-1/2" (2 USED)
19	12H 24H	303 1136	{ - }) WASHER, LOCK, 5/16" (2 USED)) WASHER, 11/32" X 11/16" X .060" (2 USED)


FLYWHEEL CODE 1501 FLYWHEEL FOR 10 INCH OVER CENTER CLUTCH CODE 1505 FLYWHEEL FOR 11.5 INCH OVER CENTER CLUTCH CODE 1507 FLYWHEEL FOR 14 INCH SINGLE PLATE



KEY	PAI	RT NO.		ENGINE SERIAL NO.		CODE	DESCRIPTION
1 2	T R	12637 28811	{	-)	1501	SCREW, SPECIAL CAP (4 USED) (10-INCH (254MM) FLYWHEEL) GEAR, STARTER
3	AR	54969	(· <u>-</u>)	1501	FLYWHEEL, WITH STARTER GEAR (MARKED R50860) (FOR USE WITH 10-INCH (254MM) OVER CENTER CLUTCH)
4	R	43369	(-)	1505	SCREW, SPECIAL CAP (4 USED) (11.5-INCH (292MM) FLYWHEEL)
5	AR	70168	()	1505	FLYWHEEL, WITH STARTER GEAR (MARKED R58449) (FOR USE WITH 11.5-INCH (292MM) OVER CENTER CLUTCH)
6	Τ	12637	(-)	1507	SCREW, SPECIAL CAP (4 USED) (14-INCH (356MM) FLYWHEEL)
7	AR	68167	(-)	1507	FLYWHEEL, WITH STARTER GEAR (MARKED R56962) (FOR USE WITH 14-INCH (356MM) SINGLE PLATE)

MAIN AND MAIN THRUST BEARINGS






KEY	PAF	RT NO.		ENGII SERIAL			DESCRIPTION
1	AR	65235	(-	xxxxx)	BEARING, MAIN THRUST (PKG. OF ONE R55596 AND ONE R55597) (1 PKG. USED) (SUB. FOR AR48940) (SUB. AR77748 AND AR77747)
	AR	65236	(•	XXXXX)	BEARING, MAIN THRUST, .002" (0.05MM) UNDERSIZE, WITH STANDARD FLANGE (PKG. OF ONE R55737 AND R55738) (1 PKG. USED) (SUB. FOR AR49232)
	AR	65237	(-	XXXXX)	BEARING, MAIN THRUST, .010" (0.25MM) UNDERSIZE, WITH STANDARD FLANGE (PKG. OF ONE R55739 AND R55740) (1 PKG. USED) (SUB. FOR AR42933) (SUB. AR77750 AND AR77747)
	AR	65238	(-	XXXXX)	BEARING, MAIN THRUST, .020" (0.51MM) UNDERSIZE, WITH STANDARD FLANGE (PKG. OF ONE R55741 AND R55742) (1 PKG. USED) (SUB. FOR AR49234)
	AR	65239	(-	XXXXX)	BEARING, MAIN THRUST, .030" (0.76MM) UNDERSIZE, WITH STANDARD FLANGE (PKG. OF ONE R55743 AND R55744) (1 PKG. USED) (SUB. FOR AR49235)
	AR.	65240	(-	XXXXX)	BEARING, MAIN THRUST, .010" (0.25MM) UNDERSIZE, WITH .007" (0.18MM) OVERSIZE FLANGE (PKG. OF ONE R55745 AND ONE R55746) (1 PKG. USED) (SUB. FOR AR49236)
2	AR	73275	(XXXXX -	XXXXX)	WASHER, THRUST, MAIN BEARING (PKG. OF THREE R57778) (1 PKG. USED) (SUB. ONE AR77747 AND THE BEARING OF THE REQUIRED SIZE)
	AR	73276	(XXXXX -	XXXXX)	WASHER, THRUST, MAIN BEARING, .007" (0.18MM) OVERSIZE FLANGE (PKG. OF THREE R60484) (1 PKG. USED) (SUB. ONE AR77753 AND THE BEARING OF THE REQUIRED SIZE)
3	AR	72998	(XXXXX -	XXXXX)	BEARING, MAIN THRUST, STANDARD SIZE (PKG. OF ONE R57779 AND ONE R57780) (1 PKG. USED) (SUB. ONE AR77748 AND ONE AR77747 OR ONE AR77753)
	AR	73271	(XXXXX -	XXXXX)	BEARING, MAIN THRUST, .002" (0.05MM) UNDERSIZE (PKG. OF ONE R60476 AND ONE R60477) (1 PKG. USED) (SUB. ONE AR77749 AND ONE AR77747 OR ONE AR77753)
	AR	73272	(XXXXX -	XXXXX)	BEARING, MAIN THRUST, .010" (0.24MM) UNDERSIZE (PKG. OF ONE R60478 AND ONE R60479) (1 PKG. USED) (SUB. ONE AR77750 AND ONE AR77747 OR ONE AR77753)
	AR	73273	(XXXXX -	XXXXX)	BEARING, MAIN THRUST, .020" (0.51MM) UNDERSIZE (PKG. OF ONE R60480 AND ONE R60481) (1 PKG. USED) (SUB. ONE AR77751 AND ONE AR77747 OR ONE AR77753)
	AR	73274	(XXXXX -	XXXXX)	BEARING, MAIN THRUST, .030" (0.76MM) UNDERSIZE (PKG. OF ONE R60482 AND ONE R60483) (1 PKG. USED) (SUB. ONE AR77752 AND ONE AR77753)
4 5 6	T AR AR	15539 77747 77753	(((- 444688 - 444688 -)	NOT FURNISHED, MATCH WITH BLOCK SCREW, SPECIAL CAP (14 USED) WASHER, THRUST, MAIN BEARING (PKG. OF THREE R62986) (1 PKG. USED) WASHER, THRUST, MAIN BEARING, .007" (0.18MM) OVERSIZE FLANGE (PKG. OF TWO R63010 AND R62986) (1 PKG. USED)

MAIN AND MAIN THRUST BEARINGS - CONTINUED

PAI	97 NO.				DESCRIPTION
AR	77748	(444688	-)	BEARING, MAIN THRUST, STANDARD SIZE (PKG. OF ONE R62987 AND ONE R62988) (1 PKG. USED)
AR	77749	(444688	-)	BEARING, MAIN THRUST, .002" (0.08MM) UNDERSIZE (PKG. OF ONE R63002 AND ONE R63006) (1 PKG. USED)
AR	77750	(444688	-)	BEARING, MAIN THRUST, .010" (0.24MM) UNDERSIZE (PKG. OF ONE R63003 AND ONE R63007) (1 PKG. USED)
AR	77751	(444688	-)	BEARING, MAIN THRUST, .020" (0.51MM) UNDERSIZE (PKG. OF ONE R63004 AND ONE R63008) (1 PKG. USED)
AR	77752	(444688	-)	BEARING, MAIN THRUST, .030" (0.76MM) UNDERSIZE (PKG. OF ONE R63005 AND ONE R63009) (1 PKG. USED)
AR	74814	(-)	BEARING, MAIN (PKG. OF ONE R61289 AND R57584) (6 PKG. USED) (SUB. FOR AR44625)
AR	74815	(-)	BEARING, MAIN, .002" (0.05MM) UNDERSIZE (PKG. OF ONE R61608 AND ONE R60472) (6 PKGS. USED) (SUB. FOR AR46399)
AR	74816	(-)	BEARING, MAIN, .010" (0.25MM) UNDERSIZE (PKG. OF ONE R61609 AND ONE R60473) (6 PKGS. USED) (SUB. FOR AR46400)
AR	74817	(-)	BEARING, MAIN, .020" (0.51MM) UNDERSIZE (PKG. OF ONE R61610 AND ONE R60474) (6 PKGS. USED) (SUB. FOR AR46401)
AR	74818	(-)	BEARING, MAIN, .030" (0.76MM) UNDERSIZE (PKG. OF ONE R61611 AND ONE R60475) (6 PKGS. USED) (SUB. FOR AR46402)
	AR AR AR AR AR AR AR	PART NO. AR 77748 AR 77749 AR 77750 AR 77751 AR 74814 AR 74815 AR 74816 AR 74817 AR 74818	AR 77748 (AR 77749 (AR 77750 (AR 77751 (AR 77752 (AR 74814 (AR 74815 (AR 74816 (AR 74817 (PART NO. SER. AR 77748 (444688 AR 77749 (444688 AR 77750 (444688 AR 77751 (444688 AR 77752 (444688 AR 74814 (AR 74815 (AR 74816 (AR 74817 (AR 77748 (444688 -) AR 77749 (444688 -) AR 77750 (444688 -) AR 77751 (444688 -) AR 77752 (444688 -) AR 74814 (-) AR 74815 (-) AR 74816 (-) AR 74817 (-)


CRANKSHAFT (6404D, T)



	KEY	PAF	RT NO.		ENGINE SERIAL NO.	DESCRIPTION	
1	1 2 3 4 5	AR R 26H R AR	63095 41934 9 26049 74624	(- - - -) SEAL, OIL, WITH WEAR SLEEVE (SUB. FOR AR49650)) PIN, DOWEL) KEY, WOODRUFF, 1/8" X 5/8") GEAR, CRANKSHAFT) CRANKSHAFT, WITH GEAR, REAR OIL SLINGER AND PINS (MARKED R5693-AND R56979) (SUB. FOR AR68094)	4
	6 7 8 9	26H AR R 19H	85 57241 26333 1734	(- - -) KEY, WOODRUFF, 1/4" X 1") DAMPER) WASHER) SCREW, CAP, 5/8" X 2"	


R24716

CRANKSHAFT (6404A)




		ENGINE	
KEY	PART NO.	SERIAL NO.	DESCRIPTION
I 1 2 3 4	AR 63095 R 41934 26H 9 R 26049	{	SEAL, OIL, WITH WEAR SLEEVE (SUB. FOR AR49650) PIN, DOWEL KEY, WOODRUFF, 1/8" X 5/8" GEAR. CRANKSHAFT
1 5	AR 74624	}	CRANKSHAFT, WITH GEAR, REAR OIL SLINGER AND PINS (MARKED R56934 AND R56979) (SUB. FOR AR68094)
6 7 8 9 10 11	26H 85 19H 988 R 50414 AR 43954 R 26333 19H 1734		KEY, WOODRUFF, 1/4" X 1" SCREW, CAP, 3/8" X 1-1/4" (6 USED) PULLEY, CRANKSHAFT DAMPER WASHER SCREW, CAP, 5/8" X 2"

PISTON, RING AND LINERS (6404D)



				ENGIN	VE	
	KEY	PAF	RT NO.	SERIAL	NO.	DESCRIPTION
	1	AR	65502	(-)	RING, PISTON SET (6 USED)
	2	AR	65602	(-)	PISTON WITH RING AND LINER
		AR	66459	(-	j	KIT, PISTON WITH RINGS, LINERS AND GASKET SET (6 USED)
	3	Н	80753	(-)	RING, SNAP (12 USED)
	4	R	44161	(-	j	PIN, PISTON, STANDARD (6 USED)
		R	44162	· (-	j	PIN, PISTON, .003" (0.08MM) (MARKED WITH YELLOW) (6 USED)
		R	44163	<u>`</u> -	ý	PIN, PISTON, .005" (0.13MM) (MARKED WITH GREEN) (6 USED)
	5	R	30939	<u>`</u> -	j	BUSHING, PISTON PIN (6 USED)
	6	R	53290	<u>(</u> -	j	SCREW, CONNECTING ROD (8 USED) (SUB. FOR R26325)
	7	R	53292	(414913 -	j	SLEEVE (12 USED) (USE WITH AR70910)
1	8	AR		(- 4	414912)	ROD, CONNECTING, WITH PISTON PIN BUSHING ONLY (6 USED)
				`	,	(SUB. AR70910)
		AR	70910	(414913 -)	ROD, CONNECTING, WITH PISTON PIN BUSHING, SCREW AND SLEEVE
				`	,	(MARKED R58880) (6 USED)
	9	AR	45723	- ()	BEARING, CONNECTING ROD, STANDARD (PKG. OF TWO R44378) (6 PKGS.
			40005	,		USED)
		AH	46395	-)	BEARING, CONNECTING ROD, .002" (0.05MM) UNDERSIZE (PKG. OF TWO
			40000			R44925) (6 PKGS. USED)
		AH	46396	-)	BEARING, CONNECTING ROD, .010" (0.25MM) UNDERSIZE (PKG. OF TWO
				,		R44926) (6 PKGS. USED)
		AH	46397	(-)	BEARING, CONNECTING ROD, .020" (0.51MM) UNDERSIZE (PKG. OF TWO
			40000	,	,	R44927) (6 PKGS. USED)
		AH	46398	(-)	BEARING, CONNECTING ROD, .030" (0.76MM) UNDERSIZE (PKG. OF TWO
	4.0	4.0	05507	,		R44928) (6 PKGS. USED)
	10	AH	65507	(-)	KIT, PACKING (6 USED) (SUB. FOR AR53443)


PISTON, RINGS, AND LINER (6404A, T)



SED)
ED)
,
41423)
11.120,
EEVE
6 PKGS.
,
TWO
E (6

R24717


CYLINDER HEAD AND GASKET



KE	' PAF	RT NO.		GINE AL NO.		DESCRIPTION
1 2 3 4 5 5 1 6 6 1 7 8 1 9 10 11 12 13 1 14 1	R R R 34H R 15H F AR	2284 331 51347 43595 37 665 62421 62418 62419 62420 42364 387 41285 624 1743 R 58984	((((((((((((((((((()	SCREW, CAP, 3/8" X 7/8" (6 USED) WASHER, LOCK, INT. TOOTH, 3/8" (6 USED) COVER GASKET PLUG, EXPANSION PLUG, PIPE, HEX. CTSK., 3/4" (13 USED) SCREW, CYLINDER HEAD, 9/16" X 3-3/8" (6 USED) (SUB. FOR R45195) SCREW, CYLINDER HEAD, 9/16" X 5-3/8" (5 USED) (SUB. FOR R45192) SCREW, CYLINDER HEAD, 9/16" X 6-3/8" (8 USED) (SUB. FOR R45193) SCREW, CYLINDER HEAD, 9/16" X 7-1/2" (7 USED) (SUB. FOR R45194) WASHER (26 USED) PIN, SPRING, 3/16" X 3/4" CONNECTOR (6404D) PLUG, PIPE, 1/2" (6404A, T) PIN, DOWEL HEAD, CYLINDER, WITH DOWEL PINS AND PLUGS (MARKED R50360) (6404D) HEAD, CYLINDER, WITH DOWEL PINS AND PLUGS (MARKED R59849) (6404D) HEAD, CYLINDER, WITH DOWEL PINS AND PLUGS (MARKED R53200)
	AR	54554	(445570	- 445569 -)	(6404A, T) HEAD, CYLINDER, WITH DOWEL PINS AND PLUGS (MARKED R61521)
1 15	AR R	70564 43681	(443370	-)	(6404A, T) INSERT, EXHAUST VALVE SEAT, REGULAR (6 USED) (USE WHEN REQUIRED)
	R	43683	(-)	(6404D) INSERT, EXHAUST VALVE SEAT, .010" (0.25MM) OVERSIZE (6 USED)
	R	43680	()	(USE WHEN REQUIRED) (6404D) INSERT, INTAKE VALVE SEAT, REGULAR (6 USED) (USE WHEN REQUIRED) (6404D)
	R	43682	(-)	INSERT, INTAKE VALVE SEAT, .010" (0.25MM) OVERSIZE (6 USED)
	R	50356	(-)	INSERT, VALVE SEAT, REGULAR (12 USED) (USE WHEN REQUIRED)
	R	55061	(-)	INSERT, VALVE SEAT, .010" (0.25MM) OVERSIZE (6 USED) (USE WHEN REQUIRED) (6404A, T)
16 17 18 19 20	7 R 8 R 9 R	41071 45692 48291 20423 45693 45692 63940		- - - - -)	CONNECTOR, SPECIAL (6404D) SCREW, SPECIAL CAP REAR R.H. GASKET, CYLINDER HEAD PIN, DOWEL SCREW, SPECIAL CAP LIFT STRAP (2 USED) SCREW, SPECIAL CAP SET, GASKET, CYLINDER HEAD REPLACEMENT (6404D) (FOR CONTENTS SEE PAGE 10-5)
٠	AR	63270	(-)	SET, GASKET, CYLINDER HEAD REPLACEMENT (6404A, T) (FOR CONTENTS SEE PAGE 10-6 AND 10-7)

CODE 1101 ROCKER A CODE 1102 ROCKER


ROCKER ARM COVER, CENTER FILL ROCKER ARM COVER, NO FILL



KEY	PA	AT NO.	ENGINE SERIAL NO.	CODE	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12	RRAR RATTRAR R	495 R 26405 45530 26516 32593 47943 20328 20294 50387 21839 50389 50388) 1102) 1101) 1101) 1101) 1101) 101	O-RING TUBE, VENTILATOR OUTLET SCREW, SPECIAL CAP, WITH WASHERS (8 USED) COVER WITH BUSHING AND BAFFLE GASKET COVER WITH BUSHING AND BAFFLE GASKET CAP TUBE, VENTILATOR OUTLET (UPPER) CLAMP, HOSE (2 USED) HOSE, 3/4" X 24" (19MM X 610MM) POLYVINYL TUBE, VENTILATOR OUTLET (LOWER)

R23440

ROCKER ARMS, SHAFTS AND VALVES




KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 112 13 14 15 6 17 18	R 54565 R 26081 R 60650 24H 1384 R 26079 AR 54905 14H 846 R 27443 19H 1740 R 26559 R 26748 AR 54904 T 20129 T 20077 R 41412 R 27976 R 26125 R 43883 R 45004 R 45005 R 45005 R 55055 R 55055 R 55055		PLUG (2 USED) WASHER, SPRING (2 USED) SHAFT, ROCKER ARM (ALSO ORDER TWO R54565 PLUGS) WASHER, 49/64" X 1-11/16" X .036" (10 USED) SPRING (5 USED) ARM, ROCKER, WITH ADJUSTING SCREW AND NUT (6 USED) NUT, 3/8" (12 USED) SCREW, ADJUSTING (12 USED) SCREW, CAP, 7/16" X 1-3/4" (6 USED) WASHER (6 USED) CLAMP (6 USED) ARM, ROCKER, WITH ADJUSTING SCREW AND NUT (6 USED) CAP, VALVE STEM (12 USED) CAP, INTAKE VALVE SPRING (6 USED 6404D) O-RING (6 USED 6404D) SPRING, VALVE VALVE, INTAKE, STANDARD STEM (6 USED 6404D) VALVE, INTAKE, .003" (0.08MM) OVERSIZE STEM (6 USED 6404D) VALVE, INTAKE, .015" (0.38MM) OVERSIZE STEM (6 USED 6404D) VALVE, INTAKE, .015" (0.38MM) OVERSIZE STEM (6 USED 6404D) VALVE, INTAKE, .015" (0.38MM) OVERSIZE STEM (6 USED 6404D) VALVE, INTAKE, .015" (0.38MM) OVERSIZE STEM (6 USED 6404A) VALVE, INTAKE, .015" (0.38MM) OVERSIZE (6 USED 6404A, T) VALVE, INTAKE, .003" (0.08MM) OVERSIZE (6 USED 6404A, T) VALVE, INTAKE, .015" (0.38MM) OVERSIZE (6 USED 6404A, T) VALVE, INTAKE, .015" (0.38MM) OVERSIZE (6 USED 6404A, T) VALVE, INTAKE, .015" (0.38MM) OVERSIZE (6 USED 6404A, T) VALVE, INTAKE, .015" (0.38MM) OVERSIZE (6 USED 6404A, T) VALVE, INTAKE, .015" (0.38MM) OVERSIZE (6 USED 6404A, T)

ROCKER ARMS, SHAFTS AND VALVES - CONTINUED

KEY P	ART NO.	ENGINE SERIAL NO.	DESCRIPTION
19 R R R R R R R R R R R R R R R A R 20 AR 21 AR 22 R	43679 43787 43788 43789 50357 55056 55058 55060 41006 40680 52773 44402		VALVE, EXHAUST, STANDARD STEM (6 USED 6404D) VALVE, EXHAUST, .003" (0.08MM) OVERSIZE STEM (6 USED 6404D) VALVE, EXHAUST, .015" (0.38MM) OVERSIZE STEM (6 USED 6404D) VALVE, EXHAUST, .030" (0.76MM) OVERSIZE STEM (6 USED 6404D) VALVE, EXHAUST, STANDARD SIZE (6 USED 6404A, T) VALVE, EXHAUST, .003" (0.08MM) OVERSIZE (6 USED 6404A, T) VALVE, EXHAUST, .015" (0.38MM) OVERSIZE (6 USED 6404A, T) VALVE, EXHAUST, .030" (0.76MM) OVERSIZE (6 USED 6404A, T) ROTATOR, EXHAUST VALVE (6 USED 6404D) (12 USED 6404A, T) ROD, PUSH (12 USED 6404) FOLLOWER, CAM (12 USED 6404) LUBRICANT, SPECIAL, VALVE STEM AND VALVE GUIDE, ONE QUART (0.9L)


CAMSHAFT AND GEAR



KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2	R 46903 AR 74144	{) BUSHING (4 USED)) CAMSHAFT WITH TWELVE CAM FOLLOWERS (MARKED R61150) (ALSO ORDER 19H1777 AND 19H1821) (SUB. FOR AR71709)
3 4 5 6 7 8 9	26H 72 R 42355 19H 1813 R 42356 AR 55487 R 35256 19H 1777) KEY, WOODRUFF, 1/8" X 5/8") PLATE, THRUST) SCREW, CAP, 5/16" X 5/8" (4 USED)) SPACER) GEAR, CAMSHAFT AND INJECTION PUMP DRIVE (MATCHED SET)) WASHER, SPECIAL) SCREW, CAP, 1/2" X 1-3/4"


ENGINE OIL PUMP AND OIL COOLER BYPASS VALVE

R27000F



				ENG	'NE	
KEY	PAF	RT NO.		SERIAL	. <i>NO.</i>	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 111 122 13 144 15 166 17 18 19 20 212 223 24 1 25	RRHRRRRUSKRAKA11RRAKRA H RRHH RAHH RAHH RHH	45133 50381 826 R 50378 50379 65055 49464 26151 17409 313 49465 50386 50384 13639 40236 42729 63865 38614 71123 1905 303 60754 52049 56639 46567 42390 77494	* * *	XXXXX	xxxxx }	GEAR, OIL PUMP DRIVE WITH SHAFT (SUB. FOR R48398) TUBE, BYPASS HOUSING TO OIL PUMP PIN, DOWEL O-RING (4 USED) NUT, GLAND GASKET VALVE SPRING O-RING PIN, SPRING, 1/4" X 1-1/2" PLUG TUBE, BYPASS HOUSING TO CYLINDER BLOCK HOUSING, OIL COOLER BYPASS O-RING SCREW, SPECIAL (2 USED) WASHER, SPECIAL (2 USED) WASHER, SPECIAL (2 USED) SCREW, SPECIAL CAP (2 USED) GEARS, DRIVEN AND IDLER (SUB. FOR AR52570) SCREW, CAP, 5/16" X 1" (3 USED) WASHER, LOCK, 5/16" (3 USED) WASHER, LOCK, 5/16" (3 USED) COVER, OIL PUMP HOUSING (SUB. FOR R52048) GASKET INTAKE, OIL PUMP SCREW, SPECIAL CAP (4 USED) SHAFT, OIL PUMP BULER GEAR HOUSING, OIL PUMP WITH SHAFT (MARKED R50377, R56607, R59033 OR R57556) (SUB. FOR AR54559, AR68313 OR AR71122)


^{*} KIT LISTED BELOW CONTAINS THE COMPLETE ENGINE OIL PUMP AND ALL PARTS FOLLOWED BY AN ASTERISK
.. AR 75893 (-) PUMP, ENGINE OIL ASSEMBLY, WITH SCREWS



			EN	GINE	
KEY	PAF	RT NO.	SERIA	IL NO.	DESCRIPTION
1	R	43660	(-)	PACKING
2	AR	43634	· (-)	FILTER, ENGINE OIL
3	R	43429	ì	- Ś	ADAPTER, OIL FILTER
4	Ŕ	43425	}	- Ś	PLUG
•	Ŕ	43549		- Ś	WASHER, SPECIAL (3 USED)
5	Ŕ	43424	}	- Ś	WASHER, ALUMINUM
5 6	ΰ	40750	}	- Ś	WASHER (USE AS REQUIRED)
7	Ř	43548	}	-	SPRING
8	Ŕ	43428	}	- Ś	VALVE, OIL PRESSURE REGULATING
9	Ř	55395	}	- Ś	STUD, 3/8" X 3-5/8"
•	F	3646 R	}	- Ś	STUD, 3/8" X 3"
10	Ŕ	43774	}	- Ś	GASKET
11	14H	812	}	- Ś	NUT, 3/8" (2 USED)
	12H	304	ì	- Ś	WASHER, LOCK, 3/8" (2 USED)
I 12		76582	}	-	BODY, ENGINE OIL FILTER (MARKED R54561, R59483 OR R62110)
	,	. 0002	•	,	(SUB. FOR AR64221 OR AR71819)
13	15H	665	(-).	PLUG, PIPE, HEX. CTSK., 3/4" (2 USED)
1 14	15H	558	}	- 445569 Ś	PLUG, PIPE, HEX. CTSK., 1/8"
i	Ŕ	62109	(445570	-	ELBOW, 90°, 1/8"
15	Ŕ	49464	}	-	VALVE, OIL FILTER BYPASS
16	Ŕ	26151	}	- Ś	SPRING, OIL FILTER BYPASS VALVE
17	ΰ	17409	}	- Ś	O-RING
18	34H	313	}	- Ś	PIN, SPRING, 1/4" X 1-1/8"
19	Ř	49465	}	- Ś	PLUG
20	19H	988	}	-	SCREW, CAP, 3/8" X 1-1/4"
	12H	304	}	- Ś	WASHER, LOCK, 3/8"
21	Ř	55233	}	-	PLUG, SPECIAL PIPE
			,	,	·, · · · · ·


R22137

SPEED-HOUR METER DRIVE




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 R 62410 2 R 32426 3 26H 3 4 R 26172 5 R 43851 6 15H 559 7 19H 1732 8 24H 1303) GASKET (SUB. FOR R44853)) GEAR, SPEED-HOUR METER DRIVE) KEY, WOODRUFF, 3/32" X 3/8") SHAFT, SPEED-HOUR METER DRIVE) HOUSING, SPEED-HOUR METER DRIVE (SUB. FOR AR43652)) PLUG, PIPE, HEX. CTSK., 1/4") SCREW, CAP, 3/8" X 1-1/4" (4 USED)) WASHER, 13/32" X 11/16" X .060" (4 USED)

ENGINE OIL COOLER



KEY	PAR	T NO.		ENGINE SERIAL NO.	DESCRIPTION
4	14H	785		(\ MIT 5/16" (2 USED)
1	12H	303		} -) NUT, 5/16" (2 USED)
2				} -) WASHER, LOCK, 5/16" (2 USED)
2	19H	1921		} -) SCREW, CAP, 5/16" X 3-1/4"
•	12H	303		} -) WASHER, LOCK, 5/16"
3	19H	1907		} -) SCREW, CAP, 5/16" X 2-3/4" (5 USED)
4	12H	303		} -) WASHER, LOCK, 5/16" (5 USED)
4		50421		· -) COVER, OIL COOLER (6404A)
_		51283		· -) COVER, OIL COOLER (6404D, T)
5		50419		· -) GASKET
6		25038		· -) COOLER, OIL (6404A)
_		55394		(-) COOLER, OIL (6404D, T)
7		58952		(-) GASKET (2 USED 6404A) (1 USED 6404D, T)
8		50418		(-) SPACER (6404A)
9	R	50375		(-) STUD, 5/16" X 3" (2 USED) (6404A)
	R	51284		(-) STUD, 5/16" X 1-3/4" (2 USED) (6404D, T)
10	R	50420	:	(-	O-RING (4 USED)
11	R	50422		(-) TUBE (2 USED) (6404A)
	R	51053		(-) TUBE (2 USED) (6404D, T)
12	R	50423		(-) ADAPTER
13	R	50424		<u> </u>) GASKET
14	19H	988		(-) SCREW, CAP, 3/8" X 1-1/4" (2 USED)
	12H	304		<u>(</u>) WASHER, LOCK, 3/8" (2 USED)


INTAKE MANIFOLD (6404D)



KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 19H 1732 12H 304 2 R 46411 3 15H 571 4 B 26297) SCREW, CAP, 3/8" X 1-1/4" (6 USED)) WASHER, LOCK, 3/8" (6 USED)) MANIFOLD, INTAKE) PLUG, PIPE, HEX. CTSK., 3/8" (TRACTORS LESS STARTING AID)) GASKET, INTAKE MANIFOLD (3 USED)

INTAKE MANIFOLD (6404T) (ENGINE SERIAL NO.


-512305)



KEY	PAI	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9	AR R R AR R R 15H 19H 12H	65293 43604 47293 62936 43605 52288 50397 571 1732 304) CLAMP, HOSE (2 USED)) HOSE) PIPE, AIR INLET) CLAMP, HOSE (2 USED) (SUB. FOR AR48502)) HOSE) MANIFOLD, INTAKE) GASKET (3 USED)) PLUG, PIPE, HEX. CTSK., 3/8") SCREW, CAP, 3/8" X 1-1/4" (6 USED)) WASHER, LOCK, 3/8" (6 USED)


INTAKE MANIFOLD (ENGINE SERIAL NO. 512306-

R27135F




	KEY	PAI	AT NO.	ENGINE SERIAL NO.	DESCRIPTION
ì	1	R	50406	-	O-RING
- 1	2	R	63129) COUPLING, AIR INTAKE
1	3	AR	62936	(-) CLAMP, HOSE (2 USED)
ı	4	R	43605	<u> </u>) HOSE, 3" X 2" (76MM X 51MM)
Ĺ	5	R	52288	(-) MANIFOLD, INTAKE
- i	6	R	50397	<u>(</u> -) GASKET (3 USED)
- i	7	15H	571	(-) PLUG, PIPE, HEX. CTSK., 3/8"
i	8	19H	1732	(-) SCREW, CAP, 3/8" X 1-1/4" (6 USED)
i	-	12H	304	<u>`</u> -) WASHER, LOCK, 3/8" (6 USED)

INTERCOOLER AND INTAKE MANIFOLD (6404A)




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 19H 2661 12H 303 2 R 47314 3 R 47395 4 R 50398 5 15H 571 6 R 50404 9 R 50399 10 AR 54556 11 R 52811 12 R 50396 13 R 50397 14 R 47395 15 R 50400 16 AR 21839 17 R 50402 18 R 48362 19 24H 1136 20 19H 2729 12H 303 21 19H 2852 12H 303 22 24H 1302 23 19H 1800 12H 304) SCREW, CAP, 5/16" X 1-3/8" (2 USED)) WASHER, LOCK, 5/16" (2 USED)) ADAPTER, REAR) GASKET) COVER, INTAKE MANIFOLD) PLUG, PIPE, 3/8") O-RING) COUPLING) O-RING) GASKET (2 USED) INTERCOOLER) O-RING (2 USED)) MANIFOLD, INTAKE GASKET (3 USED) GASKET ADAPTER, FRONT CLAMP, HOSE (2 USED) HOSE CONNECTOR, SPECIAL WASHER, 11/32" X 11/16" X .060" (10 USED) SCREW, CAP, 5/16" X 4-1/4" (2 USED) SCREW, CAP, 5/16" X 4" (10 USED) WASHER, LOCK, 5/16" (10 USED) WASHER, 13/32" X 11/16" X .036" (6 USED) SCREW, CAP, 3/8" X 1-1/2" (6 USED) WASHER, LOCK, 3/8" (6 USED)

EXHAUST MANIFOLD (6404D) 3 EXHAUST MANIFOLD, FRONT VERTICAL EXHAUST MANIFOLD, FRONT WITH SIDE OUTLET CODE 2803 CODE 2806 E




KEY	PAF	RT NO.	ENGINE SERIAL NO.		CODE	DESCRIPTION
1 2 3 4 5 6 7 8 9	R R R R R 24H 19H 12H 19H 12H	26362 44374 44373 699 F 54412 43167 1303 1765 304 2128 304)		MANIFOLD, EXHAUST GASKET, EXHAUST MANIFOLD, OUTER (2 USED) GASKET, EXHAUST MANIFOLD, INNER (2 USED) STUD, 3/8" X 2-1/2" (3 USED) MANIFOLD, EXHAUST, FRONT MANIFOLD, EXHAUST, FRONT MANIFOLD, EXHAUST, REAR WASHER, 13/32" X 11/16" X .060" (8 USED) SCREW, CAP, 3/8" X 1-3/4" (4 USED) WASHER, LOCK, 3/8" (4 USED) SCREW, CAP, 3/8" X 3" (4 USED) WASHER, LOCK, 3/8" (4 USED)

EXHAUST MANIFOLD (6404A, T)



		ENGINE	
KEY	PART NO.	SERIAL NO.	DESCRIPTION
1	19H 1765) SCREW, CAP, 3/8" X 1-3/4" (3 USED)
•	19H 2549	}) SCREW, CAP, 3/8" X 1-3/4" (3 03ED)) SCREW, CAP, 3/8" X 1-7/8" (LOWER FRONT)
	12H 304	}) WASHER, LOCK, 3/8" (4 USED)
0	24H 1303	}	,
2		} -) WASHER, 13/32" X 11/16" X .060" (8 USED)
3	R 46472	· -) MANIFOLD, EXHAUST, REAR
4	R 58109	(-) RING, SEALING (2 USED)
5	19H 2128	(-) SCREW, CAP, 3/8" X 3" (3 USED)
	19H 2639	(-) SCREW, CAP, 3/8" X 3-3/8" (UPPER FRONT)
	28H 1518	` - ') SPACER, 3/8" X 5/16" (UPPER FRONT)
	12H 304	} - ·) WASHER, LOCK, 3/8" (4 USED)
6	R 55078	} -) STUD, 3/8" X 1-1/2" (4 USED)
7	R 43724	} _) ADAPTER, EXHAUST ELBOW
8	R 54500	. } - ') SCREW, SPECIAL CAP (4 USED)
9	24H 1303	} -) WASHER, 13/32" X 11/16" X .060" (4 USED)
10	R 56994	} _ :) ELBOW, EXHAUST
11	AR 54563	}) MANIFOLD, EXHAUST, FRONT
		} - ;	
	R 44374	· -) GASKET, EXHAUST MANIFOLD, OUTER (2 USED)
13	R 44373	(-) GASKET, EXHAUST MANIFOLD, INNER (2 USED)

TURBOCHARGER OIL AND AIR PIPES (6404A, T)




2 R 3 AR 4 14H 5 24H 6 R 7 8 19H 9 R 11 AR 11 AR 15 16 19H 17 AR 17 AR 18 17 AR 19 17 AR	7 NO. 21842 (46627 21841 (812 (1303 (43413 (61590 (1906 (303 (43724 (54500 (56994 (54576 (76424 (55078 (43751 (43416 (2284 (304 (54577 (54577 (73815 (73815 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577 (73815 (54577	ENGINE SERIAL NO) LINE, FLEXIBLE OIL, INLET) STUD, 3/8" X 1-1/2" (4 USED) (SUB. FOR R43170)) GASKET) GASKET) SCREW, CAP, 3/8" X 7/8" (2 USED)) WASHER, LOCK, 3/8" (2 USED) S1) PIPE, OIL OUTLET WITH ADAPTER (6404A) (X) PIPE, OIL OUTLET WITH ADAPTER (6404T)) PIPE, OIL OUTLET WITH ADAPTER (6404A) (YELD OUTLET WITH ADAPTER (6404A)) PIPE, OIL OUTLET WITH ADAPTER (6404A)) PIPE, OIL OUTLET WITH ADAPTER (6404A)
I AR I AR I AR I BR 19 R I 20 R	54577 73815 73815 43780 41285 52775	- XXX 507162 - XXXXX - - - - XXX	X) PIPE, OIL OUTLET WITH ADAPTER (6404T)) PIPE, OIL OUTLET WITH ADAPTER (6404A)) PIPE, OIL OUTLET WITH ADAPTER (6404T)) O-RING) CONNECTOR, 1/2"-14 (X) ADAPTER
12H I 17 AR I AR I AR I AR 18 R 19 R	304 (54577 (54577 (73815 (73815 (43780 (41285 (- XXX 507162 - XXXXX - -) WASHER, LOCK, 3/8" (2 USED) 61) PIPE, OIL OUTLET WITH ADAPTER (6404A) XX) PIPE, OIL OUTLET WITH ADAPTER (6404T)) PIPE, OIL OUTLET WITH ADAPTER (6404A)) PIPE, OIL OUTLET WITH ADAPTER (6404T)) O-RING) CONNECTOR, 1/2"-14

TURBOCHARGER (AIRESEARCH) (6404A, T) (ENGINE SERIAL NO.


-512305)

R20445N




KEY	PAI	RT NO.			SERIAL NO.	DESCRIPTION
1	R	55027		(_) HOUSING, COMPRESSOR (6404A)
'	Ř	55026		}	-) HOUSING, COMPRESSOR (6404T)
2	Ř	43817	*	}	-) NUT, LOCK
2 3	Ŕ	55025	*	}	-) IMPELLER
4	ÄR	54934	*	}	-) BACKPLATE ASSEMBLY
5	R	48709		ì	-) CLAMP (3 USED)
6	Ŕ	48710		ì	=) PLATE, LOCK (3 USED)
7	19H	2020		ì	-) SCREW, CAP, 5/16" X 1/2" (6 USED)
8	R	43806	*	Ì	-) RING, PISTON
9	R	43801	*	Ì	-) COLLAR, THRUST
10	R	43808	*	(-) BEARING
11	R	43816	*	(-) RING, RETAINING (4 USED)
12	R	43803	*	(•) BEARING (2 USED)
	R	50784		(-) BEARING, .005" (0.13MM) UNDERSIZE (2 USED)
	R	50785		(-) BEARING, .010" (0.25MM) UNDERSIZE (2 USED)
13	R	43805	*	(-	O-RING
14	AR	63781		(-) HOUSING, CENTER ASSEMBLY
	AR	63780		(•) HOUSING, CENTER, WITH ROTATING PARTS (CONSISTS OF PARTS MARKED
	_					WITH AN ASTERISK)
15	R	43986		(•) PLATE, LOCK (2 USED)
16	19H			(-) SCREW, CAP, 1/4" X 5/8" (4 USED)
17	R	43804	*	(-) SHROUD, WHEEL
18	R	55024	*	(-) RING, PISTON
19	AR	51988	*	(•) WHEEL, TURBINE, WITH SHAFT
20	Ŗ	43819		(-) BOLT, SPECIAL (6 USED)
21	R	43815		(-) PLATE, LOCK (3 USED)
22	R	43821		}	-) CLAMP (3 USED)
23	R	55028		}	=) HOUSING, TURBINE (6404A)
	R	48712		}	-	HOUSING, TURBINE (6404T)
	AR	63699		}	-	TURBOCHARGER, COMPLETE (6404A)
• •	AR	70987		(-) TURBOCHARGER, COMPLETE (6404T) (SUB. FOR AR63698)

* SEE KEY 14




TURBOCHARGER (SCHWITZER) (6404A, T) (ENGINE SERIAL NO.

-512305)



					ENGINE		
KEY	PAF	RT NO.			SERIAL NO.		DESCRIPTION
1	R R	55030 54176		{	-)	COVER, COMPRESSOR (6404A) COVER, COMPRESSOR (6404T)
2	Ŕ	46693		ì	-)	PLATE, CLAMP (4 USED)
2 3	R	56630		Ì	<u>.</u> .)	SCREW WITH LOCKWASHER (8 USED) (ALSO ORDER R56631 WASHER) (SUB. FOR AR43976)
4	R	46691	*	(-)	NUT, LOCK
5	R	54177	*	(-)	WHEEL, COMPRESSOR (6404T)
	R	55029	*	(-)	WHEEL, COMPRESSOR (6404A)
6	R	46686	*	(•)	RING, SNAP
7	R	46687		(•)	INSERT (SCHWITZER SERIAL NO. PRIOR TO L1872-1)
	R	56626	*	. (-)	INSERT (SCHWITZER SERIAL NO. L1872-1 AND UP)
8	R	46685	*	(-)	O-RING
9	R	46689		(-)	SLEEVE, SPACER (SCHWITZER SERIAL NO. PRIOR TO L1872-1)
	R	56627	*	(-)	SLEEVE, FINGER (SCHWITZER SERIAL NO. L1872-1 AND UP)
10	R	46688		(•)	RING, PISTON (SCHWITZER SERIAL NO. PRIOR TO L1872-1)
	R	56628	*	Ì	-)	RING, PISTON (SCHWITZER SERIAL NO. L1872-1 AND UP)
11	R	46682	*	Ì	-)	DEFLECTOR, OIL
12	R	46683	*	Ì	-)	RING, THRUST (SCHWITZER SERIAL NO. PRIOR TO L1872-1)
13	R	46684	*	ì	-)	PLATE, THRUST
14	Ŕ	46681	*	ì	-)	BEARING
15	AR	43974	*	ì	-)	HOUSING, BEARING, WITH PINS
1	AR	61860		(-)	HOUSING, CENTER AND ROTATING ASSEMBLY (CONSISTS OF PARTS MARKED WITH AN ASTERISK) (6404T) (SUB. AR68137)
	AR	63783		(-)	HOUSING, CENTER AND ROTATION ASSEMBLY (CONSISTS OF PARTS MARKED WITH AN ASTERISK) (6404A)
16	R	56629		(-)	CLAMP (SUB. FOR R46690)
17	Ŕ	46692		ì	-	ĺ	NUT, SELF-LOCKING
18	Ŕ	46679	*	ì	-	ĺ	RING, PISTON (COPPER PLATED FOR IDENTIFICATION)
19	ÄR	63778	*	ì	-	ĺ	WHEEL, TURBINE, WITH SHAFT
20	R	50502		ì	-	Ú	HOUSING, TURBINE (6404T)
20	Ŕ	55031		ì	-	ĺ	HOUSING, TURBINE (6404A)
	ÄR	68139		Ì	-	Ú	TURBOCHARGER, COMPLETE
• •				,			


TURBOCHARGER (SCHWITZER) (ENGINE SERIAL NO. 512306-



				ENGINE	
KEY	PAF	RT NO.		SERIAL NO.	DESCRIPTION
I 1 2 3 4 5 6 7 8 9 10 11 12 13	R R A R R R R R R R R R R	55030 46693 78019 46691 63128 46686 56626 46685 46682 56628 56627 63127 63126	* * * * * * * * * * * * * * * * * * * *	-	COVER, COMPRESSOR (SUB. FOR R63118) PLATE, CLAMP (3 USED) SCREW WITH LOCK WASHER (6 USED) NUT, LOCK WHEEL, COMPRESSOR RING, SNAP INSERT O-RING DEFLECTOR, OIL RING, PISTON SLEEVE, FLINGER BEARING, THRUST
15 16 17 18 19 20 21 22	AR AR RAR RRRRRR AR	78023 78020 63119 78021 63123 63120 63121 63122 63124 63125 78022	* (- - - - - - - - - - -	HOUSING, BEARING, WITH PINS HOUSING, CENTER AND ROTATING ASSEMBLY(CONSISTS OF PARTS MARKED WITH AN ASTERISK) HOUSING, TURBINE WHEEL, TURBINE, WITH SHAFT RING, PISTON PLATE, CLAMP (2 USED) PLATE, LOCK (2 USED) SCREW, CAP (4 USED) PLATE, BACK GASKET TURBOCHARGER, COMPLETE

^{*} SEE KEY 14.


AIR CLEANER WITH BANDS AND SUPPORTS CODE 1801 AIR CLEANER



KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8	C 16054 AR 72337 AR 64932 AR 64937 19H 2284 14H 812 12H 304 AR 65431 19H 2588 12H 294) CLAMP) CAP, AIR STACK) CLEANER, DRY AIR) BAND, MOUNTING (2 USED)) SCREW, CAP, 3/8" X 7/8" (4 USED)) NUT, 3/8" (4 USED)) WASHER, LOCK, 3/8" (4 USED)) SUPPORT, AIR CLEANER) SCREW, CAP, 5/8" X 1-7/8") WASHER, LOCK, 5/8"

DRY AIR CLEANER CODE 1801 AIR CLEANER






	KEY	PAI	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1	1 2 3 4 5 6 7 8	ARRAR EARRAR	64932 61968 79680 52066 17421 61967 52065 52064 52063	() CLEANER, DRY AIR) ELEMENT, SECONDARY (SUB. FOR AR49840)) ELEMENT, SECONDARY) WASHER, SEAL) NUT, SPECIAL HEX., LOCK) ELEMENT, PRIMARY (ALSO ORDER AR61968, SUB. FOR AR49839)) WASHER, SEAL) BOLT, WING) COVER, AIR CLEANER
	9	R	48723	(-) NUT, SPECIAL


AIR INTAKE PIPES (6404D) CODE 1801 AIR CLEANER

R20978



KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 R 46626 2 AR 21999 3 AR 65432	√ {) HOSE) CLAMP) PIPE, AIR INTAKE, WITH BUSHING
15H 558 4 R 55866) PLUG, 1/4") HOSE
5 AR 21841 6 C 16054	} - -) CLAMP (2 USED)) CLAMP


AIR INTAKE PIPES (6404A, T) CODE 1801 AIR CLEANER



KEY	PA	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
. 1	R	46626	-	HOSE, AIR INTAKE
2	Ċ	16054	<u>(</u>) CLAMP
3	ĂR	21999	<u>(</u> -) CLAMP
4	R	55927	(-) PIPE, AIR INTAKE
5	ÄR	21841	- (-	CLAMP (2 USED)
6	R	46627	`) HOSE


R16456

ENGINE COOLANT HEATER



KEY	PAF	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5	AR R R R AR	50411 47692 31378 47693 50399 50518	: : :) CORD) RING, SPLIT) O-RING) GASKET) HEATER WITH CAP) HEATER, ENGINE COOLANT, WITH CORD (CONSISTING OF ONE AR50399 ENGINE COOLANT HEATER AND ONE AR50411 CORD)


FLYWHEEL HOUSING CODE 1403 FLYWHEEL HOUSING, SAE NO. 3 CODE 1405 FLYWHEEL HOUSING, SAE NO. 2 CODE 1507 FLYWHEEL FOR 14 INCH SINGLE PLATE



KEY	PAF	T NO.		ENGINE SERIAL NO.	CODE	DESCRIPTION
1	19H	1732	(-))	SCREW, CAP, 3/4" X 2-1/4" (6 USED)
2	R	51822	(-)	1403	HOUSING, FLYWHEEL (ALSO ORDER 15H624 PLUG)
3	R	31494	į	- j)	GASKET, TIMING GEAR COVER (2 USED)
4	R	31493	Ì	-)	COVER, TIMING GEAR (2 USED)
5	19H	1731	į	- j)	SCREW, CAP, 3/8" X 1" (2 USED)
	12H	304	į	-)	WASHER, LOCK, 3/8" (2 USED)
6	R	57843	ì	-	1405	HOUSING, FLYWHEEL
7	R	56963	ì	- j	1507	SPACER, FLYWHEEL HOUSING
8	21H	1318	ì	<u>-</u>)	SCREW, MACH., PAN HD., NO. 12 (2 USED)
9	Ċ	1220 I	વ (ે	- j		PIN, DOWEL (2 USED)

R24826





ENGINE

PART NO.

SERIAL NO.

DESCRIPTION


1 R 61497 2 R 45692

(-(- STRAP, LIFT (2 USED) SCREW, SPECIAL CAP (2 USED)

R25840

KEY

ENGINE MOUNTING




	KEY	PAF	RT NO.
1	1 2	R R 19H 12H	49759 63271 2588 294

ENGINE SERIAL NO.

DESCRIPTION


(- XXXXX) MOUNT, ENGINE (2 USED) (XXXXX -) MOUNT, ENGINE (2 USED) (-) SCREW, CAP, 5/8" X 1-7/8" (12 USED) -) WASHER, LOCK, 5/8" (12 USED)

RADIATOR (6404D) CODE 2701 RADIATOR AND FAN SHROUD




KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 4 5 6 7 8 9 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22 24 25	AR 21840 R 53231 R 34090 19H 218 24H 1652 14H 812 12H 304 AR 28482 AR 53869 19H 1819 24H 1309 F 2411 F R 26417 R 304 1812 124 1305 144 1812 124 1305 144 1812 124 124 1304		CLAMP, HOSE (4 USED) HOSE, UPPER (SUB. FOR R35304) SHROUD, FAN SCREW, CAP, 3/8" X 1" (2 USED) WASHER, 13/32" X 11/16" X .105" (2 USED) NUT, 3/8" (2 USED) CAP, RADIATOR, WITH COVER RADIATOR WITH CUSHION SCREW, CAP, 3/8" X 2-1/8" (2 USED) WASHER, 13/32" X 1-1/16" X .120" (2 USED) SPRING (2 USED) SPACER (2 USED) CUSHION (2 USED) SUPPORT, RADIATOR (2 USED) SCREW, CAP, 5/8" X 2" (8 USED) WASHER, LOCK, 5/8" (8 USED) NUT, 3/8" (2 USED) WASHER, LOCK, 3/8" (2 USED) COCK, DRAIN SCREW, TAPPING, 1/4" X 5/8" (6 USED) HOSE, LOWER STRAP, RADIATOR SCREW, CAP, 3/8" X 1-1/4" BRACE WASHER, 13/32" X 13/16" X .060 NUT, 3/8" WASHER, LOCK, 3/8" SCREW, CAP, 5/8" X 1-1/4" WASHER, LOCK, 3/8" SCREW, CAP, 5/8" X 1-1/4"

RADIATOR (6404A, T) CODE 2701 RADIATOR AND FAN SHROUD




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 AR 28482 2 AR 43945 3 19H 2549 4 24H 1309 5 F 2411 R 6 R 26417 7 R 26413 8 14H 812 12H 304 9 R 53598 10 19H 1373 12H 294 11 AT 13740 12 37H 78 13 R 46522 14 AR 21999 15 R 52429 16 R 55868 17 AR 21840 18 19H 2021 19 24H 1652 20 14H 812 12H 304 21 R 53597 22 19H 218 23 R 55869 24 19H 218	SEHIAL NO. (DESCRIPTION CAP, RADIATOR RADIATOR SCREW, CAP, 3/8" X 1-7/8" (2 USED) WASHER, 13/32" X 1-1/16" X .120" (2 USED) SPRING (2 USED) SPACER (2 USED) CUSHION (2 USED) NUT, 3/8" (2 USED) WASHER, LOCK, 3/8" (2 USED) SUPPORT (2 USED) SCREW, CAP, 5/8" X 2" (8 USED) WASHER, LOCK, 5/8" (8 USED) COCK, DRAIN SCREW, TAPPING, 1/4" X 5/8" (6 USED) SHROUD, FAN CLAMP, HOSE (2 USED) HOSE, LOWER WATER HOSE, UPPER WATER CLAMP, HOSE (2 USED) SCREW, CAP, 3/8" X 5/8" (2 USED) SCREW, CAP, 3/8" X 5/8" (2 USED) NUT, 3/8" WASHER, LOCK, 3/8" STRAP, RADIATOR SCREW, CAP, 3/8" X 1" BRACE, RADIATOR STRAP SCREW, CAP, 3/8" X 1" BRACE, RADIATOR STRAP SCREW, CAP, 3/8" X 1"
12H 304	(-) WASHER, LOCK, 3/8"

FAN AND WATER PUMP (6404D) CODE 2401 FAN BELT CODE 2501 5 BLADED FAN CODE 2502 6 BLADED FAN




KEY	PAF	RT NO.	ENGINE SERIAL NO.	CODE	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 1 1 2 13 1 14 15 6 17	R 19H 12H R R R ARR H J D H 12H R R R A 15D 1 12H R R R A 19R	944 304 53437 52603 52591 34451)	PULLEY, FAN (SUB. FOR AR71627) FAN, 5 BLADE SCREW, CAP, 3/8" X 7/8" (4 USED)
18	19H	2284	(-) 2502	SCREW, CAP, 3/8" X 7/8" (4 USED)



			E/	<i>VGINE</i>		
KEY	PAF	T NO.	SER	IAL NO.	CODE	DESCRIPTION
1	R	42406	(-)		GASKET (2 USED 6404A) (1 USED 6404T)
2	R	50413	(-)		SPACER, WATER PUMP (1 USED 6404A)
3	19H	1875	(-)		SCREW, CAP, 5/16" X 1-3/4" (4 USED)
	12H	303	(-)		WASHER, LOCK, 5/16" (4 USED)
4	R	50409	(-)		HOUSING, WATER PUMP, REAR
5	R	50410	į (-)		GASKET
6	R	50411	(-)		IMPELLER
7	AR	41691	(-)		INSERT, IMPELLER, WITH CUP
8	AR	62934	(-)		SEAL WITH INSERT AND CUP
9	AR	54578	(-)		PUMP, WATER, COMPLETE (MARKED R50408) (DOUBLE BELT DRIVE)
10	15H	571	(-)		PLUG, PIPE, 3/8", HEX. CTSK.
11	JD	9257	(-)		BEARING, BALL
12	19H	2636	(-)		SCREW, CAP, 3/8" X 3-5/8" (4 USED 6404A)
	19H	944	(-)		SCREW, CAP, 3/8" X 2-3/4" (4 USED 6404T)
	12H	304	(-)		WASHER, LOCK, 3/8" (4 USED)
13	R	51684	(-)		HUB, FAN
14	AR	57266	(-)	2401	V-BELT, FAN, TWO MATCHED
15	R	52592	(-)		PULLEY, FAN (DOUBLE BELT DRIVE)
16	AR	48871	(-)	2503	FAN
17	19H	2284	(-)	2503	SCREW, CAP, 3/8" X 7/8" (4 USED)
I 18	ΑT		(-)	2501	FAN, BLOWER (USE WITH CODE 2701 RADIATOR)
I 19	19H	2284	(-)	2501	SCREW, CAP, 3/8" X 7/8" (4 USED)

WATER OUTLET MANIFOLD AND THERMOSTAT HOUSINGS (6404D)




KEY	PAF	RT NO.		ENGINE ERIAL NO.	DESCRIPTION
1	19H	1732	(-)	SCREW, CAP, 3/8" X 1-1/4" (2 USED)
	12H	304	(-)	WASHER, LOCK, 3/8" (2 USED)
2	R	52509	(-)	MANIFOLD, WATER OUTLET
3	19H	1801	(-)	SCREW, CAP, 3/8" X 2"
	12H	304	(-)	WASHER, LOCK, 3/8"
4	19H	1765	Ì	-)	SCREW, CAP, 3/8" X 1-3/4"
•	12H	304	Ì	-)	WASHER, LOCK, 3/8"
5	R	42694	Ì	-)	GASKET (2 USED)
6	Ŕ	43780	ì	-)	O-RING (2 USED)
7	Ŕ	51440	ì	-)	PIPE, WATER BYPASS
8	Ŕ	41285	ì	-)	CONNECTOR, SPECIAL
9	Ŕ	36846	}	-)	THERMOSTAT (RANGE 180° - 200°F (82 - 93°C) (2 USED)
10	ÄR	44840	} .	- j	HOUSING, THERMOSTAT (2 USED) (MARKED R42664)
11	R	42693	}	<u>-</u>	GASKET (2 USED)
ı 12	19H	2545	}	-	SCREW, CAP, 3/8" X 1-3/8" (4 USED)
1 12	12H	304	}	_	WASHER, LOCK, 3/8" (4 USED)
13	24H	1303	}	_	WASHER, 13/32" X 11/16" X .060" (4 USED)
13	∠4⊓	1303	1	-	**************************************

THERMOSTAT HOUSING AND THERMOSTATS (6404D)




KE	/ PAI	RT NO.	ENGINE SERIAL NO.		DESCRIPTION
1 2 3	R AR 19H 24H 12H R	36846 44840 1732 1303 304 42693	(- (- (- (- (-))))	THERMOSTAT (RANGE 180° - 202°F) (82 - 94°C) (2 USED) HOUSING, THERMOSTAT (MARKED R41853 OR R42664) (2 USED) SCREW, CAP, 3/8" X 1-1/4" (4 USED) WASHER, 13/32" X 11/16" X .060" (4 USED) WASHER, LOCK, 3/8" (4 USED) GASKET (2 USED)

WATER MANIFOLDS AND THERMOSTATS (6404A, T)




			ENGINE	DESCRIPTION
	KEY	PART NO.	SERIAL NO.	DESCRIPTION
	1	AR 21839	(-) CLAMP, HOSE (4 USED) (6404A)
	ż	R 47430	· -	HOSE (6404A)
1	3	R 50403	i - xxxxx	TUBE, WATER OUTLET (6404A) (SUB. R61128)
i	•	R 61128	(XXXXX -	TUBE, WATER OUTLET (6404A)
•	4	A 5203 F	· · · · · · · · · · · · · · · · · · ·	HOSE (6404A)
	5	R 48362	-	CONNECTOR, SPECIAL (6404A)
	•	15H 665	(-	PLUG, PIPE, 3/4" (6404T)
1	6	19H 2545	(-	SCREW, CAP, 3/8" X 1-3/8" (4 USED)
		12H 304	<u> </u>) WASHER, LOCK, 3/8" (4 USED)
	7	R 50415	(-) MANIFOLD, WATER
	8	R 46479	(-) GASKET
	9	AR 48675	(-) THERMOSTAT (2 USED)
	10	R 53423	(-) COVER, THERMOSTAT
	11	19H 268	(-) SCREW, CAP, 3/8" X 2-1/2"
		12H 304	(-) WASHER, LOCK, 3/8"
	12	R 43491	(-) CONNECTOR
	13	R 50420	(-	O-RING (2 USED)
	14	R 50416	(-) TUBE, WATER BYPASS, FRONT (6404A)
		R 51960	(-	TUBE, WATER BYPASS (6404T)
	15	19H 1726	- () SCREW, CAP, 3/8" X 2-1/4" (2 USED)
		12H 304	(-) WASHER, LOCK, 3/8" (2 USED)
	16	R 42693	(-) GASKET (2 USED)

FUEL PUMP AND PIPES (6404D)




KEY	PAI	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7	T AR R R AR 14H 12H	30738 57265 27346 48755 48399 57264 785 303	() ELBOW, 90°, 1/8"-27 NPT X 1/2"-20 (2 USED)) PIPE, FUEL PUMP TO FUEL FILTER) CONNECTOR, 1/8"-27 NPT X 1/2"-20) STUD, 5/16" X 1-1/2" (2 USED)) O-RING) PUMP, FUEL, WITH PACKING) NUT, 5/16" (2 USED)) WASHER, LOCK, 5/16" (2 USED)

FUEL FILTER (6404D)




<i>11</i> 511	040	T NO.	ENGINE SERIAL NO.	DESCRIPTION
KEY	PAH	1 100.	SETTIME 110.	
1 2 3 4 5 6 7 8 9	R 19H 12H R R R AR F T 15H	47433 1822 293 48071 26287 50040 27346 30738 558 1289 118 303) SUPPORT) SCREW, CAP, 7/16" X 1" (2 USED)) WASHER, LOCK, 7/16" (2 USED)) SCREW, BLEED (2 USED)) PACKING (2 USED) (SUB. FOR R34447)) BODY, FUEL FILTER) CONNECTOR, 1/8"-27 NPT X 1/2"-20) ELBOW, 90°, 1/8"-27 NPT X 1/2"-20 PLUG, PIPE, HEX. CTSK., 1/8") WASHER, 21/64" X 5/8" X .048") SCREW, CAP, 5/16" X 1" (2 USED)) WASHER, LOCK, 5/16" (2 USED)
	AR R	50041 57258	(- -) ELEMENT, FUEL FILTER) SPRING, RETAINING

FUEL FILTER (6404A, T) (ENGINE SERIAL NO. -445569)



			ENGINE	
KE	Y PA.	RT NO.	SERIAL NO.	DESCRIPTION
1	R	50427	(-) SUPPORT, FUEL FILTER
2			(-) WASHER, 15/32" X 13/16" X .090" (2 USED)
3	19H	2500	· · · · · · · · · · · · · · · · · · ·) SCREW, CAP, 7/16" X 1-3/8" (2 USED)
	12H	293	(-) WASHER, LOCK, 7/16" (2 USED)
4	R	50425	(-	SCREW, SPECIAL
5	R	50426	(-) PACKING
6	15H		(-) PLUG, PIPE, HEX. CTSK., 1/4"
1 7	R	26287	(-	PACKING (2 USED) (SUB. FOR R34447)
8	R	48071	(-	SCREW, BLEED (2 USED)
9	24H		(-) WASHER, 11/32" X 11/16" X .060" (4 USED)
10			(-	SCREW, CAP, 5/16" X 1" (4 USED)
	12H	303	(-	WASHER, LOCK, 5/16" (4 USED)
11	AR	54590	(-	BODY, FUEL FILTER
12	R_	32136	(-	CONNECTOR, 1/4"-18 NPT X 1/2"-20
13	AR	68454	(-	LINE, FLEXIBLE FUEL, FUEL FILTERS TO FUEL INJECTION PUMP
				(SUB. FOR AR47296)
14	AR	54591	(-)) ELBOW, 90°, 1/4"-18 NPT X 1/2"-20
15	AR	61515	(-)	PIPE, FUEL, FUEL TRANSFER PUMP TO FUEL FILTERS
16	AR	50041	(-)	ELEMENT, FUEL FILTER (2 USED)
17	R	57258	(-)	SPRING, RETAINING (2 USED) (SUB. FOR R47358)
				, , ,

FUEL FILTER (6404A, T) (ENGINE SERIAL NO. 445570-




1 R 50427 (-) SUPPORT, FUEL FILTER 2 24H 1323 (-) WASHER, 15/32" X 13/16" X .090" (2 USED) 3 19H 2500 (-) SCREW, CAP, 7/16" X 1-3/8" (2 USED) 12H 293 (-) WASHER, LOCK, 7/16" (2 USED) 4 R 50425 (-) SCREW, BLEED 5 R 50426 (-) PACKING 6 15H 559 (-) PACKING (2 USED) (SUB. FOR R34447) 8 R 48071 (-) PACKING (2 USED) (SUB. FOR R34447) 9 24H 1136 (-) SCREW, DRAIN (2 USED) 10 19H 1905 (-) SCREW, CAP, 5/16" X 1" (4 USED) 11 AR 54590 (-) BODY, FUEL FILTER 11 12 R 32136 (-) CONNECTOR, 1/4"-18 NPT X 1/2"-20 11 AR 73828 * (-) VALVE, FUEL CHECK (SEE PAGE 25-5 FOR SERVICE PARTS) 15 T 30367 * (-) CLAMP 16 24H 1136 (-) WASHER, 11/32" X 11/16" X .060" 17 AR 73822 * (-) PIPE, FUEL, FUEL FILTER PUMP TO FUEL CHECK VALVE 18 AR 50041 (-) ELEMENT, FUEL FILTER (2 USED)	KEY	PART NO.		ENGINE RIAL NO.	DESCRIPTION
19 R 57258 (-) SPRING, RETAINING (2 USED)	3 45 6 7 8 9 10 11 12 13 14 15 16 17 18	24H 1323 19H 2500 12H 293 R 50425 R 26287 R 48071 24H 1136 19H 1905 12H 303 AR 54590 R 32136 AR 68454 AR 73888 T 30367 24H 1136 AR 73822 AR 50041	* (WASHER, 15/32" X 13/16" X .090" (2 USED) SCREW, CAP, 7/16" X 1-3/8" (2 USED) WASHER, LOCK, 7/16" (2 USED) SCREW, BLEED PACKING PLUG, PIPE, HEX. CTSK., 1/4" PACKING (2 USED) (SUB. FOR R34447) SCREW, DRAIN (2 USED) WASHER, 11/32" X 11/16" X .060" (4 USED) SCREW, CAP, 5/16" X 1" (4 USED) WASHER, LOCK, 5/16" (4 USED) BODY, FUEL FILTER CONNECTOR, 1/4"-18 NPT X 1/2"-20 LINE, FLEXIBLE FUEL, FUEL FILTERS TO FUEL INJECTION PUMP VALVE, FUEL CHECK (SEE PAGE 25-5 FOR SERVICE PARTS) CLAMP WASHER, 11/32" X 11/16" X .060" PIPE, FUEL, FUEL TRANSFER PUMP TO FUEL CHECK VALVE ELEMENT, FUEL FILTER (2 USED) SPRING, RETAINING (2 USED)

^{*} KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGE 25-5 ... AR 74603 (-) KIT, FUEL CHECK VALVE

FUEL CHECK VALVE (6404A, T) (ENGINE SERIAL NO. 445570-


)

R25745F



KEY	PA	RT NO.			ENGINE SERIAL NO.		DESCRIPTION
1 2 3 4 5	R AR R R AR	375 R 73824 27166 60863 73888	*	((((((((((((((((((((- - - -) } }	O-RING VALVE, FUEL CHECK O-RING CONNECTOR, 1/2"-20 X 13/16"-20 VALVE, FUEL CHECK, COMPLETE
* K	IT LIS AR	TED BELOW 74603	CON	TAINS	ALL PARTS F	OLLOV	VED BY AN ASTERISK ON THIS PAGE AND PAGE 25-4. KIT, FUEL CHECK VALVE

FUEL INJECTION PUMP NOZZLES, AND FUEL PIPES (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION PUMP, REGULAR GOVERNOR CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 R 31147 2 AR 57262 3 AR 57260 4 AR 57259 5 R 34766 6 R 34765 7 R 48000 8 R 34764 9 AR 50781		CAP, 37° FLARE PIPE, FUEL INJECTION LEAK-OFF PIPE, FUEL INJECTION, NO. 6 PIPE, FUEL INJECTION, NO. 5 CLAMP (12 USED) BOOT (6 USED) SEAL (6 USED) WASHER, UPPER (6 USED) NOZZLE, INJECTOR, WITH BOOT (9.52MM) (ROOSA MASTER NO. 1-18767) (FOR PARTS SEE PAGE 25-28)
10 R 34761 11 R 34760 12 19H 1914 13 R 26728 R 26789 R 26790 14 AR 57258 15 AR 57257 16 AR 57256 17 AR 57254 18 R 48359 R 48360 R 48359 19 AR 57255 R 28789 20 AR 48236 21 22 AR 57263 R 35352 23 AR 59115 24 R 54233 25 R 54228		NO. 1-18767) (FOR PARTS SEE PAGE 25-28) SPACER (6 USED) CLAMP WITH SCREW (6 USED) SCREW, CAP, 1/4" X 1" (5 USED) CLAMP, HALF, THREADED CLAMP, HALF CUSHION PIPE, FUEL INJECTION. NO. 4 PIPE, FUEL INJECTION, NO. 3 PIPE, FUEL INJECTION, NO. 2 PIPE, FUEL FILTER TO FUEL INJECTION PUMP CLAMP, HALF CUSHION PIPE, FUEL INJECTION, NO. 1 CLAMP, HALF CUSHION PIPE, FUEL INJECTION, NO. 1 CLAMP CLAMP, HOSE (2 USED) HOSE, 2-5/8" (67MM) (MAKE FROM R32639) PIPE, FUEL INJECTION LEAK-OFF TO PUMP CONNECTOR, 1/8"-27 NPT X 7/16"-20 SCREW, SPECIAL CAP, WITH WASHER (3 USED) NUT, SPECIAL WASHER
26 AR 55487 27 R 54250 28 R 54229 29 24H 1292 30 14H 785 12H 303	* (-) * (-) (-)	GEAR, FUEL INJECTION DRIVE (MATCHED SET) HUB, GEAR SEAL, PUMP FLANGE WASHER, 11/32" X 3/4" X .120" (3 USED) NUT, 5/16" (3 USED) WASHER, LOCK, 5/16" (3 USED)

FUEL INJECTION PUMP NOZZLES, AND FUEL PIPES - CONTINUED (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION PUMP, REGULAR GOVERNOR CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR

	KEY	PAF	RT NO.		NGINE RIAL NO.		CODE	DESCRIPTION
1	31	AR	65465	(- 437914)	1602	PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633JTX001 OR DM2633JT2660) (FOR PARTS SEE PAGES 25-8, 25-12, 25-14, 25-16 AND 25-18)
ı		AR	65465	(437915	-)	1602	PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MA2872)
		AR	66993	(-)	1603	(FOR PARTS SEE PAGES 25-8, 25-12, 25-14, 25-16 AND 25-18) PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MK2875) (FOR PARTS SEE PAGES 25-10, 25-12, 25-14, 25-16 AND 25-18)
	32	R	26286	(-)		O-RING
	33	R	27272	(-	ý		CONNECTOR
			TED BELOW CONT 1, 25-12, 25-14, 25			LOV	VED B	AN ASTERISK ON THIS PAGE AND PAGES 25-6,
		AR	63029	(•)		KIT, GASKET OVERHAUL

FUEL INJECTION PUMP LINKAGE (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 T 19859 2 T 17950 3 T 17949 4 AR 46843 5 T 19860 6 T 11917 7 T 19861 8 AR 51717 9 T 11920 10 T 11921 11 T 11929 12 AR 51719) SCREW, THROTTLE LEVER SPRING) RETAINER, THROTTLE LEVER) SPRING, THROTTLE) LEVER, THROTTLE) ARM, ADJUSTING) SCREW, ADJUSTING LEVER) SPACER, ARM) SHAFT, THROTTLE SCREW, LEVER ADJUSTING) NUT, ADJUSTING SCREW (2 USED)) CLIP, SHAFT RETAINING) HOOK, LINKAGE
AR 28602 R 30719 R 30718 R 48516 13 R 54245 14 R 41203 15 T 17952 16 T 11924 17 T 11913 18 T 11914 19 T 11914 19 T 11914 19 AR 30736 21 R 30732 22 R 58422 23 R 54238 24 T 11927 25 AR 61989 26 T 11925		LINK, GOVERNOR HOOK, ADJUSTING WASHER, GOVERNOR LINK HOOK SCREW, GOVERNOR LINK HOOK HOOK, GOVERNOR LINKAGE ARM, GOVERNOR LINKAGE SPRING, GOVERNOR CONTROL SPACER, GOVERNOR SPRING SPRING, IDLING GUIDE, IDLING SPRING SPRING, IDLING SPRING SPRING, GOVERNOR LINKAGE ARM, METERING VALVE SHIM, METERING VALVE SPRING, METERING VALVE VALVE, METERING LEVER, THROTTLE SHAFT HOUSING, PUMP SHAFT, PIVOT

FUEL INJECTION PUMP LINKAGE - CONTINUED (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR

	KEY	PAF	RT NO.			IGINE IAL NO.	DESCRIPTION		
1	27 28 29 30 31 32 33 34 35 36 37 38 40 41 42	T AR	34812 11932 11929 48515 11915 15720 40703 15712 40707 54254 17951 54251 11899 11877 11943 11923 65465	* * * *	(((((((((((((((((((-) -) -) -) -) -) -) -) -) -)	SEAL, PIVOT SHAFT (2 USED) NUT, PIVOT SHAFT (2 USED) CLIP, SHAFT RETAINING SHAFT, SHUT-OFF SEAL, THROTTLE SHAFT (2 USED) WASHER, THROTTLE SHAFT (2 USED) SCREW, CAM LOCATING SEAL, ADVANCE PLUG PLUG, ADVANCE SCREW, SPECIAL SEAL SCREW, SPECIAL SEAL SCREW, SPECIAL SEAL, HEAD LOCATING SCREW WIRE, SEALING WASHER, GUIDE STUD STUD, GUIDE PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633JTX001 OR DM2633JT2660) (FOR PARTS SEE PAGES 25-12, 25-14, 25-16 AND 25-18) PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MA2872) (FOR PARTS SEE PAGES 25-12, 25-14, 25-16 AND 25-18)		
	* KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-6, 25-11, 25-12, 25-14, 25-15, 25-16 AND 25-18								

^{25-11, 25-12, 25-14, 25-15, 25-16} AND 25-18 ... AR 63029 (-) KIT, GASKET OVERHAUL

FUEL INJECTION PUMP LINKAGE (6404D ENGINE SERIAL NO. -499999) CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR




	ENGINE	
KEY PART NO.	SERIAL NO.	DESCRIPTION
1 T 19859 2 T 17950 3 T 17949 4 AR 46843 5 T 19860 6 T 11917 7 T 19861 8 AR 71186 9 T 11920 10 T 11921 11 T 11929 12 AR 73614 AR 73612 R 30719 R 30718 R 48516 13 AR 73609 14 R 60710 15 AR 73607 16 R 57871 17 T 11943 18 R 60711 19 T 26256) SCREW, THROTTLE LEVER SPRING) RETAINER, THROTTLE LEVER) SPRING, THROTTLE LEVER) LEVER, THROTTLE) ARM, ADJUSTING) SCREW, ADJUSTING LEVER) SPACER, ARM) SHAFT, THROTTLE) SCREW, LEVER ADJUSTING) NUT, ADJUSTING SCREW (2 USED)) CLIP, SHAFT RETAINING) HOOK LINKAGE) LINK, GOVERNOR HOOK, ADJUSTING) WASHER, GOVERNOR LINK HOOK) SCREW, GOVERNOR LINK HOOK) HOOK, GOVERNOR LINKAGE ARM, GOVERNOR, ASSEMBLY) SPRING, CONTROL) ROD, CONTROL, ASSEMBLY) PIN, CONTROL SPRING) WASHER, CONTROL ROD GUIDE) GUIDE, CONTROL ROD
	<u> </u>) CAP, ADJUSTING
21 R 60713	} -) CAP, DROOP CONTROL LOCKING
22 R 60712 23 AR 73610	} -) SPRING, DAMPER) PISTON, DAMPER
24 AR 73611	(-) BARREL, DAMPER
25 T 11911 26 AR 30736	} -) SPRING, GOVERNOR LINKAGE
20 MM 30/30	· -) ARM, METERING VALVE

FUEL INJECTION PUMP LINKAGE - CONTINUED (6404D ENGINE SERIAL NO. -499999) CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR

KEY F	PART NO.		ENGINE SERIAL NO.	DESCRIPTION
27 RR 29 RT AF 29 ST RT TR TT AF 44 A4	11925 34812 11932 11929 59079 11915 15720 40703 15712 40707 54254 17951 11899 11877	* ((* * ((((((((((((((() SHIM, METERING VALVE) SPRING, METERING VALVE) VALVE, METERING) LEVER, THROTTLE SHAFT) HOUSING, PUMP) SHAFT, PIVOT) SEAL, PIVOT SHAFT (2 USED)) NUT, PIVOT SHAFT (2 USED)) CLIP, SHAFT RETAINING) SHAFT, SHUT-OFF) SEAL, THROTTLE SHAFT (2 USED)) WASHER, THROTTLE SHAFT (2 USED)) SCREW, CAM LOCATING) SEAL, ADVANCE PLUG) PLUG, ADVANCE) SCREW, SPECIAL) SEAL) SCREW, SPECIAL) SEAL) SCREW, SPECIAL) SEAL) SEAL, HEAD LOCATING SCREW) WIRE, SEALING) PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MK2875) (FOR PARTS SEE PAGES 25-12, 25-14, 25-16 AND 25-18)
		OW CONTAINS		DLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-6,

^{25-9, 25-12, 25-14, 25-15, 25-16} AND 25-18 ... AR 63029 (-) KIT, GASKET OVERHAUL


FUEL INJECTION PUMP ELECTRIC SHUT-OFF (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR



	KEY	PAF	RT NO.			ENGINE RIAL NO.		CODE	DESCRIPTION
	1	Т	11877		(-)		WIRE, SEALING
	ż	Ť	15721		}	_	í		SCREW, SPECIAL MACHINE (3 USED)
	3	12H	295		}	-	Ś		WASHER, LOCK, INTERNAL TOOTH, NO. 10 (3 USED)
	4	Ť	15715		}	-	í		WASHER, PLAIN (3 USED)
	5	ÀR	49542		}	-	Ś		WIRE ASSEMBLY
	6	R	36535		}	-	Ś		CONNECTOR
	6 7	Τ̈́	19977		}	-	Ś		NUT, LOCK, TERMINAL CONTACT (2 USED)
	8	Ŕ	47049		}	-	Ń		WASHER, PLAIN
	9	Ŕ	47077		}	•	Ś		WASHER, LOCK, INTERNAL TOOTH
	10	Ť	11938		}	_	Ú		NUT, TERMINAL CONTACT (2 USED)
	11	Ŕ	47049		ì	-	Ś		WASHER, PLAIN (2 USED)
	12	T	11936		ì	-	Ś		WASHER, INSULATING (2 USED)
		Т	11919		ì	-	Ó		COVER
	14	Т	11918	*	(-)		PACKING
	15	T	11937		(-)		TUBE, COVER INSULATING (2 USED)
	16	AR	48219		(-)		SOLENOID
	17	Т	11935		(-)		SPRING, SHUT-OFF ARM
	18	R	48795		(-)		TUBE
	19	ΑT	11924		(-)	1602	
		AR	73613		(-)	1603	ARM, SHUT-OFF
	20	AR	61989		(-)		HOUSING, PUMP
-		AR	65465		(- 437914	.)	1602	
									DM26334T2660) (FOR PARTS SEE PAGES 25-8, 25-14, 25-16 AND 25-18)
1		AR	65465		(437915	5 -)	1602	PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MA2872) (FOR
•					,		,		PARTS SEE PAGES 25-8, 25-14, 25-16 AND 25-18)
		AR	66993		(-)	1603	PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MK2875) (FOR
					`		•		PARTS SEE PAGES 25-10, 25-14, 25-16 AND 25-18)
	* KI	T LIS	TED BELO	W CONT	AINS ALL	PARTS FOL	LO	WED B	Y AN ASTERISK ON THIS PAGE AND PAGES 25-6,
	25-9	, 25-1	1, 25-14, 2	25-15, 25	-16 AND 2	25-18			
		AR	63029		(-)		KIT, GASKET OVERHAUL

MEMORANDA

FUEL INJECTION PUMP HOUSING DRIVE SHAFT AND AUTOMATIC ADVANCE (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR INJECTION SYSTEM, 3%-5% GOVERNOR




			ENGINE	DECORPTION
KEY	PART NO.		SEHIAL NO.	DESCRIPTION
2 FF	T 11883 T 11882 R 54260 T 11877 T 17117	* (SERIAL NO. -) -) -) -) -) -) -) -) -) -	DESCRIPTION SEAL, DRIVE SHAFT (2 USED) RING, SEAL RETAINING RING, RETAINING SHAFT, DRIVE BEARING, BALL WASHER, DRIVE SHAFT SPRING RING, RETAINING PIN, SPRING PLATE, NAME SCREW, NAME PLATE (2 USED) GASKET, TIMING LINE COVER, TIMING LINE SCREW, SPECIAL (2 USED) WIRE, SEALING CAP, ADJUSTING SCREW
1 22 3 23 8 24 8 25 26 8 27 8 28 8 29 8 30 8 31 8	T 11915 34255 354224 T 17135 T 15710 A 48523 A 48517 T 17119 A 48521 A 49211 A 4921	* (-) -) -) -) -) -) -) -) -) -)	NUT, ADJUSTING SCREW SEAL, ADJUSTING SCREW PLUG, PISTON CONTROL VALVE, REED SCREW, SOCKET CAP (2 USED) SEAL, PISTON HOLE PLUG SEAL, PISTON HOLE PLUG (2 USED) RING, RETAINING WASHER, ADVANCE TRIMMER SPRING SPRING, ADVANCE TRIMMER SCREW, ADVANCE ADJUSTING RING, PISTON SEAL, PISTON RING PISTON, ADVANCE SCREW, HEAD LOCKING SCREW, SOCKET CAP (2 USED) SPRING, ADVANCE
I 33 F	R 56396	* (-)	SEAL, PISTON HOLE PLUG

FUEL INJECTION PUMP HOUSING DRIVE SHAFT AND AUTOMATIC ADVANCE - CONT. (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR

KE	/ PA	RT NO.			NGINE RIAL NO.		CODE	DESCRIPTION
34	R	48520		(-)		PLUG, PISTON HOLE
35	Ť	17117		ì	-	ĺ	1602	CAP, TORQUE SCREW
36	Т	17124		ì	-)	1602	SCREW, TORQUE
37	Т	17122		ì	-)	1602	NUT, TORQUE SCREW
38	Т	11915	*	(-)	1602	SEAL, TORQUE SCREW
39	Т	11930		(-)	1603	SCREW, TORQUE
40	Т	11878		(-)	1603	SEAL, TORQUE SCREW
41	AR	61989		(-)		HOUSING PUMP
1	AR	65465		(- 437914)	1602	PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM26334TX001 OR
								DM26334T2660) (FOR PARTS SEE PAGES 25-8, 25-12, 25-16
								AND 25-18)
1	AR	65465		(437915	i -)	1602	·
								PARTS SEE PAGES 25-8, 25-12, 25-16 AND 25-18)
	AR	66993		(-)	1603	
								PARTS SEE PAGES 25-10, 25-12, 25-16 AND 25-18)
								A AN ARTERION ON THIS BACE AND DACED OF C
						LOV.	AFD B	Y AN ASTERISK ON THIS PAGE AND PAGES 25-6,
25			25-14, 25 ₋	-16 AND 2	5-18)			WIT CARKET OVERHALI
	AR	63029		(-)		KIT. GASKET OVERHAUL

FUEL INJECTION PUMP HYDRAULIC HEAD, ROTOR AND GOVERNOR (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR




KEY PA	RT NO.		ENGINE SERIAL NO.	DESCRIPTION
1 R 2 T 3 R	54257 26236 54248	((- 437914 (- 437914 - 437914) RING, LINER LOCATING) SEAL, TRANSFER PUMP) RETAINER, ROTOR (2 USED)
4 R	61122 61124	* ((437915 <i>-</i> (437915 <i>-</i>) RING, LINÉR LOCATÌNG SEAL, TRANSFER PUMP
5 R 6 R 7 R	61121 30737	((437915 - (-	RETAINER, ROTOR (2 USED) SCREW, DELIVERY VALVE STOP
8 T 9 R	26223 30735	((<u>-</u>) STOP, DELIVERY VALVE) SPRING, DELIVERY VALVE
10 R	36551 36552	Ì	- -) VALVE, DELIVERY VALVE, DELIVERY (OVERSIZE)
11 R 12 AR	57137 61994		-	CONNECTOR, FUEL LINE HEAD AND ROTOR, HYDRAULIC, ASSEMBLY
Т	11926		-	SCREW, HEAD PLUG
R R	30725 54626		- -) SCREW, HEAD PLUG) WIRE, VENT
13 R R	36547 36548	(- -)
R R	36549 36550	(-)
14 R 15 T	56483 11886		(- -) SHOE, CAM ROLLER (2 USED)) ROLLER, CAM (2 USED)
16 R 17 R	54242 54252	*	- -) RING, RÉTAINING (6 USED) RETAINER, CUSHION (3 USED)
18 R 19 T	54249 31124		-	CUSHION, GOVERNOR WEIGHT TRANSFER (6 USED) SHIM, .005" (0.13MM) (USE AS REQUIRED)
Ť	31125		-	SHIM, .006" (0.15MM) (USE AS REQUIRED)
T T	31126 31127		-) SHIM, .007" (0.18MM) (USE AS REQUIRED)) SHIM, .008" (0.20MM) (USE AS REQUIRED)
20 T	31128 11888	(- -) SHIM, .009" (0.23MM) (USE AS REQUIRED)) SPRING, LEAF
21 T 22 T	11887 11891	*	- -) SCREW, LEAF SPRING) SEAL, HEAD
23 R 24 AR	48531 61993	(- -) RING, CAM) RETAINER, GOVERNOR WEIGHT
25 R 26 R	54239 54240		} - -) WEIGHT, GOVERNOR (6 USED)) WASHER, GOVERNOR SLEEVE THRUST
27 R	54241	į	(-	SLEEVE, GOVERNOR THRUST

FUEL INJECTION PUMP HYDRAULIC HEAD, ROTOR AND GOVERNOR - CONTINUED (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR

				ENGINE		0005 0500000000		
KEY	PAI	RT NO.		SERIAL NO.	C	CODE DESCRIPTION		
	AR	65465	(- 43791	4) 1	1602 PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633JTX001 OR DM2633JT2660) (FOR PARTS SEE PAGES 25-8, 25-12, 25-14 AND 25-18)		
• •	AR	65465	(437	915 -) 1	1602 PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MA2872) (FO PARTS SEE PAGES 25-8, 25-12, 25-14 AND 25-18)	·R	
• •	AR	66993	(-) 1	1603 PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MK2875) (FO PARTS SEE PAGES 25-10, 25-12, 25-14 AND 25-18)	R	
* KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-6, 25-9, 25-11, 25-12, 25-14, 25-15, 25-16 AND 25-18								
		63029	(-)	KIT, GASKET OVERHUAL		

FUEL INJECTION PUMP TRANSFER PUMP (6404D ENGINE SERIAL NO. -499999) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR CODE 1603 INJECTION SYSTEM, 3%-5% GOVERNOR

R24599




KEY	PAF	RT NO.			GINE AL NO.	cor	DE DESCRIPTION	
	R	54231 54226 73828 73829 34630 54244	*	437915 437915 437915 437915	- 437914 - 437914 - 437914 - 437914 - 437914)))))))))))))))))))	SCREW, LOCKING PLATE PLATE, LOCK WASHER CAP, TRANSFER PUMP END CAP, TRANSFER PUMP END PLUG, END PLATE SPRING, REGULATING PISTON, REGULATING SEAL, INLET FILTER SCREEN SCREEN, INLET FILTER SCREEN, INLET FILTER WASHER, FILTER SCREEN RETAINING WASHER, FILTER SCREEN RETAINING WASHER, FILTER SCREEN RETAINING WASHER, TRANSFER PUMP SPRING WASHER, TRANSFER PUMP SPRING REGULATOR, TRANSFER PUMP SEAL, TRANSFER PUMP REGULATING SLEEVE PIN, SPRING BLADE, TRANSFER PUMP, STANDARD BLADE, TRANSFER PUMP, OVERSIZE SPRING (2 USED) LINER, TRANSFER PUMP PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633JTX001 OR DM2633JT2660) (FOR PARTS SEE PAGES 25-8, 25-12, 25-14 AND 25-16)	
١	AR	65465		(437915	-) 160	PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM2633MA2872) (FOR PARTS SEE PAGES 25-8, 25-12, 25-14 AND 25-16	
	AR	66993		(-) 160		
	* KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-6, 25-9, 25-11, 25-12, 25-14, 25-15 AND 25-16							

25-9, 25-11, 25-12, 25-14, 25-15 AND 25-16 .. AR 63029 (-KIT, GASKET OVERHAUL

MEMORANDA

FUEL INJECTION PUMP, NOZZLES AND FUEL PIPES (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR



1 16H 644	SED) (FOR
PARTS SEE PAGE 25-29)	
1 8 R 60877	
120 R	


FUEL INJECTION PUMP, NOZZLES AND FUEL PIPES - CONTINUED (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR

KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
21 22 23 24 25 26 27 28 29 30 31 32 33 34 1	19H 1914 R 53300 37H 133 R 53299 19H 3204 12H 246 14H 785 12H 303 24H 1292 R 54229 R 54259 R 54259 R 5428 R 54233 AR 59115 14H 785 12H 303 24H 1292 AR 73526	(SCREW, CAP, 1/4" X 1" (5 USED) CLIP SCREW, TAPPING, NO. 8 X 5/8" BRACKET, FUEL SHUT-OFF SCREW, MACH., NO. 10 X 5/8" (2 USED) WASHER, LOCK, NO. 10 (2 USED) NUT, 5/16" (3 USED) WASHER, LOCK, 5/16" (3 USED) WASHER, LOCK, 5/16" (3 USED) WASHER, 11/32" X 3/4" X .120" (3 USED) SEAL, PUMP FLANGE HUB, GEAR GEAR, FUEL INJECTION DRIVE (MATCHED SET) WASHER NUT, SPECIAL SCREW, SPECIAL CAP, WITH WASHER (3 USED) NUT, 5/16" (3 USED) WASHER, LOCK, 5/16" (3 USED) WASHER, 11/32" X 3/4" X .120" (3 USED) PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM4629ME2984) (SEE PAGES 25-22 THROUGH 25-27)
36 37 38 39 39 40 40 41 42 	R 26286 R 27272 AR 74344 R 26789 R 26790 R 59299 R 59300 R 61146 R 48358 R 48360 R 48359 19H 1914 R 26728 R 26789 R 26790	(-) (-)	O-RING CONNECTOR, 1/2"-20 PIPE, FUEL FILTER TO FUEL INJECTION PUMP CLAMP, HALF CUSHION CLAMP, HALF (2 USED) REINFORCEMENT RETAINER, CLAMP, THREADED CLAMP, HALF CUSHION SCREW, CAP, 1/4" x 1" (5 USED) CLAMP, HALF CUSHION CLAMP, HALF CUSHION CLAMP, HALF CUSHION CLAMP, HALF CUSHION

^{*} KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-23, 25-24, 25-25, 25-26 AND 25-27.

.. AR 63029 (-) KIT, GASKET OVERHAUL

FUEL INJECTION PUMP LINKAGE (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR



KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 1 1 1 2 1 1 1 1 1	19859 17950 17949 AR 46843 19860 11917 19861 AR 51717 11920 11921 11929 AR 51719 AR 28602 R 30719 R 30718 R 48516 R 48516 R 41203 17952 11924 11913 11914 11913 11914 11911 AR 30736 R 30732		SCREW, THROTTLE LEVER SPRING RETAINER, THROTTLE LEVER SPRING, THROTTLE LEVER LEVER, THROTTLE LEVER, THROTTLE ARM, ADJUSTING SCREW, ADJUSTING LEVER SPACER, ARM SHAFT, THROTTLE SCREW, LEVER ADJUSTING NUT, ADJUSTING SCREW (2 USED) CLIP, SHAFT RETAINING HOOK, LINKAGE LINK, GOVERNOR HOOK, ADJUSTING WASHER, GOVERNOR LINK HOOK SCREW, GOVERNOR LINK HOOK HOOK, GOVERNOR LINKAGE ARM, GOVERNOR SPRING, GOVERNOR SPRING, GOVERNOR SPRING, GOVERNOR SPRING SPRING, IDLING SPRING, SPRING SPRING, GOVERNOR LINKAGE ARM, METERING VALVE SHIM, METERING VALVE
I 23 F I 24 I I 25 /	R 58422 R 64311 F 11927 AR 61989 F 11925		SPRING, METERING VALVE VALVE, METERING LEVER, THROTTLE SHAFT HOUSING, PUMP SHAFT, PIVOT


FUEL INJECTION PUMP LINKAGE - CONTINUED (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR

KEY PA	RT NO.		ENGINE SERIAL NO.	DESCRIPTION						
I 27 T I 28 T I 29 T I 30 R I 31 T I 32 T I 33 R I 34 T	11906 11932 11929 48515 11915 15720 40703 15712	* (- - - - - -) SEAL, PIVOT SHAFT (2 USED)) NUT, PIVOT SHAFT (2 USED)) CLIP, SHAFT RETAINING) SHAFT, SHUT-OFF) SEAL, THROTTLE SHAFT (2 USED)) WASHER, THROTTLE SHAFT (2 USED)) SCREW, CAM LOCATING) SEAL, ADVANCE PLUG						
1 35 R 1 36 R 1 37 T 1 38 R 1 39 T 1 40 T 1 41 T 1 42 T 1 AR	40707 54254 17951 54251 11899 11877 11943 11923 73526	* (- - - - - - -) SEAL, ADVANCE) PLUG, ADVANCE) SCREW, SPECIAL) SEAL) SCREW, SPECIAL) SEAL, HEAD LOCATING SCREW) WIRE, SEALING) WASHER, GUIDE STUD) STUD, GUIDE) PUMP, FUEL INJECTION (ROOSA-MASTER NO. DM4629ME2984) (SEE PAGES 25-22, 25-24, 25-25, 25-26 AND 25-27)						
25-25, 25	25-22, 25-24, 25-25, 25-26 AND 25-27) * KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-21, 25-24, 25-25, 25-26 AND 25-27. A.B. 62020 () KIT GASKET OVERHALII									

^{..} AR 63029 (-) KIT, GASKET OVERHAUL

FUEL INJECTION PUMP HOUSING DRIVE SHAFT AND AUTOMATIC ADVANCE (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR

R25796F




FUEL INJECTION PUMP HOUSING DRIVE SHAFT AND AUTOMATIC ADVANCE - CONT. (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR

KE	' PAI	RT NO.			ENGINE ERIAL NO.		DESCRIPTION
31 32 33 34 35 36 37 38 39 40 41	RRRTRRRRRRRR	54255 56484 54224 17135 64310 34635 49211 48521 48607 48517 48523 73526	*)	PLUG, PISTON CONTROL VALVE, REED SCREW, SPECIAL (2 USED) SEAL, PISTON HOLE PLUG PISTON, ADVANCE SEAL, PISTON RING RING, PISTON SCREW, ADVANCE ADJUSTING SPRING, ADVANCE TRIMMER WASHER RING, RETAINING PUMP, FUEL INJECTION (ROOSA MASTER NO. DM4629ME2984) (SEE PAGES 25-22, 25-23, 25-24, 25-26 AND 25-27)
		TED BEL -26 AND		AINS ALL	PARTS F	OLLO	WED BY AN ASTERISK ON THIS PAGE AND PAGES 25-21, 25-23,
	ÁR	63029		(-)	KIT, GASKET OVERHAUL

FUEL INJECTION PUMP HYDRAULIC HEAD, ROTOR, AND GOVERNOR (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR

R25804F




KEY PA	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 2 3 4 5 6 7 8 9 10 11 2 11 15 16 17 8 8 R R R R R R R R R R R R R R R R R	61122 (61124 * (61121 (54248 (57809 (57810 (57799 (57798 (58077 (63345 (79957 (11926 (30725 (54626 (63975 (48506 (48505 (11945 (11947 (11946 (11947 (11948 (64307 (64308 (57808 (54242 (54252 (54249 (48509 (11891 (54242 (54252 (54249 (54254 (542444 (542444 (542444 (542444 (542444 (54244 (54244 (54244 (54244 (54244 (542444 (542444 (542444 (542444 (542444 (542444 (542444 (542444 (542444 (542444 (5424444 (542444 (542444 (542444 (542444 (5424444 (542444 (542444 (542444 (5424444 (5424444 (5424444 (542444 (5424444444 (5424444 (542444444		RING, LINER LOCATING SEAL, TRANSFER PUMP RETAINER, ROTOR (2 USED) RETAINER, ROTOR (2 USED) SCREW, DELIVERY VALVE STOP STOP, DELIVERY VALVE SPRING, DELIVERY VALVE VALVE, DELIVERY VALVE VALVE, DELIVERY VALVE VALVE, DELIVERY VALVE VALV

^{*} KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-23, 25-24, 25-25 AND 25-27. .. AR 63029

⁾ KIT, GASKET OVERHAUL

FUEL INJECTION PUMP TRANSFER PUMP (6404D ENGINE SERIAL NO. 500000-) CODE 1602 INJECTION SYSTEM, REGULAR GOVERNOR

R25805F




KEY	PART NO		ENGINE SERIAL NO.	DESCRIPTION
1 2 F 1 3 F 1 4 F 1 5 F 1 6 F 1 7 F 1 8 F 1 10 F 1 11 F 1 12 7 1 13 F	R 6112 RR 3462 RR 5425 RR 5425 RR 6112 RR 6112 RR 6112 RR 5422 RR 7382 RR 7382 RR 7382 RR 7382 RR 7382 RR 7382 RR 7382	23 (37 (38 (22 * (28 (20 (46 (99 (26 (28 (29 (44 (44 (-) - - - - - - - - - - - - - - - - - - - -	CAP, TRANSFER PUMP END PLUG, END PLATE SPRING, REGULATING PISTON, REGULATING SEAL, INLET FILTER SCREEN SCREEN, INLET FILTER WASHER, FILTER SCREEN RETAINING WASHER, SPECIAL WASHER, TRANSFER PUMP SPRING REGULATOR, TRANSFER PUMP SEAL, TRANSFER PUMP REGULATING SLEEVE PIN, SPRING BLADES, TRANSFER PUMP (PKG. OF 4) (1 USED) BLADES, TRANSFER PUMP, OVERSIZE (PKG. OF 4) (1 USED) SPRING (2 USED) LINER, TRANSFER PUMP PUMP, FUEL INJECTION (ROOSA MASTER NO. DM4629ME2984) (SEE PAGES 25-22, 25-23, 25-24, 25-25 AND 25-26)

^{*} KIT LISTED BELOW CONTAINS ALL PARTS FOLLOWED BY AN ASTERISK ON THIS PAGE AND PAGES 25-23, 25-24, 25-25 AND 25-26. .. AR 63029

) KIT, GASKET OVERHAUL

INJECTOR NOZZLE (9.52MM) (ROOSA-MASTER) (6404D ENGINE SERIAL NO. -499999)




KEY	PAI	RT NO.	ENGINE SERIAL NO.		DESCRIPTION
1 2 3 4 5 6	R R AR R AR	48000 34764 50781 39886 47731 52720))))	SEAL WASHER, UPPER NOZZLE, INJECTOR, WITH BOOT (ROOSA-MASTER NO. I-18767) SEAT, SPRING SPRING SCREW ASSEMBLY

FUEL INJECTION NOZZLE (6404D ENGINE SERIAL NO. 500000-


)

R25823F



		ENGINE	
KEY	PART NO.	SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 9 10 1 12 7 8 9 10 1 12 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1	60277 51603 33259 60279 60278 60272 60280 60281 60282 60283 60284 60285 60286 60287 60288 60289 60290 60291 60292 60293 60294 60295 60295 60297 60298 60297 60298 60297 60298 60297 60298 60297 60298 60297 60298 60297 60275 79685		RING, SNAP O-RING, 5/8" X 3/32" (15.55MM X 2.62MM) O-RING, 9/16" X 1/16" (14.00MM X 1.78MM) SCREW, HOLLOW RING, SNAP HOLDER, NOZZLE SHIM, .039" (0.99MM) PRESSURE ADJUSTING SHIM, .041" (1.04MM) PRESSURE ADJUSTING SHIM, .043" (1.09MM) PRESSURE ADJUSTING SHIM, .045" (1.14MM) PRESSURE ADJUSTING SHIM, .047" (1.19MM) PRESSURE ADJUSTING SHIM, .054" (1.24MM) PRESSURE ADJUSTING SHIM, .055" (1.24MM) PRESSURE ADJUSTING SHIM, .055" (1.34MM) PRESSURE ADJUSTING SHIM, .055" (1.39MM) PRESSURE ADJUSTING SHIM, .055" (1.44MM) PRESSURE ADJUSTING SHIM, .055" (1.44MM) PRESSURE ADJUSTING SHIM, .059" (1.44MM) PRESSURE ADJUSTING SHIM, .069" (1.54MM) PRESSURE ADJUSTING SHIM, .0601" (1.54MM) PRESSURE ADJUSTING SHIM, .067" (1.70MM) PRESSURE ADJUSTING SHIM, .067" (1.75MM) PRESSURE ADJUSTING SHIM, .067" (1.75MM) PRESSURE ADJUSTING SHIM, .071" (1.80MM) PRESSURE ADJUSTING SHIM, .073" (1.85MM) PRESSURE ADJUSTING SHIM, .077" (1.95MM) PRESSURE ADJUSTING SHIM, .075" (1.95MM) PRESSURE ADJUSTING SHIM, .077" (1.95MM) PRESSURE ADJUSTING SHIM, .075" (1.95MM) PRESSURE ADJUSTING
I 13 AF	R 79686	· · · · /	NOZZLE, FUEL INJECTION, COMPLETE (6 USED)

FUEL INJECTION PUMP, NOZZLES, AND FUEL PIPES (6404A, T) (ENGINE SERIAL NO. -445569)




VEV DAG	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
KEY PAF	17 10.	CETIFIE TVC.	
1 R	48633 (-)	WASHER, COPPER (6 USED)
2 AR	53091 (-)	NOZZLE, FUEL INJECTION, WASHER AND O-RING (6 USED) (6404T) NOZZLE, FUEL INJECTION WITH WASHER AND O-RING (6 USED) (6404A)
AR	62986 (- }	
3 AR	61521 (- {	PIPE, FUEL INJECTION, NO. 6 CAP. 37° FLARE
4 R	31147 (- {	PIPE, FUEL INJECTION LEAK-OFF (SUB. FOR AR50732)
5 AR	68961 (- {	PIPE, FUEL INJECTION, NO. 5
6 AR 7 B	61520 (26728 (- {	CLAMP, HALF, THREADED, FOR PIPE NOS. 3, 4, 5 AND 6
7 R R	26789 (CLAMP, HALF, FOR PIPE NOS. 3, 4, 5 AND 6
R	26790 (- 1	CUSHION, FOR PIPE NOS. 3, 4, 5 AND 6
R	48358 (- 1	CLAMP, HALF, THREADED, FOR PIPE NOS. 1, 2, 3, 4, 5 AND 6
Ř	48360	· -)	CLAMP, HALF, FOR PIPE NOS. 1, 2, 3, 4, 5 AND 6
Ř	48359	· -)	CUSHION, FOR PIPE NOS. 1, 2, 3, 4, 5, AND 6
19H	1914	-)	SCREW, CAP, 1/4" X 3/4" (5 USED)
AR	53461	-)	CLAMP, WITH SCREW, FOR PIPE NOS. 1 AND 2
R	49629	-)	CLAMP FOR PIPE NOS. 1 AND 2
14H	786 (-)	NUT, 1/4"
12H	302	- }	WASHER, LOCK, 1/4"
8 AR	61519	- {	PIPE, FUEL INJECTION, NO. 4
9 AR	61518	- {	PIPE, FUEL INJECTION, NO. 3 PIPE, FUEL INJECTION, NO. 2
10 AR	61517	} - {	PIPE, FUEL INJECTION, NO. 1
11 AR	61516	} - {	ELBOW, 90°, 1/8"-27 NPT X 3/8"-24 (3 USED) (SUB. FOR R49415)
12 R 13 AR	57641 (48236 (}	CLAMP, HOSE (2 USED)
4.4		} _ {	HOSE, 9" (229MM) (MAKE FROM R32639)
14 15 AR	61513	} - 5	PIPE FUEL CONTROL
R	27256	-)	PLATE, FUEL CONTROL PIPE TO EXHAUST MANIFOLD LOWER FRONT SCREW
Ř	27528	· -)	CLAMP FUEL CONTROL PIPE TO EXHAUST MANIFOLD LOWER FRONT SCREW
R	55662	(-)	CLAMP, FUEL CONTROL PIPE TO CYLINDER HEAD LIFT STRAP SCREW
R	55663	(-)	PLATE, FUEL CONTROL PIPE TO CYLINDER HEAD LIFT STRAP SCREW
16 R	50201	(-)	UNION, CONNECTOR, 1/2"-20
17 AR	62062	(-)	PIPE, FUEL, INJECTION PUMP TO FUEL FILTER LINE
18 <u>R</u>	469 R	(- }	NUT, ERMETO (12 USED)
R	468 R	(-)	SLEEVE, ERMETO (12 USED) PIPE, FUEL INJECTION LEAK-OFF
19 R	54088	(- 396687) (396688 -)	PIPE, FUEL INJECTION LEAK-OFF
AR	68332 51937	(396687) (- 396687)	NUT, SPECIAL
20 R R	51937	· 396687)	SLEEVE, RUBBER
21 AR	56224	} - 555567 }	VALVE, RESTRICTOR
22 R	53903	} - {	SCREW, HOLLOW
22 11	55500	`	

FUEL INJECTION PUMP, NOZZLES, AND FUEL PIPES - CONTINUED (6404Å, T) (ENGINE SERIAL NO. -445569)

KE	/ PA	RT NO.		ENGINE SERIAL NO.		DESCRIPTION
23		53162	(- 396687)	CONNECTOR, BANJO
	R	58608	(-)	CONNECTOR, BANJO
	R_	53901	(-)	GASKET (2 USED)
24		55487	(-)	GEARS, INJECTION PUMP DRIVE AND CAMSHAFT (MATCHED SET)
25	AR		(-)	SCREW, SPECIAL CAP, WITH WASHER (3 USED)
1 26		55396	(-)	STUD, 3/8" X 1-11/16" (4 USED) (SUB. FOR C2175R)
	24H	1305	(-)	WASHER, 13/32" X 13/16" X .060" (4 USED)
	14H		(-)	NUT, 3/8" (4 USED)
	12H		(•)	WASHER, LOCK, 3/8" (4 USED)
27	AR		(-)	PUMP, FUEL TRANSFER (6404T)
	AR	63831	(=)	PUMP, FUEL TRANSFER (6404A)
28	AR	61514	(-)	PIPE, OIL, INJECTION PUMP LUBRICATION
29	AR	70348	(-)	PUMP, FUEL INJECTION, COMPLETE (WITHOUT ANEROID) (6404T) (ROBERT
	۸.	70040	,			BOSCH) (SUB. FOR AR65527 OR AR69347)
	AH	73249	(-)	PUMP, FUEL INJECTION, COMPLETE (WITHOUT ANEROID) (6404T) (NIPPONDENSO)
	AR	70343	(-)	PUMP, FUEL INJECTION, COMPLETE (WITH ANEROID) (6404T) (ROBERT
			•		′	BOSCH) (SUB. FOR AR60370 OR AR69342)
	AR	73248	(-)	PUMP, FUEL INJECTION, COMPLETE (WITH ANEROID) (NIPPONDENSO)
			,		•	(6404T)
	AR	70349	(-)	PUMP, FUEL INJECTION, COMPLETE (WITHOUT ANEROID) (6404A) (ROBERT
			•		•	BOSCH) (SUB. FOR AR65526 OR AR69348)
	AR	70344	(-)	PUMP, FUEL INJECTION, COMPLETE (WITH ANEROID) (6404A) (ROBERT BOSCH) (SUB. FOR AR61996 OR AR69343)

FUEL INJECTION PUMP PARTS (6404A, T) (ENGINE SERIAL NO. -445569)




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 R 54859 2 R 54857 3 R 54858 4 R 54855 5 R 54856 6 R 54851 7 R 54854 8 R 54853 9 R 54852 10 AR 63554 11 R 54851 12 R 54852 13 R 54852 13 R 54852 13 R 54854 15 R 54848 16 R 54847 17 R 54896 R 54897 R 54896 R 54897 R 54898 R 54898 R 54899 R 54900 R 54901 R 54902 R 54903 R 54904 R 54905 R 54906 R 54907 R 54906 R 54907 R 54906 R 54907 R 54907 R 54908 R 54907 R 54909 R 54901 R 54907 R 54908 R 54909 R 54901 R 54901 R 54901 R 54901 R 54901 R 54901 R 54902 R 54901 R 54903 R 54904 R 54905 R 54906 R 54907 R 54909 R 54901 R 54901 R 54905 R 54905 R 54906 R 54907 R 54906 R 54907 R 54906 R 54907 R 54908 R 54908 R 54908 R 54907 R 54908		SCREW (3 USED) JAW, CLAMPING, WITH THROUGH HOLE (3 USED) JAW, CLAMPING, WITH THREADED HOLE (3 USED) HOLDER, DELIVERY VALVE (6 USED) SPACER (6 USED) SPACER (6 USED) SPRING (6 USED) GASKET (6 USED) VALVE, DELIVERY (6 USED) (6404A) VALVE, DELIVERY (6 USED) (6404T) PLUNGER AND BARREL (6 USED) (6404T) PLUNGER AND BARREL (6 USED) (6404T) SEGMENT, GEAR (6 USED) SCREW (6 USED) SLEEVE, CONTROL (6 USED) SEAT, SPRING, UPPER SPRING (6 USED) (6404T) SEAT, SPRING, LOWER SPACER, 311" (7.90MM) (6404A) SPACER, 315" (8.00MM) (6404A) SPACER, 319" (8.10MM) (6404A) SPACER, 319" (8.10MM) (6404A) SPACER, 321" (8.15MM) (6404A) SPACER, 322" (8.25MM) (6404A) SPACER, 322" (8.25MM) (6404A) SPACER, 327" (8.30MM) (6404A) SPACER, 327" (8.35MM) (6404A) SPACER, 327" (8.35MM) (6404A) SPACER, 327" (8.35MM) (6404A) SPACER, 331" (8.40MM) (6404A) SPACER, 331" (8.55MM) (6404A) SPACER, 331" (8.55MM) (6404A) SPACER, 337" (8.55MM) (6404A) SPACER, 341" (8.65MM) (6404A) SPACER, 345" (8.75MM) (6404A)
21 R 54875	`	

FUEL INJECTION PUMP PARTS - CONTINUED (6404A, T) (ENGINE SERIAL NO. -445569)

KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
		SERIAL NO.	DESCRIPTION
22 A 23 R	R 63557	(-) COVER, INJECTION PUMP, WITH GASKET
23 R		}) PLUG, CLOSING) GASKET
25 R		}) GASKET
26 T		(-) NUT (3 USED)
27 T		(-) WASHER, LOCK (3 USED)
28 R 29 R		} -) STUD (3 USED)
R		}) SUPPORT, CENTER BEARING (6404A)) SUPPORT, BEARING CENTER (6404T)
30 R	54880	-) WASHER, LOCK (2 USED)
31 R		(-) SCREW (2 USED)
32 A	R 63558 R 63551	}) HOUSING, PUMP (6404A)
33 R		}) HOUSING, PUMP (6404T)) KEY, WOODRUFF
34 R		} -	CAMSHAFT (6404A)
ar R		(-	CAMSHAFT (6404T)
35 R R		·) SPACER (DRIVE END)
36 R		}) SPACER (GOVERNOR END)
R		}) SHIM, .0039" (0.10MM) (USE AS REQUIRED) (DRIVE END)) SHIM, .0047" (0.12MM) (USE AS REQUIRED) (DRIVE END)
R		(-) SHIM, 0055" (0.14MM) (USE AS REQUIRED) (DRIVE END)
R		} -) SHIM, .0063" (0.16MM) (USE AS REQUIRED) (DRIVE END)
R R		}) SHIM, .0071" (0.18MM) (USE AS REQUIRED) (DRIVE END)
Ŕ		}) SHIM, .0197" (0.50MM) (USE AS REQUIRED) (DRIVE END)) SHIM, .0118" (0.30MM) (USE AS REQUIRED) (DRIVE END)
R		(-) SHIM, .0039" (0.10MM) (USE AS REQUIRED) (GOVERNOR END)
R		() SHIM, .0047" (0.12MM) (USE AS REQUIRED) (GOVERNOR END)
R R		} -	SHIM, 0055" (0.14MM) (USE AS REQUIRED) (GOVERNOR END)
Ŕ		}) SHIM, .0063" (0.16MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0071" (0.18MM) (USE AS REQUIRED) (GOVERNOR END)
R	55159	· - · · ·	SHIM, .0197" (0.50MM) (USE AS REQUIRED) (GOVERNOR END)
R		(-) SHIM, .0390" (1.00MM) (USE AS REQUIRED) (GOVERNOR END)
R 37 Al		}	SHIM, .0118" (0.30MM) (USE AS REQUIRED) (GOVERNOR END)
AI		}) BEARING, TAPER ROLLER (DRIVE END)) BEARING, TAPER ROLLER (GOVERNOR END)
38 AI	R 63556	(-	SEAL
39 R		(-	POINTER, TIMING
40 R 41 R		} -) WASHER (2 USED)
42 R		} - ;) SCREW (2 USED)) NUT, HEX
43 R		(-	WASHER, LOCK
44 R		(-	HUB, DRIVE
45 R 46 R		} -	SCREW (2 USED)
47 R		}) WASHER, LOCK (2 USED)) ENDPLATE BEARING
48 R	54873	} -	O-RING
49 AF		(-)	CAP, CONTROL RACK WITH MAGNET
50 R 51 R		} -)	RACK, CONTROL
52 R	53901	}	SCREW, RACK LOCATING GASKET (4 USED)
53 R	53162	}	CONNECTOR, BANJO
54 R	53903	(-)	SCREW, HOLLOW
55 R	53899	(-)	GASKET
56 R 57 R	53900 53902	} - }	ADAPTER CONNECTOR BANGO
58 R	53903	} - {	CONNECTOR, BANJO SCREW, HOLLOW
59 R	55063	(-)	PLUG, PUMP HOUSING, BASE (6 USED)
		<i>'</i>	

FUEL INJECTION PUMP GOVERNOR (6404A, T) (ENGINE SERIAL NO. -445569)




KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 1 3 4 5 6 7 8 9 10 11 1 12 13 14 15 16 17 18 19 20 21 22 22 24	R 53915 R 53945 R 54921 R 54919 AR 61174 R 53912 R 53911 AR 61172 R 53920 R 53921 R 53922 R 53923 R 53924 R 53931		GASKET CAPSULE, SEALING SEAL, STOP SCREW (SUB. R53972 AND T31575) NUT, LOCK WIRE, SEALING SEAL, LEAD HOUSING, GOVERNOR (WITH ANEROID) HOUSING, GOVERNOR (WITHOUT ANEROID) SCREW, FILL. HD. (6 USED) WASHER, LOCK (6 USED) KEY, WOODRUFF SCREW, HIGH SPEED STOP FLYWEIGHT ASSEMBLY O-RING BRACKET TUBE (2 USED) (SUB. R54921) SPRING, STARTING SCREW LEVER, SWIVELING SPRING, GOVERNOR, MAIN WASHER, LOCK NUT, RD. BEARING, ASSEMBLY SHIM, .008" (0.2MM) (USE AS REQUIRED) SHIM, .012" (0.3MM) (USE AS REQUIRED) SHIM, .016" (0.4MM) (USE AS REQUIRED) SHIM, .039" (1.0MM) (USE AS REQUIRED) LEVER, GUIDE SLIDER LEVER, FLOATING RING, RETAINING (2 USED)

FUEL INJECTION PUMP GOVERNOR - CONTINUED (6404A, T) (ENGINE SERIAL NO. -445569)


KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
KEY PART NO. 25 AR 63569 26 R 53950 28 R 53950 28 R 53951 29 R 53949 31 R 53948 32 R 53947 33 R 53946 34 R 53956 35 R 53956 37 AR 63565 38 T 24229 39 R 53958 41 R 53958 41 R 53958 41 R 53958 42 R 53941 43 R 539423 44 AR 63564 45 R 53938 R 53939 R 46 R 53939 R 53939 R 48 R 53935 49		CLIP, RETAINING SPRING, .768" (19.5MM) SPRING, .925" (23.5MM) SPRING, .1043" (26.5MM) CAPSULE, SPRING LEVER LEVER SHAFT BUSHING, THREADED O-RING SPRING RETAINER, SPRING LEVER, SHUT-OFF WASHER, LOCK SCREW PIN, STOP PIN SCREW WASHER LEVER, .012" (0.3MM) (USE AS REQUIRED) SPACER, .012" (0.5MM) (USE AS REQUIRED) SPACER, .0196" (0.5MM) (USE AS REQUIRED) O-RING (2 USED) BUSHING (2 USED) BUSHING (2 USED) O-RING (2 USED) COVER, GOVERNOR GASKET PLUG, SEALING (2 USED) SHAFT LEVER, TENSIONING CAPSULE, TORQUE CONTROL, COMPLETE NUT, LOCK SCREW, FULL LOAD STOP LEVER, CONTROL, R.H. SPACER WASHER, LOCK SCREW, FILL. HD. (LOWER) (4 USED) NUT, HEX. GASKET COVER SCREW, FILL. HD. (LOWER) (2 USED) NUT, HEX. GASKET COVER SCREW, FILL. HD. (LOWER) (2 USED) NUT, HEX. GASKET COVER SCREW, FULL USED) SCREW, FILL. HD. (LOWER) (2 USED) NUT, HEX. GASKET COVER SCREW, LOWER (2 USED) WASHER, COPPER (2 USED) SPRING SCREW, UPPER (2 USED) SPRING SPRING SPRING CAPSULE, SPRING
73 R 53963 74 R 54925 R 53964 75 R 53960 76 T 24224 77 R 53959	(-) (- 375015) (375016 -) (-)	NUT, HEX. NUT, LOCK NUT, CAP NUT, CAP NUT, CAP WASHER, COPPER (2 USED)
77 H 53959 78 R 54300	(-)	SCREW, LOW IDLE STOP DECAL, GOVERNOR CALIBRATING

FUEL TRANSFER PUMP (6404A, T) (ENGINE SERIAL NO. -445569)




					ENGIN	V <i>E</i>	
	KEY	PAF	RT NO.		SERIAL	NO.	DESCRIPTION
1	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 223 24		54033 54024 54025 54023 55022 53901 53903 53902 55069 54016 54011 55067 55068 54031 54032 54032 54031 54027 54028 63831 55070 55073				PRIMER, HAND PLUG, SCREW GASKET (2 USED) SPRING (2 USED) VALVE (2 USED) (SUB. FOR R55074) GASKET (4 USED) SCREW, HOLLOW (2 USED) (SUB. FOR R54012) FITTING, BANJO (2 USED) PLUG, SCREW GASKET SPRING PLUNGER, PUMP (ORDER AR63831) SPINDLE, PRESSURE (ORDER AR63831) O-RING CLIP BOLT, STUD NUT, CLAMPING HOUSING, FILTER (GLASS) SPRING FILTER GASKET PUMP, FUEL TRANSFER, COMPLETE TAPPET, ROLLER (SUB. AR73857) BLOCK, SLIDING (2 USED) (SUB. AR73857)
	24 25	R	55073	}	-	΄,	PIN, ROLLER (SUB. AR73857)
	26	R	54021	}	-	Ś	RING, SNAP
	27	Ŕ	55071	(-	j	ROLLER (SUB. AR73857)
		R	53161	(-)	GASKET, FUEL TRANSFER PUMP

FUEL INJECTION NOZZLE (21 MM.) (ROBERT BOSCH) (6404A, T) (ENGINE SERIAL NO. -445569)



KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 F 2 F 3 F 4 F 5 F 7 / 8 F 9 F 10 F F	48633 48696 48695 48689 48691 48692 48694 48694 48698 48698 48698 48699 48701 48702 48703 48703 48703 48704 48705 48705 48705 48706 48706		DESCRIPTION WASHER, COPPER NUT, NOZZLE RETAINING NUT, GLAND SPINDLE SPRING PLUG, SCREW BODY SCREW, HOLLOW GASKET (2 USED) SHIM, .043" (1.09 MM), PRESSURE ADJUSTING SHIM, .045" (1.14 MM), PRESSURE ADJUSTING SHIM, .047" (1.19 MM), PRESSURE ADJUSTING SHIM, .049" (1.24 MM), PRESSURE ADJUSTING SHIM, .051" (1.30 MM), PRESSURE ADJUSTING SHIM, .055" (1.35 MM), PRESSURE ADJUSTING SHIM, .055" (1.40 MM), PRESSURE ADJUSTING SHIM, .055" (1.45 MM), PRESSURE ADJUSTING SHIM, .059" (1.50 MM), PRESSURE ADJUSTING SHIM, .051" (1.55 MM), PRESSURE ADJUSTING SHIM, .061" (1.55 MM), PRESSURE ADJUSTING SHIM, .061" (1.55 MM), PRESSURE ADJUSTING
F	R 49552 R 49553	} -) SHIM, .065" (1.65 MM), PRESSURE ADJUSTING) SHIM, .067" (1.70 MM), PRESSURE ADJUSTING
F	R 49555 R 49556	, - , -) SHIM, .069" (1.75 MM), PRESSURE ADJUSTING) SHIM, .071" (1.80 MM), PRESSURE ADJUSTING) SHIM, .073" (1.85 MM), PRESSURE ADJUSTING
F F 11 F	R 49558	(- - -) SHIM, .075" (1.91 MM), PRESSURE ADJUSTING) SHIM, .077" (1.96 MM), PRESSURE ADJUSTING) O-RING
12 F		(- -) NOZZLE) NOZZLE, FUEL (NJECTION, COMPLETE (21 MM) (ROBERT BOSCH) (6 USED)

FUEL INJECTION PUMP, NOZZLES AND FUEL PIPE (6404A, T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR




			ENGINE		
KEY	PART NO	D.	SERIAL NO.		DESCRIPTION
1 2 3 4 5 6 7	16H 6 R 347 T 234 R 592 R 592 R 591 AR 746	25 (93 (94 (04 (:)	RIVET, PAN HD. CLAMP (21 USED) BOOT, NOZZLE LEAK-OFF (7 USED) CONNECTOR, SPECIAL (6 USED) WASHER, ALUMINUM (6 USED) WASHER, ALUMINUM (6 USED) NOZZLE, FUEL INJECTION, WITH WASHER AND O-RING (6 USED) (FOR PARTS SEE PAGE 25-65) (6404A)
	AR 746	65 (-)	NOZZLE, FUEL INJECTION, WITH WASHER AND O-RING (6 USED) (FOR PARTS SEE PAGE 25-53) (6404T)
8 9 10 11 12 13 14 1 15 16 17 18 19 20 1 21 1 22 23 1 24 1 25 27 28	R 608 R 608 R 694 AR 694 AR 694 AR 694 T 180 AR 694 AR 275 AR 774 AR 275 AR 735 AR 735	76 ()))))))))))))))))	TUBE, FUEL INJECTION LEAK-OFF (2 USED) TUBE, FUEL INJECTION LEAK-OFF (2 USED) TUBE, FUEL INJECTION, NO. 6 PIPE, FUEL INJECTION, NO. 5 PIPE, FUEL INJECTION, NO. 4 PIPE, FUEL INJECTION, NO. 3 ELBOW, 90° (FUEL CONTROL LINE TO INJECTION PUMP) PIPE, FUEL INJECTION, NO. 2 PIPE, FUEL INJECTION, NO. 1 ELBOW, 90°, 1/8"-27 NPT X 3/8"-24 CLAMP PLATE PIPE, FUEL CONTROL CLAMP PLATE WASHER, .41" X .81" X .060" SPACER, PIPE, .50" I.D. X 1.06" TUBE, FUEL INJECTION LEAK-OFF LINE, PUMP TO LEAK-OFF LINE PUMP, FUEL INJECTION (WITH ANEROID) (6404T) (ROBERT BOSCH) PUMP, FUEL INJECTION (WITH ANEROID) (6404A) (ROBERT BOSCH)

FUEL INJECTION PUMP, NOZZLES AND FUEL PIPE - CONTINUED (6404A, T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR

	KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
i	29 30 31	AR 55487 AR 59115 R 55396 R 42729 12H 304	(- (- (- (-) GEAR, INJECTION PUMP DRIVE AND CAMSHAFT (MATCHED SET)) SCREW, SPECIAL CAP (3 USED)) STUD (4 USED)) WASHER, SPECIAL (4 USED)) WASHER, LOCK, 3/8" (4 USED)
	32 33	14H 812 AR 63831 R 57641) NUT, 3/8") PUMP, FUEL TRANSFER (FOR PARTS SEE PAGE 25-52 OR 25-64)) ELBOW, 90°, 1/8"-27 NPT X 3/8"-24
	34 35 36	AR 76158 U 45538 R 58186 R 61144	-) PIPE, ANEROID CONTROL) ELBOW, 90°, 1/4"-18 X 1/2"-20) CLAMP, HALF (2 USED)) RETAINER, CLAMP
		R 59305 21H 1312 12H 246	-) RETAINER) SCREW, MACH., NO. 10) WASHER, LOCK, NO. 10
	37	R 59302 R 61147 R 59304) CLAMP, HALF (2 USED)) RETAINER, CLAMP) REINFORCEMENT
	38	21H 1312 12H 302 AR 76488	} -) SCREW, MACH., NO. 10 (5 USED)) WASHER, LOCK, NO. 10 (5 USED)) PIPE, PUMP OIL INLET
1	39 40	AR 76326 R 59299 R 61146) LINE, FLEXIBLE) CLAMP, HALF (2 USED)) RETAINER, CLAMP
		R 59300 12H 1312 12H 246	- - -) REINFORCEMENT) SCREW, MACH., NO. 10 (3 USED)) WASHER, LOCK, NO. 10 (3 USED)

FUEL INJECTION PUMP, NOZZLES, AND FUEL PIPE (6404A, T) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR




					ENGINE	
	KEY	PAI	9T NO.		SERIAL NO.	DESCRIPTION
	1	16H	644	((-) RIVET, PAN HD.
	2	R	34766		-) CLAMP (21 USED)
	3	Т	23425		-) BOOT, NOZZLE LEAK-OFF (7 USED)
	4	R	59293		-) CONNECTOR, SPECIAL (6 USED)
	5	R	59294	(-) WASHER, ALUMINUM (6 USED)
	6	R	59104	(-) WASHER, ALUMINUM (6 USED)
- 1	7	AR	74664	(-) NOZZLE, FUEL INJECTION WITH WASHER AND O-RING (6 USED) (FOR PARTS
						SEE PAGE 25-65) (6404A)
		AR	74665	(-) NOZZLE, FUEL INJECTION WITH WASHER AND O-RING (6 USED) (FOR PARTS
						SEE PAGE 25-53) (6404T)
	8	R	60877	(-) TUBE, FUEL INJECTION LEAK-OFF (2 USED)
	9	R	60876	(-) TUBE, FUEL INJECTION LEAK-OFF (2 USED)
	10	R	62245	(-) TUBE, FUEL INJECTION LEAK-OFF (2 USED)
	11	AR	69451	(-) PIPE, FUEL INJECTION, NO. 6
	12	AR	69450	(-) PIPE, FUEL INJECTION, NO. 5
	13	AR	69449	(-) PIPE, FUEL INJECTION, NO. 4
	14	AR	69448	(-) PIPE, FUEL INJECTION, NO. 3
	15	AR	69447	(-) PIPE, FUEL INJECTION, NO. 2
	16	AR	69446	(-) PIPE, FUEL INJECTION, NO. 1
	17	R_	54088	(-) TUBE, FUEL INJECTION LEAK-OFF
	18	AR	76502	(-) LINE, PUMP TO LEAK-OFF LINE
	19	AR	73519	(-) PUMP, FUEL INJECTION (WITHOUT ANEROID) (6404T) (ROBERT BOSCH)
		AR	73520	(-) PUMP, FUEL INJECTION (WITHOUT ANEROID) (6404A) (ROBERT BOSCH)
	20	AR	55487	(- •) GEAR, INJECTION PUMP DRIVE AND CAMSHAFT (MATCHED SET)
ı	21	AR	59115	(-) SCREW, SPECIAL CAP (3 USED)
	22	R	55396	(-) STUD (4 USED)
		R	42729	() WASHER, SPECIAL (4 USED)
		12H	304	(•) WASHER, LOCK, 3/8" (4 USED)
		14H	812	(-) NUT, 3/8" (4 USED)
	23	AR	63831	. (-) PUMP, FUEL TRANSFER (FOR PARTS SEE PAGE 25-52 OR 25-64)

FUEL INJECTION PUMP, NOZZLES, AND FUEL PIPE - CONTINUED (6404A, T) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR

KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
24 25 26 27	R 39832 AR 61514 U 45538 R 58186 R 61144 R 59305 21H 1312		CONNECTOR, SPECIAL, 1/8"-27 NPT X 3/8"-24 PIPE, INJECTION PUMP, OIL LUBRICATION ELBOW, 90°, 1/4"-18 X 1/2"-20 CLAMP, HALF (2 USED) RETAINER, CLAMP REINFORCEMENT SCREW, MACH., NO. 10
28	12H 246 R 59302 R 61147 R 59304 21H 1312 12H 246	\	WASHER, LOCK, NO. 10 CLAMP, HALF (2 USED) RETAINER, CLAMP REINFORCEMENT SCREW, MACH., NO. 10 (5 USED) WASHER, LOCK, NO. 10 (5 USED)
29 30	AR 76760 R 59299 R 61146 R 59300 21H 1312 12H 302		LINE, FLÉXIBLE CLAMP, HALF (2 USED) RETAINER, CLAMP REINFORCEMENT SCREW, MACH., NO. 10 (3 USED) WASHER, LOCK, NO. 10 (3 USED)

FUEL INJECTION PUMP PARTS (6404T) (ENGINE SERIAL NO. 445570CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR




VEV BART NO	ENGINE	
KEY PART NO.	SERIAL NO.	DESCRIPTION
1 R 54859 2 R 54857 3 R 54858 4 R 63065 5 R 54856 6 R 54851 7 R 54854 8 R 54853 9 AR 63554 10 AR 63553 11 R 54851 12 R 54852 13 R 54850 14 R 54849 15 R 54848 16 R 54847 17 AR 63552 18 R 54846 19 T 24224 20 R 54875 22 AR 63557 23 R 54004 25 R 53161 26 T 24229 27 T 31556 28 R 53897 29 R 54878 30 R 54880 31 R 54879 32 AR 63551 33 R 53888 34 R 54862		SCREW (3 USED) JAW, CLAMPING, WITH THROUGH HOLE (3 USED) JAW, CLAMPING, WITH THREADED HOLE (3 USED) HOLDER, DELIVERY VALVE (6 USED) SPACER (6 USED) SPACER (6 USED) SPRING (6 USED) GASKET (6 USED) VALVE, DELIVERY (6 USED) PLUNGER AND BARREL (6 USED) SEGMENT, GEAR (6 USED) SCREW (6 USED) SLEEVE, CONTROL (6 USED) SPRING (6 USED) SEAT, SPRING, UPPER (6 USED) SPRING (6 USED) SEAT, SPRING, LOWER (6 USED) TAPPET, ROLLER, ASSEMBLY (6 USED) WASHER, COPPER (2 USED) SCREW, INSPECTION COVER (2 USED) GASKET COVER, INJECTION PUMP, WITH GASKET PLUG, CLOSING GASKET WASHER, LOCK (3 USED) NUT (3 USED) SUPPORT, CENTER BEARING WASHER, LOCK (2 USED) HOUSING, PUMP KEY, WOODRUFF CAMSHAFT
35 R 54863	(-)	SPACER, GOVERNOR END

FUEL INJECTION PUMP PARTS - CONTINUED (6404T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR

KEY	PAF	RT NO.	ENGI SERIAL		DESCF	RIPTION				
36 37 38 39 40 41 42 43 44 45 46 47	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	55152 54864 54866 54866 54869 55155 55155 55155 55156 63941 63582 54882 54883 53886 53887 54885 54885 54885 54885 54885 54885		NO.) S S S S S S S S S S S S S S S S S S	HIM, .0039" (CHIM, .0047" (CHIM, .0047" (CHIM, .0055" (CHIM, .0051" (CHIM, .0118" (CHIM, .0039" (CHIM, .0039" (CHIM, .0063" (CHIM, .0063" (CHIM, .0063" (CHIM, .0063" (CHIM, .0063" (CHIM, .0018" (CHIM, .0118" (CHI	0.10MM) (US 0.12MM) (US 0.12MM) (US 0.14MM) (US 0.16MM) (US 0.15MM) (US 0.10MM) (US 0.10MM) (US 0.12MM) (US 0.150MM) (US 0.150MM) (US 0.30MM) (US 0.30	SE AS	REQUIRED)	(DRIVE END (DRIVE END (DRIVE END (DRIVE END (DRIVE END (DRIVE END (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF (GOVERNOF))))) (END)
48 49 50	R R AR	54873 60909 69158	(- (-) G	-RING ASKET AP, CONTROI	L RACK, W	ITH MA	AGNET		
51 52	R R	54860 54861	(-) s	ACK, CONTRO CREW, RACK ASKET (4 115	LOCATING	i			
53 54 55 56 57	R R R R R	53901 58608 53903 53162 53903	(- (- (-) C) S) C	ASKET (4 US ONNECTOR, CREW, HOLL ONNECTOR, CREW, HOLL	BANJO OW BANJO				
58 59	R T	57641 31508	(- (-) E	LBOW, 90°, 1 AMEPLATE		/8"-24			

FUEL INJECTION PUMP GOVERNOR (6404T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION PUMP, REGULAR GOVERNOR




c	0.1	2)	Ð
	01	21	R

			FNONE	
KEY	PART	NO.	ENGINE SERIAL NO.	DESCRIPTION
14 15 16 17 18 19 20 21 22 23 24 25	AR 752253535555555556555665555665555665555665555665555	4921 () GASKET) HOUSING, GOVERNOR) SCREW, FILL. HD. (6 USED)) WASHER, LOCK (6 USED)) KEY, WOODRUFF) WIRE, SEALING) SEAL, LEAD) CAPSULE, SEALING) NUT, LOCK) SCREW, HIGH SPEED STOP) SPACER SCREW, SPECIAL) SCREW, SPECIAL) TUBE (2 USED) (SUB. R54921)) BRACKET) FLYWHEEL ASSEMBLY) WASHER, LOCK) NUT, ROUND) SPRING, STARTING) BEARING, ASSEMBLY) SHIM, .016" (0.2MM) (USE AS REQUIRED)) SHIM, .016" (0.3MM) (USE AS REQUIRED)) SHIM, .039" (1.0MM) (USE AS REQUIRED)) SHIM, .039" (1.0MM) (USE AS REQUIRED)) SHIM, .039" (1.0MM) (USE AS REQUIRED)) LEVER, GUIDE) SPRING, GOVERNOR, MAIN) LEVER, SWIVELING) SLIDER) LEVER, FLOATING RING, RETAINING (2 USED) SHACKLE CLIP, RETAINING

FUEL INJECTION PUMP GOVERNOR - CONTINUED (6404T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION PUMP, REGULAR GOVERNOR

KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
28 1 29 1 30 31 32 33 34 35 36 37 38 39 40 41 42 43	R 53950 R 53951 R 53952 R 53949 R 53946 R 54922 R 60921 AR 63565 T 24229 R 53976 R 53956 R 53956 R 53948 R 53948 R 53923 R 53958		SPRING, .768" (19.5MM) SPRING, .925" (23.5MM) SPRING, 1.043" (26.5MM) CAPSULE, SPRING LEVER BUSHING, THREADED SPRING SCREW, SPECIAL LEVER, SHUT-OFF WASHER, LOCK SCREW RETAINER, SPRING O-RING SHAFT LEVER PIN PIN, STOP
45 46 47 48 49	AR 65361 R 53936 R 53935 R 53934 R 53937 R 53938 R 53939 R 53940		COVER, GOVERNOR RING, RETAINING (2 USED) O-RING (2 USED) BUSHING (2 USED) O-RING SPACER, .012" (0.3MM) (USE AS REQUIRED) SPACER, .039" (1.0MM) (USE AS REQUIRED) SPACER, .0196" (0.5MM) (USE AS REQUIRED)
51 52 53 54 55 56 57 58 59	AR 63564 R 53976 T 24229 R 53942 R 53960 T 24224 R 53959 R 54924 R 53961 T 24282 R 53963 R 53963 R 53963 R 53963 R 553963 R 553963		LEVER, CONTROL, L.H. SCREW WASHER, LOCK WASHER NUT, CAP WASHER, COPPER (2 USED) SCREW, LOW IDLE STOP DECAL, GOVERNOR CALIBRATING SPRING CAPSULE, SPRING NUT, HEX NUT, LOCK NUT, CAP WASHER, COPPER (2 USED)
1 65 66 67 68 69 70 71 72 73 74 75 76 77 78 80	R 53300 37H 133 R 53976 R 53976 R 53976 R 54926 AR 63566 R 53966 T 31556 R 53969 R 53929 R 53929 R 53929 R 53927 R 53927 R 53927 R 53927 R 53927 R 60916 R 60916 R 64932		CLIP (PUMP SHUT-OFF CABLE) SCREW, TAPPING, NO. 8 X 5/8" SCREW, INNER (2 USED) WIRE, SEALING SEAL, LEAD SCREW, OUTER (2 USED) COVER GASKET NUT, HEX SCREW, FILL. HD. (LOWER) (4 USED) SCREW, FILL. HD. (UPPER) (2 USED) SCREW, FILL LOAD STOP NUT, LOCK SHAFT PLUG, SEALING (2 USED) GASKET LEVER, TENSIONING CAPSULE, TORQUE CONTROL, COMPLETE PLUG, CAP O-RING

FUEL INJECTION PUMP ANEROID (6404T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR




	ENGINE	
KEY PART NO.	SERIAL NO.	DESCRIPTION
1 R 62106 2 R 62107 3 R 26373 4 R 62105 5 R 62104 6 R 63063 7 R 63062 8 R 63061 9 R 63060 10 R 63059 11 R 53932 12 R 63058 13 R 53995 14 R 54933 15 R 63057 16 R 63054 17 R 63056 18 R 63064 19 R 53997 20 R 53997 20 R 53997 20 R 53997 20 R 53997 21 R 53972 T 31575 22 R 53991 23 T 24229 24 R 54005	SERIAL NO. (SCREW, SPECIAL WASHER, COPPER (2 USED) SPRING WIRE, RESTRICTOR VALVE, CAPILLARY SCREW, SPECIAL (2 USED) HOUSING GASKET PISTON SPRING RING, RETAINING WASHER SCREW NUT, STOP SPRING SHAFT SPRING LEVER RING, RETAINING WASHER SCREW ONLY, STOP SPRING SHAFT SPRING SHAFT SPRING LEVER RING, RETAINING PLUG WIRE, SEALING (2 USED) SEAL, LEAD (2 USED) SCREW, WITH HOLE (2 USED) WASHER, LOCK (2 USED) PLUG
25 R 54004 26 R 54931	-) WASHER) SHAFT

FUEL INJECTION PUMP ANEROID - CONTINUED (6404T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR

27 R 54932 (-) O-RING 28 AR 63568 (-) HOUSING, ANEROID 29 R 53978 (-) BUSHING, GUIDE 30 R 53982 (-) SPRING 31 R 53985 (-) SEAT, SPRING, UPPER	KEY PAR	ENGIA PART NO. SERIAL	· · · · · · · · · · · · · · · · · · ·
32 R 60911 (-) STAKE 33 R 60910 (-) CLIP 34 R 53981 (-) SCREW (2 USED) 35 T 24229 (-) WASHER, LOCK (2 USE 36 R 53983 (-) DIAPHRAGM 37 R 53986 (-) WASHER, THRUST 38 R 53987 (-) WASHER, LOCK 39 T 31556 (-) NUT, HEX 40 R 53942 (-) WASHER (2 USED) 41 R 54930 (-) SCREW, WITH HOLE 42 R 53988 (-) NUT, CAP 43 T 24223 (-) GASKET 44 R 54006 (-) NUT, ROUND 45 T 32230 (-) SCREW, THREADED	28 AR 29 30 31 32 33 34 35 6 37 8 8 39 401 42 43 44 5 46 47	63568 (- 53978 (- 53982 (- 53985 (- 53981 (- 53981 (- 53981 (- 53983 (- 53987 (- 53987 (- 53984 (- 53984 (- 53984 (- 53984 (- 53988	HOUSING, ANEROID BUSHING, GUIDE SPRING SEAT, SPRING, UPPER STAKE CLIP SCREW (2 USED) WASHER, LOCK (2 USED) DIAPHRAGM WASHER, THRUST WASHER, LOCK NUT, HEX WASHER (2 USED) SCREW, WITH HOLE NUT, CAP GASKET NUT, ROUND SCREW, THREADED SCREW, FILL. HD. (3 USED) COVER

FUEL INJECTION PUMP PARTS (6404T) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 R 54859 2 R 54858 4 R 63065 5 R 54856 6 R 54881 7 R 54853 9 AR 63554 10 AR 63554 11 R 54851 11 R 54851 12 R 54850 14 R 54849 15 R 54848 16 R 54848 16 R 54848 17 AR 63552 18 R 54846 19 T 24224 20 R 54876 21 R 54876 21 R 54877 24 R 54004 25 R 53161 26 T 24224 27 T 31556 28 R 53897 29 R 54878 30 R 54878 30 R 54878 30 R 54878 30 R 54879 32 AR 63551 33 R 53888 34 R 54863		SCREW (3 USED) JAW, CLAMPING, WITH THROUGH HOLE (3 USED) JAW, CLAMPING, WITH THREADED HOLE (3 USED) HOLDER, DELIVERY VALVE (6 USED) SPACER (6 USED) SPRING (6 USED) SPRING (6 USED) VALVE, DELIVERY (6 USED) PLUNGER AND BARREL (6 USED) SCREW (6 USED) SLEEVE, CONTROL (6 USED) SEAT, SPRING, UPPER (6 USED) SEAT, SPRING, UPPER (6 USED) SEAT, SPRING, LOWER (6 USED) TAPPET, ROLLER, ASSEMBLY (6 USED) WASHER, COPPER (2 USED) SCREW, INSPECTION COVER (2 USED) GASKET COVER, INJECTION PUMP, WITH GASKET PLUG, CLOSING GASKET WASHER, LOCK (3 USED) NUT (3 USED) SUPPORT, CENTER BEARING WASHER, LOCK (2 USED) SCREW (2 USED) HOUSING, PUMP KEY, WOODRUFF CAMSHAFT SPACER, GOVERNOR END

FUEL INJECTION PUMP PARTS - CONTINUED (6404T) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR

KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
36 R 55152 R 54864 R 54865 R 54866 R 54867 R 54869 R 54869 R 55153 R 55154 R 55155 R 55156 R 55156 R 55157 R 55156 R 63555 AR 63941 38 AR 63555 AR 63941 38 AR 63556 39 R 54882 40 R 54888 41 R 54883 42 R 53886 43 R 53887 44 R 54883 42 R 53886 43 R 53887 44 R 54883 45 R 60908 46 R 54874 47 R 54872 48 R 54872 48 R 54873 49 R 60909 50 AR 69158 51 R 54860 52 R 54861 53 R 53903	SERIAL NO. (DESCRIPTION SHIM, .0039" (0.10MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0047" (0.12MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0055" (0.14MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0063" (0.16MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0071" (0.18MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0197" (0.50MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0118" (0.30MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0039" (0.10MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0047" (0.12MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0063" (0.14MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0063" (0.14MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0063" (0.16MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0071" (0.18MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .01197" (0.50MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0118" (0.30MM) (USE AS REQUIRED) (GOVERNOR END) SEAL POINTER, TIMING WASHER (2 USED) SCREW (2 USED) NUT, HEX WASHER, LOCK HUB, DRIVE SCREW (2 USED) WASHER, LOCK (2 USED) ENDPLATE BEARING O-RING GASKET CAP, CONTROL RACK, WITH MAGNET RACK, CONTROL SCREW, RACK LOCATING GASKET (4 USED) CONNECTOR, BANJO SCREW, HOLLOW
56 R 53162 57 R 53903 58 R 57641 59 T 31508	(- (- (- (-) CONNECTOR, BANJO) SCREW, HOLLOW) ELBOW, 90°) NAMEPLATE

25-49


FUEL INJECTION PUMP GOVERNOR (6404T) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR



FUEL INJECTION PUMP GOVERNOR - CONTINUED (6404T) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR

KEY	PAR	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
278990312333356378994142344446478 490155555555566123 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\mathcal{L}_{\mathcal{L}}}}}}}}}}$	53950 53950 53951 53952 53949 53952 60921 624229 53941 53956 53955 53957 53948 53958 53937 53938 53939	SEMIAL NO.	SPRING, .768" (19.5MM) SPRING, .925" (23.5MM) SPRING, .1.043" (26.5MM) CAPSULE, SPRING LEVER BUSHING, THREADED SPRING SCREW, SPECIAL LEVER, SHUT-OFF WASHER, LOCK SCREW, SPECIAL RETAINER, SPRING O-RING SHAFT LEVER PIN PIN, STOP COVER, GOVERNOR RING, RETAINING (2 USED) O-RING (2 USED) BUSHING (2 USED) O-RING SPACER, .012" (0.3MM) (USE AS REQUIRED) SPACER, .039" (1.0MM) (USE AS REQUIRED) SPACER, .0196" (0.5MM) (USE AS REQUIRED) LEVER, CONTROL, R.H. SCREW, SPECIAL WASHER NUT, CAP WASHER NUT, CAP WASHER, COPPER (2 USED) SCREW, LOW IDLE STOP DECAL, GOVERNOR CALIBRATING SPRING CAPSULE, SPRING NUT, HEX. NUT, LOCK NUT, CAP WASHER, COPPER (2 USED) SCREW, LOW IDLE STOP DECAL, GOVERNOR CALIBRATING SPRING CAPSULE, SPRING NUT, HEX. NUT, LOCK NUT, CAP WASHER, COPPER (2 USED) SCREW, LOW IDLE STOP DECAL, GOVERNOR CALIBRATING SPRING CAPSULE, SPRING NUT, HEX. NUT, LOCK NUT, CAP WASHER, COPPER (2 USED) SCREW, TAPPING, NO. 8 X 5/8" SCREW, UPPER (2 USED) WIRE, SEALING SEAL, LEAD SCREW, TAPPING, NO. 8 X 5/8" SCREW, UPPER (2 USED) WIRE, SEALING SEAL, LEAD SCREW, FILL. HD. (LOWER) (4 USED) SCREW, FULL LOAD STOP NUT, LOCK SHAFT PLUG, SEALING (2 USED) GASKET LEVER, TENSIONING
77 78	AR R	73859 60916	(- (-) CAPSULE, TORQUE CONTROL, COMPLETE) PLUG, CAP


FUEL TRANSFER PUMP (6404T) (ENGINE SERIAL NO. 445570) CODE 1601 INJECTION PUMP, REGULAR GOVERNOR CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR



KEY	PAF	RT NO.		ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 4 15 6 17 18 19 0 21 2 2 23 4	RRRRRRRRRRR : : RRRRRRRR AR	54033 54024 54025 54023 54022 53901 53903 53902 55069 54016 54011 54030 54032 54031 54027 54028 63831 73857 54021			PRIMER, HAND PLUG, SCREW GASKET (2 USED) SPRING (2 USED) VALVE (2 USED) GASKET (4 USED) SCREW, HOLLOW (2 USED) FITTING, BANJO (2 USED) PLUG, SCREW GASKET SPRING PLUNGER, PUMP (ORDER AR63831) SPINDLE, PRESSURE (ORDER AR63831) O-RING CLIP BOLT, STUD NUT, CLAMPING HOUSING, FILTER (GLASS) SPRING FILTER GASKET GASKET PUMP, FUEL TRANSFER, COMPLETE (INCLUDES ALL PARTS SHOWN ON THIS PAGE) TAPPET, ROLLER RING, SNAP
	Ŕ	53161	(•) GASKET, FUEL TRANSFER PUMP


FUEL INJECTION NOZZLE

(6404T) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR



	ENGINE	DESCRIPTION
KEY PART NO.	SEHIAL NO.	DESCRIPTION
1 R 60277 2 R 51603 R 33259 3 R 60279 4 R 60278 5 R 60272 6 R 60280 R 60281 R 60282 R 60283 R 60284 R 60285 R 60286 R 60287 R 60288 R 60288 R 60290 R 60290 R 60291 R 60291 R 60292 R 60293 R 60294 R 60295 R 60297 R 60297 R 60298	SERIAL NO.	RING, SNAP O-RING, 5/8" X 3/32" (15.55MM X 2.62MM) O-RING, 9/16" X 1/16" (14.00MM X 1.78MM) SCREW, HOLLOW RING, SNAP HOLDER, NOZZLE SHIM, .039" (0.99MM) PRESSURE ADJUSTING SHIM, .041" (1.04MM) PRESSURE ADJUSTING SHIM, .043" (1.09MM) PRESSURE ADJUSTING SHIM, .045" (1.14MM) PRESSURE ADJUSTING SHIM, .047" (1.19MM) PRESSURE ADJUSTING SHIM, .049" (1.24MM) PRESSURE ADJUSTING SHIM, .051" (1.29MM) PRESSURE ADJUSTING SHIM, .055" (1.39MM) PRESSURE ADJUSTING SHIM, .055" (1.39MM) PRESSURE ADJUSTING SHIM, .055" (1.44MM) PRESSURE ADJUSTING SHIM, .059" (1.49MM) PRESSURE ADJUSTING SHIM, .061" (1.54MM) PRESSURE ADJUSTING SHIM, .065" (1.65MM) PRESSURE ADJUSTING SHIM, .067" (1.70MM) PRESSURE ADJUSTING SHIM, .069" (1.75MM) SHIM, .069" (1.75MM) SHIM, .073" (1.85MM) PRESSURE ADJUSTING SHIM, .073" (1.85MM) PRESSURE ADJUSTING SHIM, .073" (1.85MM) PRESSURE ADJUSTING SHIM, .075" (1.90MM) PRESSURE ADJUSTING SHIM, .075" (1
R 60299	, -) SHIM, .077" (1.95MM) PRESSURE ADJUSTING) SPRING
7 R 60273 8 R 60274	} -) SEAT, SPRING
8 R 60274 9 R 60275	}) PLATE, INTERMEDIATE
10 AR 74668	} -) NOZZLE
11 R 60276	} -) NUT. NOZZLE RETAINING
12 AR 73127	} -) HOLDER, FUEL INJECTION, LESS NOZZLE (6 USED)
13 R 59104	} -) WASHER, ALUMINUM (6 USED)
13 Ft 39104	· -	, 11/10/12/1, /120//// (5 0025)

FUEL INJECTION PUMP PARTS (6404A) (ENGINE SERIAL NO. 445570CODE 1601 INJECTION SYSTEM - REGULAR GOVERNOR




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 R 54859 2 R 54857 3 R 54857 3 R 63065 5 R 54886 6 R 54881 7 R 54854 8 R 54852 10 AR 63559 11 R 54852 13 R 54852 13 R 54852 14 R 54894 15 R 54894 16 R 54894 17 R 54894 R 54896 R 54897 R 54898 R 54899 R 54900 R 54900 R 54901 R 54906 R 54907 R 54906 R 54907 R 54908 R 54908 R 54909 R 54911 R 54911 R 63829 19 R 55063		SCREW (3 USED) JAW, CLAMPING, WITH THROUGH HOLE (3 USED) JAW, CLAMPING, WITH THREADED HOLE (3 USED) HOLDER, DELIVERY VALVE (6 USED) O-RING (6 USED) SPACER (6 USED) SPACER (6 USED) SPRING (6 USED) GASKET (6 USED) VALVE, DELIVERY (6 USED) PLUNGER AND BARREL (6 USED) SEGMENT, GEAR (6 USED) SLEEVE, CONTROL (6 USED) SEAT, SPRING, UPPER (6 USED) SEAT, SPRING, LOWER (6 USED) SPACER, 311" (7.90MM) SPACER, 315" (8.00MM) SPACER, 317" (8.05MM) SPACER, 321" (8.15MM) SPACER, 322" (8.25MM) SPACER, 322" (8.25MM) SPACER, 335" (8.45MM) SPACER, 335" (8.45MM) SPACER, 335" (8.45MM) SPACER, 335" (8.55MM) SPACER, 335" (8.55MM) SPACER, 335" (8.55MM) SPACER, 337" (8.55MM) SPACER, 341" (8.65MM) SPACER, 341" (8.65MM) SPACER, 345" (8.75MM) SPACER, 346" (8.80MM) TAPPET, ROLLER, ASSEMBLY (6 USED) PLUG, PUMP HOUSING, BASE (6 USED)

FUEL INJECTION PUMP PARTS - CONTINUED (6404A) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR

KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
20 T 24224 21 R 54876	- -	WASHER, COPPER (2 USED) SCREW, INSPECTION COVER (2 USED)
22 R 54875 23 AR 63557	- -	GASKET COVER, INSPECTION, WITH GASKET
24 R 54877 25 R 54004	- -	PLUG, CLOSING GASKET
26 R 53161	· -) GASKET) WASHER, LOCK (3 USED)
27 T 24229 28 T 31556	-	NUT (3 USED)
29 R 53897	(-) STUD (3 USED)) SUPPORT, CENTER BEARING
30 R 55062 31 R 54880	· -	WASHER, LOCK (2 USED)
32 R 54879	(<u>-</u>) SCREW (2 USED)) HOUSING, PUMP
33 AR 63558 34 R 53888	} -	KEY, WOODRUFF
35 R 54893	() CAMSHAFT) SPACER, GOVERNOR END
36 R 54863 37 R 55152) <u>-</u>	SHIM, .0039" (0.10MM) (USE AS REQUIRED) (DRIVE END)
R 54864	<u> </u>) SHIM, .0047" (0.12MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0055" (0.14MM) (USE AS REQUIRED) (DRIVE END)
R 54865 R 54866	\	SHIM0063" (0.16MM) (USE AS REQUIRED) (DRIVE END)
R 54867	· -) SHIM, .0071" (0.18MM) (USE AS REQUIRED) (DRIVE END) SHIM, .0197" (0.50MM) (USE AS REQUIRED) (DRIVE END)
R 54868 R 54869	(-	N SHIM 0118" (0.30MM) (USE AS REQUIRED) (DRIVE END)
R 54870	<u> </u>) SHIM, .0039" (0.10MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0047" (0.12MM) (USE AS REQUIRED) (GOVERNOR END)
R 55153 R 55154) SHIM .0055" (0.14MM) (USE AS REQUIRED) (GOVERNOR END)
R 55155	<u> </u>) SHIM, .0063" (0.16MM) (USE AS REQUIRED) (GOVERNOR END) SHIM, .0071" (0.18MM) (USE AS REQUIRED) (GOVERNOR END)
R 55156 R 55157) SHIM, .0197" (0.50MM) (USE AS REQUIRED) (GOVERNOR END)
R 55159	<u> </u>	SHIM .0390" (1.00MM) (USE AS REQUIRED) (GOVERNOR END) SHIM .0118" (0.30MM) (USE AS REQUIRED) (GOVERNOR END)
R 55160 R 55158	-) SHIM, .0118" (0.30MM) (USE AS REQUIRED) (GOVERNOR END)
38 AR 63555	· -) BEARING, TAPER ROLLER (DRIVE END)) BEARING, TAPER ROLLER (GOVERNOR END)
AR 63941 39 AR 63556	} -) SEAL
40 R 54882	· -) POINTER, TIMING) WASHER (2 USED)
41 R 54884 42 R 54883	-) SCREW (2 USED)
43 R 53886	· -) NUT, HEX) WASHER, LOCK
44 R 53887 45 R 54885	-) HUB, DRIVE
46 R 60908	-) SCREW (2 USED)) WASHER, LOCK (2 USED)
47 R 54874 48 R 54872	}) ENDPLATE BEARING
49 R 54873	· -) O-RING) GASKET
50 R 60909 51 AR 69158	}) CAP, CONTROL RACK, WITH MAGNET
52 R 54860	· -) RACK, CONTROL) SCREW, RACK LOCATING
53 R 54861 54 R 53901	-) GASKET (4 USED)
55 R 58608	-) CONNECTOR, BANJO) SCREW, HOLLOW
56 R 53903 57 R 53162	-) CONNECTOR, BANJO
58 R 53903	<u> -</u>) SCREW, HOLLOW) ELBOW, 90°
59 U 45538 60 T 31508	-) NAMEPLATE

FUEL INJECTION PUMP GOVERNOR (6404A) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION PUMP, REGULAR GOVERNOR




KEY	PART N	O.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 1 22 23 24 5 25 6 27	AR 778	885 (229 (2295 (2972 (575 (918 (917 (938 (937 (945 (945 (917 (919 (945 (917 (912 (911 (911 (911 (920 (920 () GASKET) HOUSING, GOVERNOR) SCREW, FILL. HD. (6 USED)) WASHER, LOCK (6 USED)) KEY, WOODRUFF) WIRE, SEALING) SEAL, LEAD) CAPSULE, SEALING) NUT, LOCK) SCREW, HIGH SPEED STOP) SPACER) SCREW, SPECIAL) SCREW, SPECIAL) TUBE (2 USED) (SUB. R54921)) BRACKET) FLYWHEEL ASSEMBLY) WASHER, LOCK) NUT, ROUND) SPRING, STARTING) BEARING, ASSEMBLY) SHIM, .008" (0.2MM) (USE AS REQUIRED)) SHIM, .012" (0.3MM) (USE AS REQUIRED)) SHIM, .016" (0.4MM) (USE AS REQUIRED)) SHIM, .039" (1.0MM) (USE AS REQUIRED)) SHIM, .019" (0.4MM) (USE AS REQUIRED)) SHIM, .019" (0.4MM) (USE AS REQUIRED)) SHIM, .019" (0.4MM) (USE AS REQUIRED)) SHIM, .019" (1.0MM) (USE AS REQUIRED)) SHIM, .019" (1.0MM) (USE AS REQUIRED) LEVER, GUIDE) LEVER, GUIDE) SPRING, GOVERNOR, MAIN) LEVER, SWIVELING) SLIDER LEVER, FLOATING RING, RETAINING (2 USED)) SHACKLE CLIP, RETAINING
		,		

FUEL INJECTION PUMP GOVERNOR - CONTINUED (6404A) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION PUMP, REGULAR GOVERNOR

KEY I	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
8890 41 42 43 44 <	53950 53951 53952 53949 53946 54922 60921 60921 7 63565 24229 53976 53956 53955 53948 53923 53948 53923 53948 53935 53940 53935 53934 53937 53938 53939 53940 24224 53958 53960 24224 53960 24224 53961 24282 53961 24282 53961 24282 53966 53972 53972 31575 54926 53972 31575 54926 53972 31575 54926 53972 31575 54926 53972 31575 54926 53969 53970 53972 53972 53972 53972 53972 53972 53973 53969 53970 53929 53929 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53928 53927 53925 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53927 53925 53927 53927 53927 53925 53927 53927 53927 53927 53927 53927 53927 53927 53927 53925 860 53927 53		SPRING, .768" (19.5MM) SPRING, .925" (23.5MM) SPRING, 1.043" (26.5MM) CAPSULE, SPRING LEVER BUSHING, THREADED SPRING SCREW, SPECIAL LEVER, SHUT-OFF WASHER, LOCK SCREW RETAINER, SPRING O-RING SHAFT LEVER PIN PIN, STOP COVER, GOVERNOR RING, RETAINING (2 USED) O-RING (2 USED) BUSHING (2 USED) BUSHING (2 USED) O-RING SPACER, .012" (0.3MM) (USE AS REQUIRED) SPACER, .0196" (0.5MM) (USE AS REQUIRED) SPACER, .0196" (0.5MM) (USE AS REQUIRED) SCREW WASHER, LOCK WASHER, LOCK WASHER, LOCK WASHER, COPPER (2 USED) SCREW, LOW IDLE STOP DECAL, GOVERNOR CALIBRATING SPRING CAPSULE, SPRING NUT, HEX NUT, LOCK NUT, CAP WASHER, COPPER (2 USED) BRACKET CLIP (PUMP SHUT-OFF CABLE) SCREW, TAPPING, NO. 8 X 5/8" SCREW, TAPPING, NO. 8 X 5/8" SCREW, TAPPING, NO. 8 X 5/8" SCREW, INNER (2 USED) WIRE, SEALING SEAL, LEAD SCREW, TOUTER (2 USED) COVER GASKET NUT, HEX SCREW, FILL. HD. (LOWER) (4 USED) SCREW, FILL. HD. (UPPER) (2 USED)
80 R	54932	(-)	O-RING

FUEL INJECTION PUMP ANEROID (6404A) (ENGINE SERIAL NO. 445570CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR




<i>ENGINE</i>						
KEY PA	ART NO.		SERIAL NO.	DESCRIPTION		
14 R 15 R 16 R 17 R 18 R 19 R 20 R 21 R 22 R 23 T	62106 62107 26373 62105 62104 63063 63062 63061 63060 63059 53995 54933 63057 63054 63054 63054 63064 53997 54936 53997 54936 53997 54936 53997 54936 53997 54936 53997 54936 53997 54936 53997 54936 53997 54936 54931) SCREW, SPECIAL) WASHER, COPPER (2 USED)) SPRING) WIRE, RESTRICTOR) VALVE, CAPILLARY) SCREW, SPECIAL (2 USED)) HOUSING) GASKET) PISTON) SPRING) RING, RETAINING) WASHER) SCREW) NUT, STOP) SPRING) SHAFT) SPRING) LEVER) RING, RETAINING) PLUG) WIRE, SEALING (2 USED)) SCREW, WITH HOLE (2 USED)) WASHER, LOCK (2 USED)) PLUG) WASHER		

FUEL INJECTION PUMP ANEROID - CONTINUED (6404A) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR

				ENGINE	
KEY	PAI	AT NO.		SERIAL NO.	DESCRIPTION
27	R	54932	((-) O-RING
28	AR	63568		-) HOUSING, ANEROID
29	R	53978		(-) BUSHING, GUIDE
30	R	53982		() SPRING
31	R	53985		<u> </u>) SEAT, SPRING, UPPER
		60911		<u> </u>) STAKE
33	R	60910		<u> </u>) CLIP
34	R	53981	(<u> </u>) SCREW (2 USED)
35	Τ	24229	(<u> </u>) WASHER, LOCK (2 USED)
36	R	53983	(() DIAPHRAGM
37	R	53986	(<u> </u>) WASHER, THRUST
38	R	53987	(<u> </u>) WASHER, LOCK
39	Т	31556	((-	NUT, HEX
40	R	53942	(<u> </u>) WASHER (2 USED)
41	R	54930		<u> </u>) SCREW, WITH HOLE
42	R	53988	(<u> </u>) NUT, CAP
43	T	24223	((-) GASKET
44	R	54006	(<u> </u>) NUT, ROUND
45	Т	32330		<u> </u>) SCREW, THREADED
46	R	54887		<u>(</u>) SCREW, FILL. HD. (3 USED)
47	R	53989	(<u> </u>) COVER
	AR	63830	(<u> </u>) ANEROID, COMPLETE

FUEL INJECTION PUMP PARTS (6404A) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR




	ENGINE	
KEY PART NO.	SERIAL NO.	DESCRIPTION
1 R 54859 2 R 54857 3 R 54858 4 R 63065 5 R 54856 6 R 54851 7 R 54854 8 R 54853 9 R 54852 10 AR 63559 11 R 54852 13 R 54850 14 R 54849 15 R 54849 15 R 54896 R 54897 R 54896 R 54897 R 54898 R 54899 R 54900) SCREW (3 USED)) JAW, CLAMPING, WITH THROUGH HOLE (3 USED)) JAW, CLAMPING, WITH THREADED HOLE (3 USED)) HOLDER, DELIVERY VALVE (6 USED)) SPACER (6 USED)) SPACER (6 USED)) SPRING (6 USED)) GASKET (6 USED)) VALVE, DELIVERY (6 USED)) PLUNGER AND BARREL (6 USED)) SEGMENT, GEAR (6 USED)) SLEEVE, CONTROL (6 USED)) SLEEVE, CONTROL (6 USED)) SPACER, SPRING, UPPER (6 USED)) SPACER, 311" (7.90MM)) SPACER, 313" (7.95MM)) SPACER, 315" (8.00MM)) SPACER, 319" (8.05MM)) SPACER, 319" (8.05MM)) SPACER, 321" (8.15MM)) SPACER, 322" (8.25MM)) SPACER, 323" (8.25MM)) SPACER, 339" (8.30MM)) SPACER, 339" (8.40MM)) SPACER, 331" (8.40MM)) SPACER, 331" (8.40MM)) SPACER, 339" (8.55MM)) SPACER, 341" (8.65MM)) SPACER, 341" (8.65MM)) SPACER, 341" (8.65MM)) SPACER, 346" (8.80MM)) TAPPET, ROLLER, ASSEMBLY (6 USED)) PLUG, PUMP HOUSING, BASE (6 USED)

FUEL INJECTION PUMP PARTS - CONTINUED (6404A) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR

KEY F	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
20 T 21 R	24224 54876	(- -) WASHER, COPPER (2 USED)) SCREW, INSPECTION COVER (2 USED)
22 R 23 AF	54875 R 63557	-) GASKET) COVER, INSPECTION, WITH GASKET
24 R 25 R	54877 54004	}) PLUG, CLOSING) GASKET
26 R	53161	\) GASKET
27 T	24229	`) WASHER, LOCK (3 USED)
28 T 29 R	31556 53897	- -) NUT (3 USED)) STUD (3 USED)
30 R	55062	(-	SUPPORT, CENTER BEARING
31 R 32 R	54880 54879	} -) WASHER, LOCK (2 USED)) SCREW (2 USED)
33 AF		\) HOUSING, PUMP
34 R	53888	(-	KEY, WOODRUFF
35 R 36 R	54893 54863	}) CAMSHAFT) SPACER, GOVERNOR END
37 R	55152	-	SHIM, 0039" (0.10MM) (USE AS REQUIRED) (DRIVE END)
R R	54864 54865	-) SHIM, .0047" (0.12MM) (USE AS REQUIRED) (DRIVE END)) SHIM, .0055" (0.14MM) (USE AS REQUIRED) (DRIVE END)
R	54866	- -) SHIM, .0063" (0.14MM) (USE AS REQUIRED) (DRIVE END)
R	54867	<u> </u>	SHIM, .0071" (0.18MM) (USE AS REQUIRED) (DRIVE END)
R R	54868 54869	}) SHIM, .0197" (0.50MM) (USE AS REQUIRED) (DRIVE END)) SHIM, .0118" (0.30MM) (USE AS REQUIRED) (DRIVE END)
R	54870	-	SHIM, .0039" (0.10MM) (USE AS REQUIRED) (GOVERNOR END)
R	55153	} -) SHIM, .0047" (0.12MM) (USE AS REQUIRED) (GOVERNOR END)
R R	55154 55155	- -) SHIM, .0055" (0.14MM) (USE AS REQUIRED) (GOVERNOR END)) SHIM, .0063" (0.16MM) (USE AS REQUIRED) (GOVERNOR END)
R	55156	(-	SHIM, .0071" (0.18MM) (USE AS REQUIRED) (GOVERNOR END)
R R	55157 55159	}) SHIM, .0197" (0.50MM) (USE AS REQUIRED) (GOVERNOR END)) SHIM, .0390" (1.00MM) (USE AS REQUIRED) (GOVERNOR END)
Ř	55160	}) SHIM, .0118" (0.30MM) (USE AS REQUIRED) (GOVERNOR END)
R	55158	'	SHIM, .0118" (0.30MM) (USE AS REQUIRED) (GOVERNOR END)
38 AF AF) BEARING, TAPER ROLLER (DRIVE END)) BEARING, TAPER ROLLER (GOVERNOR END)
39 AF	63556	-) SEAL
40 R 41 R	54882 54884	- -) POINTER, TIMING) WASHER (2 USED)
42 R	54883	}) SCREW (2 USED)
43 R	53886	<u> </u>	NUT, HEX
44 R 45 R	53887 54885	- -) WASHER, LOCK) HUB, DRIVE
46 R	60908	(-	SCREW (2 USED)
47 R 48 R	54874 54872	(<u>-</u>) WASHER, LOCK (2 USED)) ENDPLATE BEARING
49 R	54873	\	O-RING
50 R	60909	`) GASKET
51 AF 52 R	R 69158 54860	}) CAP, CONTROL RACK, WITH MAGNET) RACK, CONTROL
53 R	54861	(-	SCREW, RACK LOCATING
54 R 55 R	53901 58608	}) GASKET (4 USED)) CONNECTOR, BANJO
56 R	53903	}) SCREW, HOLLOW
57 R	53162	`) CONNECTOR, BANJO
58 R 59 U	53903 45538	}) SCREW, HOLLOW) ELBOW, 90°, 1/4"-18 X 1/2"-20
60 T	31508	\) NAMEPLATE

FUEL INJECTION PUMP GOVERNOR (6404A) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR




KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 1 8 9 10 1 11 12 13 14 15 16 17 18 19 20 21 22 22 24 25 26	R 55064 R 56989 R 53885 T 24229 T 24229 T 24229 T 31575 R 56990 R 53972 T 31575 R 63918 AR 63560 T 31556 R 63917 R 60915 R 60915 R 60912 AR 73730 R 53912 R 53912 R 53912 R 53921 R 53921 R 53922 R 53922 R 53923 R 53923 R 60913 AR 61174 R 60913 AR 61174 R 53930 R 53932 R 53932 R 53933 R 53953) GASKET) HOUSING, GOVERNOR) SCREW, FILL HD. (6 USED)) WASHER, LOCK (6 USED)) KEY, WOODRUFF) PLUG) WIRE, SEALING) SEAL, LEAD) CAPSULE, SEALING) SEAL, STOP SCREW (SUB. R53972 AND T31575)) NUT, LOCK) SCREW, HIGH SPEED STOP) SCREW) TUBE (2 USED) (SUB. R54921)) BRACKET) FLYWEIGHT ASSEMBLY) WASHER, LOCK) NUT, RD.) SPRING, STARTING) BEARING, ASSEMBLY) SHIM, .008" (0.2MM) (USE AS REQUIRED)) SHIM, .016" (0.4MM) (USE AS REQUIRED)) SHIM, .039" (1.0MM) (USE AS REQUIRED)) SHIM, .039" (1.0MM) (USE AS REQUIRED)) LEVER, GUIDE) SPRING, GOVERNOR, MAIN) LEVER, SWIVELING) SLIDER LEVER, FLOATING RING, RETAINING (2 USED)) SHACKLE CLIP, RETAINING

FUEL INJECTION PUMP GOVERNOR - CONTINUED (6404A) (ENGINE SERIAL NO. 445570-) CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR


KEY	PAI	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
27 28 29 30 31 32 334 35 36 37 38 39 40 41 42 43 44 45 466 47 48 49 551 52 53 54 55 56 66 67 68 69 7 71 72 73 475	P^{A} REPURE ALEBERT ARE REPURE ARE REPURE ARE REPURE ARE REPURED TO THE REPURE ARE ARE ARE REPURED AS A REPURE ARE ARE ARE ARE ARE ARE ARE ARE ARE A	53950 53951 53952 53949 53946 54922 60921 634529 53941 53956 53955 53957 53948 54923 53956 53957 53934 53937 53939 53939 53939 53940 53956 53939 53940 53956		DESCRIPTION SPRING, .768" (19.5MM) SPRING, .925" (23.5MM) SPRING, .1043" (26.5MM) CAPSULE, SPRING LEVER BUSHING, THREADED SPRING SCHEW, SPECIAL LEVER, SHUT-OFF WASHER, LOCK SCHEW, SPECIAL LEVER, SPECIAL RETAINER, SPRING O-RING SHAFT LEVER PIN PIN, STOP COVER, GOVERNOR RING, RETAINING (2 USED) O-RING (2 USED) O-RING SPACER, .012" (0.3MM) (USE AS REQUIRED) SPACER, .019" (0.5MM) (USE AS REQUIRED) SCREW, LOW REQUIRED) SCREW, TAPPING, NO. 8 X 5/8" SCREW, TULL LOAD STOP NUT, LOCK SCREW, FILL. HD. (LOWER) (4 USED) SCREW, FILL. LD. (LOWER) (4 USED) SCREW, FILL. LD. (LOWER) PLUG, SEALING (2 USED)
76 77 78	R AR R	53925 73859 60916	- - -) LEVER, TENSIONING) CAPSULE, TORQUE CONTROL, COMPLETE) PLUG, CAP

FUEL TRANSFER PUMP (6404A) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION PUMP. REGULAR GOVERNOR CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR




			ENGINE	
KEY	PAF	TT NO.	SERIAL NO	D. DESCRIPTION
1	R	54033) PRIMER, HAND
2	Ŕ	54024	} -) PLUG, SCREW
3	Ŕ	54025	} -) GASKET (2 USED)
4	Ŕ	54023	} _) SPRING (2 USED)
5	Ŕ	54022	} _) VALVE (2 USED)
6	Ŕ	53901	} _) GASKET (4 USED)
7	Ř	53903	} -) SCREW, HOLLOW (2 USED)
8	Ŕ	53902	} -) FITTING, BANJO (2 USED)
9	Ŕ	55069	} -) PLUG, SCREW
10	Ŕ	54016	} -) GASKET
11	Ŕ	54011	} -) SPRING
12			(-) PLUNGER, PUMP (ORDER AR63831)
13			(-) SPINDLE, PRESSURE (ORDER AR63831)
14	R	54013	(-) O-RING
15	R	54030	(-) CLIP
16	R	54032	(-) BOLT, STUD
17	R	54031	(-) NUT, CLAMPING
18	R	54027	(-) HOUSING, FILTER (GLASS)
19	R	54029	(-) SPRING
20	R	54026	(-) FILTER
21	R	54028	(-) GASKET
22	AR	63831	(-) PUMP, FUEL TRANSFER, COMPLETE (INCLUDES ALL PARTS SHOWN ON THIS
				PAGE)
23	AR	73857	(-) TAPPET, ROLLER
24	R	54021	(-) RING, SNAP
	R	53161	(-) GASKET, FUEL TRANSFER PUMP

FUEL INJECTION NOZZLE (6404A) (ENGINE SERIAL NO. 445570-) CODE 1601 INJECTION SYSTEM, REGULAR GOVERNOR CODE 1604 INJECTION SYSTEM, 3%-5% GOVERNOR



	ENGINE	13———
KEY PART NO.	SERIAL NO.	DESCRIPTION
1 R 60277	(-) RING. SNAP
2 R 51603	} -) O-RING, 5/8" X 3/32" (15.55MM X 2.62MM)
R 33259	}) O-RING, 9/16" X 1/16" (14.00MM X 1.78MM)
3 R 60279	}) SCREW, HOLLOW
	}) RING, SNAP
4 R 60278 5 R 60272	}) HOLDER, NOZZLE
6 R 60280	}) SHIM, .039" (0.99MM) PRESSURE ADJUSTING
	} -	
	} -	SHIM, .041" (1.04MM) PRESSURE ADJUSTING
R 60282	} -) SHIM, .043" (1.09MM) PRESSURE ADJUSTING
R 60283	} -) SHIM, .045" (1.14MM) PRESSURE ADJUSTING
R 60284	-) SHIM, .047" (1.19MM) PRESSURE ADJUSTING
R 60285	-) SHIM, .049" (1.24MM) PRESSURE ADJUSTING
R 60286	(-) SHIM, .051" (1.29MM) PRESSURE ADJUSTING
R 60287	(-) SHIM, .053" (1.34MM) PRESSURE ADJUSTING
R 60288	(-) SHIM, .055" (1.39MM) PRESSURE ADJUSTING
R 60289	(-) SHIM, .057" (1.44MM) PRESSURE ADJUSTING
R 60290	(-) SHIM, .059" (1.49MM) PRESSURE ADJUSTING
R 60291	(-) SHIM, .061" (1.54MM) PRESSURE ADJUSTING
R 60292	(-) SHIM, .063" (1.60MM) PRESSURE ADJUSTING
R 60293	(-) SHIM, .065" (1.65MM) PRESSURE ADJUSTING
R 60294	(-) SHIM, .067" (1.70MM) PRESSURE ADJUSTING
R 60295	(-) SHIM, .069" (1.75MM) PRESSURE ADJUSTING
R 60296	(-) SHIM, .071" (1.80MM) PRESSURE ADJUSTING
R 60297	(-) SHIM, .073" (1.85MM) PRESSURE ADJUSTING
R 60298	(-) SHIM, .075" (1.90MM) PRESSURE ADJUSTING
R 60299	(-) SHIM, .077" (1.95MM) PRESSURE ADJUSTING
7 R 60273	(-) SPRING
8 R 60274	· -) SEAT, SPRING
9 R 60275	<u>(</u> -) PLATE, INTERMEDIATE
10 AR 74667	<u>(</u>) NOZZLE
11 R 60276	<u>`</u>) NUT, NOZZLE RETAINING
12 AR 73127	· -) HOLDER, FUEL INJECTION, LESS NOZZLE (6 USED)
13 R 59104	<u>`</u>) WASHER, ALUMINUM (6 USED)
	`	,

PTO AND CLUTCH CODE 5801 PTO CLUTCH AND HOUSING FOR IN-LINE LOADING PTO CLUTCH AND HOUSING FOR SIDE LOADING




1 R 53309 (-) SHAFT, YOKE 2 26H 85 (-) KEY, WOODRUFF, 1/4" X 1" (2 USED) 3 JD 7759 (-) FITTING, GREASE, 1/8" (3 USED) 4 R 53311 (-) NUT 5 21H 1352 (-) SCREW, MACH., PAN HD., 1/4" X 3/8" (2 USED) 6 R 53335 (-) 5801 PLATE, INSTRUCTION (IN-LINE) T 11049 (-) 5802 PLATE, INSTRUCTION (SIDE LOAD) 7 T 11050 (-) GASKET 8 R 53332 (-) 5801 RING, EXT. SNAP (IN-LINE) (2 USED) 9 JD 8537 (-) 5801 BEARING, BALL (IN-LINE) 10A R 53338 (-) 5801 SHAFT, DRIVE (IN-LINE) 10B R 53349 (-) 5802 SHAFT, DRIVE (SIDE-LOAD) 11 R 53333 (-) 5801 SPACER, PLAIN (IN-LINE) 12 R 53308 (-) SCREW, SET	KEY PART NO.	ENGINE SERIAL NO. C	CODE DESCRIPTION
14 JD 7365 (-) 5802 CONE, TAPER ROLLER BEARING (SIDE LOAD) (2 USED) 15 R 53323 (-) 5802 RETAINER, BEARING (SIDE LOAD) R 53334 (-) 5801 RETAINER, BEARING (IN-LINE) 16 R 53307 (-) PLATE, LOCK 17 19H 2020 (-) SCREW, CAP, 5/16" X 1/2" 12H 291 (-) WASHER, LOCK, 5/16" 18 R 53317 (-) NUT, STOP (2 USED) (USED WITH KEY 27) 19 T 11083 (-) PIN, CLEVIS (6 USED) 20 T 11079 (-) LEVER (3 USED) 21 T 11082 (-) LINK, CONNECTING (6 USED)	1 R 53309 2 26H 85 3 JD 7759 4 R 53311 5 21H 1352 6 R 53335 T 11049 7 T 11050 8 R 53332 9 JD 8537 10A R 53338 10B R 53349 11 R 53333 12 R 53308 13 JD 8206 14 JD 7365 15 R 53323 R 53334 16 R 53323 R 53334 16 R 53307 17 19H 2020 12H 291 18 R 53317 19 T 11083 20 T 11079 21 T 11082	SERIAL NO. C	SHAFT, YOKE KEY, WOODRUFF, 1/4" X 1" (2 USED) FITTING, GREASE, 1/8" (3 USED) NUT SCREW, MACH., PAN HD., 1/4" X 3/8" (2 USED) 5801 PLATE, INSTRUCTION (IN-LINE) 5802 PLATE, INSTRUCTION (SIDE LOAD) GASKET 5801 RING, EXT. SNAP (IN-LINE) (2 USED) 5801 BEARING, BALL (IN-LINE) 5801 SHAFT, DRIVE (IN-LINE) 5802 SHAFT, DRIVE (SIDE-LOAD) 5802 SHAFT, DRIVE (SIDE-LOAD) 5801 SPACER, PLAIN (IN-LINE) 5CREW, SET 502 CUP, TAPER ROLLER BEARING (SIDE LOAD) (2 USED) 5802 CONE, TAPER ROLLER BEARING (SIDE LOAD) (2 USED) 5802 RETAINER, BEARING (SIDE LOAD) 5801 RETAINER, BEARING (IN-LINE) PLATE, LOCK SCREW, CAP, 5/16" X 1/2" WASHER, LOCK, 5/16" NUT, STOP (2 USED) (USED WITH KEY 27) PIN, CLEVIS (6 USED) LEVER (3 USED) LINK, CONNECTING (6 USED)
22 T 11084 (-) RING, RETAINING (6 USED) 23 AT 10896 (-) LEVER, SPRING 24 AR 59467 (-) TUBE, FLEXIBLE 25 R 53316 (-) SCREW, SPECIAL CAP (2 USED) (USED WITH KEY 27)	22 T 11084 23 AT 10896 24 AR 59467 25 R 53316 26 AR 59466		RING, RETAINING (6 USED) LEVER, SPRING TUBE, FLEXIBLE SCREW, SPECIAL CAP (2 USED) (USED WITH KEY 27) BEARING, RELEASE (2 USED) (INCLUDES KEYS 18 AND 25)

PTO AND CLUTCH - CONTINUED CODE 5801 PTO CLUTCH AND HOUSING FOR IN-LINE LOADING PTO CLUTCH AND HOUSING FOR SIDE LOADING


KEY	PAI	AT NO.	ENGINE SERIAL NO.		CODE	DESCRIPTION
28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	ARRRRRTTTRRAARRTTR	48751 53327 53336 53350 53344 11081 11080 11077 53341 53346 59470 70182 53345 53345 11076 11812 53312			5801 5802 5801	BEARING, SPECIAL BALL (IN-LINE) BEARING, BALL (SIDE LOAD) SPACER, PILOT BEARING (IN-LINE) NUT, SPECIAL HEX WASHER, SPECIAL LOCK BODY, CLUTCH RING, RETAINING (3 USED) PIN, CLEVIS (3 USED) SPRING, SEPERATOR (3 USED) KEY, 3/8" X 1/2" X 2-1/4" RING, DRIVING DISK, CLUTCH DRIVING (11-1/2" (292MM) FLYWHEEL) (6404D) DISK, CLUTCH DRIVING (6404A, T) PLATE, PRESSURE LOCK, ADJUSTMENT WASHER, SHAKE PROOF SCREW, HEX. HD. NUT, ADJUSTING
44 45 46 47	R R R 12H AR	53319 53325 53310 331 59465	(- (- (-)		PLATE, ADJUSTING RING LEVER, SHIFTING BOLT, HEX. HD. WASHER, LOCK, 3/8" YOKE, CLUTCH
48	R	58450	(-	ý	5802	
	R	58451	(-)		HOUSING, BELL, NO. 3 SAE (IN-LINE (11-1/2" (292MM) FLYWHEEL)
49 50 51	19H 12H JD R	2552 304 7849 53340	(- - - - -)		SCREW, CAP, 3/8" X 1-1/8" (12 USED) WASHER, LOCK, 3/8" (12 USED) FITTING, GREASE (2 USED) KEY, 5/8" X 5/8" X 5-1/4"
• •	AR	70179	-)	5802	PTO ASSEMBLY, SIDE LOAD (11-1/2" (292MM) FLYWHEEL) (6404D) (6404D)
• •	AR AR	70180 70176	(- -)	5801 5802	PTO ASSEMBLY, IN-LINE (11-1/2" (292MM) FLYWHEEL) (6404D) PTO ASSEMBLY, SIDE LOAD (11-1/2" (292MM) FLYWHEEL) (6404A, T)
	AR	70181	-)	5802	PTO ASSEMBLY, IN-LINE (11-1/2" (292MM) FLYWHEEL) (6404A, T) (6404A, T)

PUSH-PULL CABLE AND BRACKETS (6404D) CODE 3203 INSTRUMENT PANEL AND INSTRUMENT




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 AR 65433 2 R 56760 3 14H 631 4 R 55340 5 11H 206	(-) CABLE, THROTTLE CONTROL) BRACKET) NUT, SPECIAL HEX., NO. 10 (2 USED)) SWIVEL) PIN, COTTER, 3/32" X 3/4"

PUSH-PULL CABLE AND BRACKETS (6404A, T) CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS




	ENGINE	
KEY PART NO.	SERIAL NO.	DESCRIPTION
1 AR 65433 2 R 56760 3 14H 631 4 R 55340 5 11H 206 6 14H 812 7 R 42729) CABLE, THROTTLE CONTROL) BRACKET) NUT, SPECIAL HEX, NO. 10 (2 USED)) SWIVEL) PIN, COTTER, 3/32" X 3/4") NUT, 3/8") WASHER

INJECTION PUMP SHUT-OFF RACK PULLER (6404A, T) CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS




KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1 19H 1948	-) SCREW, CAP, 1/4" X 3/4" (4 USED)
2 R 55930	`	SUPPORT, RACK PULLER
3 AR 64933	(-	PULLER, RACK (SEE PAGE 75-5 FOR PARTS)
4 14H 786	(-	NUT, HEX., 1/4" (4 USED)
12H 302	} -	WASHER, LOCK, 1/4" (4 USED)
5 19H 2548	} -	SCREW, CAP, 1/2" X 7/8" (2 ÚSED)
12H 301	} -	WASHER, LOCK, 1/2" (2 USED)
AR 67283	`	WIRING, LEAD
AR 67284	} -	HOLDER, FUSE, WITH FUSE

RACK PULLER (6404A, T) CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS



KEY	PAR	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10	AR R R	59309 59308 71573 71574 59311 59307 71575 59310 71572 71576		SPRING BUSHING, RESET PLATE, LATCH SWITCH SPRING, GUIDE ROD ROD, SPRING GUIDE COIL INSULATOR, CONTACT HANDLE, RESET CABLE, SHUT-OFF

INSTRUMENT AND INSTRUMENT PANEL WITH BRACKETS (6404D) CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS CODE 3303 TACHOMETER CODE 3401 ELECTRIC HOURMETER




			ENGINE		
KEY	PAF	RT NO.	SERIAL NO.	CODE	DESCRIPTION
1	AR	64936	(-)	BRACKET, INSTRUMENT PANEL MOUNTING
2	14H	786	(-)	NUT, 1/4" (2 USED)
	12H	302	(-)	WASHER, LOCK, 1/4" (2 USED)
3	R	55339	(-)	SPACER (4 USED)
4	В	30667	(-)	GROMMET (4 USED)
5	24H		(-)	WASHER, 9/32" X 1" X .060" (4 USED)
6	<u>1</u> 9H	1914	(-)	SCREW, CAP, 1/4" X 1" (4 USED)
7	R	45693	(-)	SCREW, SPECIAL CAP
_	12H		(-)	WASHER, LOCK, 5/8"
8	AR	58126	(-)	SWITCH, STARTER, WITH KEYS
9	R	55334	(-)	PANEL, INSTRUMENT
10	R	43424	(-)	WASHER, ALUMINUM
11	R	44342	, -)	NUT, SPECIAL
12	AR	51481	· -)	KEYS
13	AR	53748	· -)	GAUGE, TEMPERATURE
14	21H	1294	· -)	SCREW, MACH., PAN HD., NO. 10 X 5/16"
45	12H	295	} -)	WASHER, INT. TOOTH, NO. 10
15	AR	53746	} -)	GAUGE, AMMETER
16	AR	64315	} -)	LINE, FLEXIBLE OIL
17	AR	53747	} -)	GAUGE, OIL PRESSURE
18	R	35352	} -)	CONNECTOR, OIL PRESSURE GAUGE
19	AR	53897	} -) 3303	TACHOMETER
20	21H	1290	} -	3401	SCREW, MACH., PAN HD., NO. 6 X 5/16" (3 USED)
	12H	321	(-	3401	WASHER, LOCK, NO. 6 (3 USED)

INSTRUMENT AND INSTRUMENT PANEL WITH BRACKETS - CONTINUED (6404D) CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS CODE 3303 TACHOMETER CODE 3401 ELECTRIC HOURMETER

KEY	PAI	RT NO.		ENGINE SERIAL NO.	CODE	DESCRIPTION
21 22 23 24 25 26 27 28	AT AT B AR AR R 19H	33995 17503 3285 65348 53745 55926 55591 1782	R (- - - - - -) 3401) 3303) 3303)	METER, HOUR CABLE, TACHOMETER GASKET CABLE, THROTTLE CONTROL SWITCH, SAFETY BRACKET, LOWER MOUNTING, FRONT BRACKET, LOWER MOUNTING, REAR SCREW, CAP, 3/4" X 2-1/4"

INSTRUMENT AND INSTRUMENT PANEL WITH BRACKETS (6404A, T) CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS W/FUEL SHUT-OFF CODE 3205 INSTRUMENT PANEL AND INSTRUMENTS W/O FUEL SHUT-OFF CODE 3300 TACHOMETER CODE 3401 ELECTRIC HOURMETER




				ENGINE			
KEY	PAR	T NO.		SERIAL NO.		CODE	DESCRIPTION
1	AR	64936	(-)		BRACKET, INSTRUMENT PANEL MOUNTING
2	14H	786	(-)		NUT, 1/4" (2 USED)
_	<u>1</u> 2H	302	(-)		WASHER, LOCK, 1/4" (2 USED)
3		55339	(-)		SPACÉR (4 USED)
4		30667	(-)		GROMMET (4 USED)
5		1288	(-)		WASHER, 9/32" X 1" X .060" (4 USED)
6		1914	(-)		SCREW, CAP, 1/4" X 1" (4 USED)
7		45693	(-)		SCREW, SPECIAL CAP
	12H	294	(-)		WASHER, LOCK, 5/8"
8		58126	(•)		SWITCH, STARTER, WITH KEYS
9	R	55334	(•)		PANEL, INSTRUMENT
10		43424	(-)		WASHER, ALUMINUM
11		44342	(•)		NUT, SPECIAL
12	AR	51481	(-)		KEYS
13	AR	53748	(-)		GAUGE, TEMPERATURE
14	21H	1294	(-)		SCREW, MACH., PAN HD., NO. 10 X 5/16"
	12H	295	(-)		WASHER, INT. TOOTH, NO. 10
15	AR	53746	(-)		GAUGE, AMMETER
16	AR	64315	(-)		LINE, FLEXIBLE OIL
17		67282	(-)		GAUGE, OIL PRESSURE
18	R	35352	(-)		CONNECTOR, OIL PRESSURE GAUGE
19	AR	53897	(-)	3300	TACHOMETER
20	21H	1290	(-)	3401	SCREW, MACH., PAN HD., NO. 6 X 5/16" (3 USED)
	12H	321	(-)	3401	WASHER, LOCK, NO. 6 (3 USED)

INSTRUMENT AND INSTRUMENT PANEL WITH BRACKETS (6404A, T) - CONTINUED CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS W/FUEL SHUT-OFF CODE 3205 INSTRUMENT PANEL AND INSTRUMENTS W/O FUEL SHUT-OFF CODE 3300 TACHOMETER CODE 3401 ELECTRIC HOURMETER

KEY	PAF	AT NO.		ENGINE SERIAL NO.	CODE	DESCRIPTION
21 22 23 24 25 26 27 28	AT AT B AR AR R R 19H	33995 17503 3285 65433 67285 55926 55591 1782	R (- - - - - -) 3300	METER, HOUR CABLE, TACHOMETER GASKET CABLE, THROTTLE CONTROL SWITCH, PUSH BUTTON BRACKET, LOWER MOUNTING, FRONT BRACKET, LOWER MOUNTING, REAR SCREW, CAP, 3/4" X 2-1/4"

WIRING HARNESS AND STARTING CIRCUIT RELAY CODE 3203 INSTRUMENT PANEL AND INSTRUMENTS




KEY	PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1	AR 53750	`) HARNESS, WIRING
2	14H 786 12H 297	} -) NUT, 1/4" (2 USED)) WASHER, LOCK, 1/4" (2 USED)
3	AM 52191	(-) RELAY, STARTING CIRCUIT
4	14H 785	(-) NUT, 5/16" (2 USED)
	12H 303	<u>(</u> -) WASHER, LOCK, 1/4" (2 USED)
5	14H 631	(-) NUT, NO. 10
	12H 246	(-) WASHER, LOCK, NO. 10
6	19H 1846	(-) SCREW, CAP, 1/4" X 3/4" (2 USED)
7	R 30964	`) COVER, TERMINAL
	AR 55283	<u>(</u> -) HARNESS, ALTERNATOR ADAPTER WIRING (DELCO)

AR30963 SPARK PLUG CABLE AND LEAD WIRE KIT



		ENGINE		
KEY PA	RT NO.	SERIAL NO.		DESCRIPTION
A	3539 R	(-)	NIPPLE, DISTRIBUTOR
R	26861	· -	ĺ	BOOT, SPARK PLUG
D	32006	} -	í	CABLE, SPARK PLUG, 7 MM., 50 FT. (1 SPOOL)
R	32007	} -	í	CABLE, PRIMARY, 14-GA., 100 FT. (1 SPOOL)
R	32008	} -	í	CABLE, PRIMARY, 12-GA., 100 FT. (1 SPOOL)
_ D	32009	} -	í	CABLE, PRIMARY, 10-GA., 50 FT. (1 SPOOL)
R	32011	} -	í	TOOL, WIRING
_ D	32012	} -	í	TERMINAL, IGNITION, DISTRIBUTOR END
R	32013	} -	í	TERMINAL, IGNITION, STRAIGHT
R	32014	} -	í	TERMINAL, IGNITION, 90°
R	32016	} -	í	TERMINAL, PRIMARY, 14-16 GA., NO. 10 SPADE
R	32017	} -	ĺ	TERMINAL, PRIMARY, 10-12 GA., NO. 10 SPADE
D	32018	} -	í	TERMINAL, PRIMARY, 14-16 GA., NO. 10 EYELET
R	32019	} -	í	TERMINAL, PRIMARY, 10-12 GA., NO. 10 EYELET
P	32021	} -	í	TERMINAL, PRIMARY, 10-12 GA., 1/4" EYELET
R	32022	} -	í	TERMINAL, PRIMARY, 10-12 GA., 3/8" EYELET
R	32023	} -	í	TERMINAL, PRIMARY, 10-12 GA., 1/2" EYELET
∴R	32024	} -	í	TERMINAL, FEMALE BLADE WITH LEAD
R	32025	-	ĺ	TERMINAL, MALE BLADE WITH LEAD
R	32026	· -	ĺ	TERMINAL, MALE BULLET
R	32027	· -)	TERMINAL, SPLICE, 14-16 GA. WIRE
R	32028	· -	ĺ	TERMINAL, SPLICE, 10-12 GA. WIRE
R	32029	<u>`</u>)	TERMINAL, 2-WIRE BULLET CONNECTOR
∴ R	32196	(-)	CABLE, SPARK PLUG, 7MM., 100 FT. (1 SPOOL) (NOT INCLUDED WITH
. AR	30963	(-)	KIT) KIT, SPARK PLUG CABLE AND LEAD WIRE

ALTERNATOR AND MOUNTING BRACKETS (DELCO-REMY) (6404D) CODE 2401 FAN BELT (STANDARD) CODE 3101 ALTERNATOR (12 VOLT) (37 AMP) CODE 3102 ALTERNATOR (12 VOLT) (55 AMP) CODE 3103 ALTERNATOR (12 VOLT) (72 AMP)



R	24609

VEV	04	DT NO		ENGINE		0005	DESCRIPTION
KEY	PAI	RT NO.		SERIAL NO.		CODE	DESCRIPTION
1	AR	56728	(-)	3101	ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (12 VOLT) (37 AMP) (DELCO-REMY) (FOR PARTS SEE PAGE 85-6)
	AR	54796	(-)	3102	ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (12 VOLT) (55 AMP) (DELCO-REMY) (FOR PARTS SEE PAGE 85-6)
	AR	54793	(-)	3103	ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (12 VOLT) (72 AMP) (DELCO-REMY) (FOR PARTS SEE PAGE 85-6)
2	19H	2661	(-)		SCREW, CAP, 5/16" X 1-3/8"
	12H	303	(-	ý		WASHER, LOCK, 5/16"
3	R	56397	į (-)		WASHER, 11/32" X 3/4" X .120" (2 USED)
4	R	43603	(-)		STRAP, ADJUSTING
5	19H		(-)		SCREW, CAP, 3/8" X 7/8"
	12H		(-)		WASHER, LOCK, 3/8"
6	R	52603	(-)	2401	V-BELT, FAN AND ALTERNATOR DRIVE
7	R	11049	(-)		NUT
8	Ţ	10745	(-)		WASHER, SPRING
9	R	52159	(-)		PULLEY
10	R	50659	(-)		FAN, ALTERNATOR
11	R	56012	(-)		SHIELD, ALTERNATOR
12	19H		(-)		SCREW, CAP, 3/8" X 3-1/4"
13	19H		Ç	-)		SCREW, CAP, 7/16" X 1-3/8"
	19H	1773	(-)		SCREW, CAP, 7/16" X 1-1/8"
	12H	293	(-)		WASHER, LOCK, 7/16" (2 USED)
14	14H	812	(-)		NUT, 3/8"
4-	12H	304	(-	(WASHER, LOCK, 3/8"
15	AR	56010	(-)		BRACKET, ALTERNATOR


ALTERNATOR AND MOUNTING BRACKETS (DELCO-REMY) (6404A, T)

CODE 2401 FAN BELT (STANDARD)

CODE 3101 ALTERNATOR (12 VOLT) (37 AMP)

CODE 3102 ALTERNATOR (12 VOLT) (55 AMP)


CODE 3103 ALTERNATOR (12 VOLT) (72 AMP)



	KEY	PAF	RT NO.		ENGI! SERIAL		c	CODE	DESCRIPTION
	1	AR	56728	(-)	3101	ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (12 VOLT) (37 AMP) (DELCO-REMY) (FOR PARTS SEE PAGE 85-6)
		AR	54796	(<u>-</u>		•		ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (12 VOLT) (55 AMP) (DELCO-REMY) (FOR PARTS SEE PAGE 85-6)
		AR	54793	(-)	3103	ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (12 VOLT) (72 AMP) (DELCO-REMY) (FOR PARTS SEE PAGE 85-6)
	2	19H	2661	(-)		SCREW, CAP, 5/16" X 1-3/8"
	_	12H			-		(WASHER, LOCK, 5/16" WASHER, 11/32" X 3/4" X .120" (2 USED)
	3 4	R R	56397 43603				{		STRAP, ADJUSTING
1	5	19H				445569	í		SCREW, CAP, 3/8" X 7/8"
i	J	19H			445570 -		ĺ		SCREW, CAP, 3/8" X 2-1/4"
		12H	304		-)		WASHER, LOCK, 3/8"
	6	AR	57266		-)	2401	V-BELT, FAN AND ALTERNATOR DRIVE, MATCHED PAIR (6404A, T)
	7	R	11049	1	-		(NUT WASHED SERING
	8 9	ļ	10745		-		!		WASHER, SPRING PULLEY
	10	R R	52161 50659		- -		{		FAN, ALTERNATOR
	11	Ŕ	56012		-		í		SHIELD, ALTERNATOR
	12	19H			-)		SCREW, CAP, 3/8" X 3-1/4"
	13	19H			(-)		SCREW, CAP, 7/16" X 1-3/8"
		19H			-)		SCREW, CAP, 7/16" X 1-1/8"
		12H			-		{		WASHER, LOCK, 7/16" (2 USED) NUT, 3/8"
	14	14H 12H			}		\		WASHER, LOCK, 3/8"
	15	AR	56010		-)		BRACKET, ALTERNATOR

R18666


ALTERNATOR (12-VOLT) (DELCO-REMY)



			ENGINE	
KEY	PART N	VO.	SERIAL NO.	DESCRIPTION
1	AR 55	834 (_) TERMINAL, OUTPUT ASSEMBLY
ż		529) HOUSING, REAR
3		827	-) REGULATOR (12-VOLT)
4	AR 69		-	
5		531	=) BRUSH, ASSEMBLY (SUB. FOR AR55833)
3		290	<u>-</u>) SCREW, BRUSH HOLDER, GROUND
6		530	-) WASHER, LOCK, INT. TOOTH, NO. 8
7	AR 62		-) SCREW, BRUSH HOLDER, INSULATED (2 USED)
,		829 (-) STATOR (37 AMP)
			-) STATOR (55 AMP)
		837 (-) STATOR (72 AMP)
1 8	AR 78		-) ROTOR (SUB. FOR AR55828)
9		532 (•) COLLAR, BEARING INNER
10	21H 13		-) SCREW, MACH., PAN HD., NO. 10 X 1/2" (3 USED)
11		836 (-) RETAINER, BEARING
12		188 (-) BEARING, FRONT
13		534 (-) WASHER, SLINGER
14		528 (-) HOUSING, FRONT
15		049 (-) NUT
16		745 (-) WASHER, SPRING
17		161 (-) PULLEY (6404A, T)
		159 (-) PULLEY (6404D)
		660 (-) PULLEY (72 AMP) (6404T)
18		659 (-) FAN
19		533 (-) COLLAR, BEARING OUTER
20	37H	2 (•) SCREW, TAPPING, PAN HD., NO. 8 X 5/8" (2 USED)
21	AR 558	835 (-) CAPACITOR
22		605 (•) NUT, NO. 8 (3: USED):
		290 (-) WASHER, LOCK, INT. TOOTH, NO. 8 (3 USED)
23	AR 558	831 (-) DIODE, TRIO NEGATIVE
24	21H 13	319 (-) SCREW, MACH., PAN HD., NO. 8 X 7/8"
	12H 2	290 (-) WASHER, LOCK, INT. TOOTH, NO. 8
25	AR 558	832 (-) RECTIFIER, BRIDGE POSITIVE
26	R 515	535 (-) BOLT, THRU (4 USED)
1 27	AR 778	851 ([†]	-) BEARING, ROLLER, WITH SEAL (SUB. FOR AR55830)
	AR 567	728 (-) ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (37 AMP)
	AR 547	796 (-) ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (55 AMP)
		793 (-) ALTERNATOR WITH REGULATOR, LESS FAN AND PULLEY (72 AMP)
		`		,

ALTERNATOR AND MOUNTING BRACKETS (MOTOROLA NO. 70D44313E)


(6404A, T) CODE 2401 FAN BELTS (STANDARD) CODE 3204 ALTERNATOR (12 VOLT) (30 AMP) SEALED



ENGINE CODE DESCRIPTION SERIAL NO. KEY PART NO. 3204 ALTERNATOR LESS REGULATOR AND PULLEY (12 VOLT) (30 AMP) AN 114058 (FOR PARTS SEE PAGE 85-8) SCREW, CAP, 5/16" X 1-3/8" 2 2661 WASHER, LOCK, 5/16" WASHER, 11/32" X 3/4" X .120" (2 USED) 303 12H 3 R 56397 4 43603 STRAP, ADJUSTING R SCREW, CAP, 3/8" X 7/8" 19H 2284 WASHER, LOCK, 3/8" 304 12H V-BELT, FAN AND ALTERNATOR DRIVE, MATCHED PAIR (6404A, T) 57266 2401 6 7 8 9 AR NUT R 11049 WASHER, SPRING 10745 43032 **PULLEY** SHIELD, ALTERNATOR 10 R 56012 SCREW, CAP, 3/8" X 3-1/4" SCREW, CAP, 7/16" X 1-3/8" SCREW, CAP, 7/16" X 1-1/8" 19H 2023 11 19H 2500 12 1773 19H 293 WASHER, LOCK, 7/16" (2 USED) 12H NUT, 3/8" 812 13 14H WASHER, LOCK, 3/8" BRACKET, ALTERNATOR REGULATOR, VOLTAGE 304 12H 56010 AR AN 114059 15

ALTERNATOR (30 AMPERE) (MOTOROLA NO. 70D44313E)


T17720



K	ΕY	PART NO.		ENGINE SERIAL NO.	DESCRIPTION
1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2	23456789012345678901234567890123456789012345	2604 3988 1129 214 31 2534 2534 2534 2534 2534 2534 2535 2535	42119591456244207850607781995890572366835466		NUT, 5/8" WASHER, LOCK, 5/8" PULLEY FIELD, TERMINAL SPACER (SUB. FOR T253438 THIS APPLICATION ONLY) SCREW, MACH., NO. 8 X 3/8" (3 USED) WASHER, LOCK, NO. 8 (3 USED) WASHER, LOCK, NO. 8 (3 USED) KEY, WOODRUFF HOUSING, FRONT GASKET WASHER, FELT RETAINER, FRONT BEARING ROTOR STATOR DIODE, RECTIFYING POSITIVE (3 USED) PLATE, POSITIVE DIODE INSULATOR (5 USED) BOLT, OUTPUT TERMINAL BOLT, GROUND AND AUXILIARY TERMINALS (2 USED) DIODE, RECTIFYING NEGATIVE (3 USED) INSULATOR HOUSING, REAR RETAINER, REAR BEARING BRUSH, WITH HOLDER INSULATOR, BRUSH GASKET, BRUSH COVER NUT, HEX, NO. 10 (3 USED) BOLT, SPECIAL (4 USED) BCARING, BALL, FRONT BEARING, BALL BEARING, BALL BEARING, BALL BEARING, BALL BEARING, BALL BEARING, BALL BEARI

STARTER DRIVE HOUSING, SOLENOID SWITCH, AND ARMATURE (12-VOLT) (DELCO-REMY) (MODEL NO. 1113402 OR 1113672) CODE 3004 STARTING MOTOR, HEAVY DUTY

R20190




		ENGINE	
KEY	PART NO.	SERIAL NO.	DESCRIPTION
1	T 11743	(-) BUSHING
2	AR 11127	`) HOUSING, DRIVE, WITH BUSHING
3	R 53108	}) GASKET, STARTER TO BLOCK
4	R 40337	<i>`</i>) WICK
5	15H 566	} -) PLUG, PIPE, 1/8"
6	19H 2545	} -) SCREW, CAP, 3/8" X 1-3/8" (2 USED)
U	12H 304	} .) WASHER, LOCK, 3/8" (3 USED)
	M 3636 T	} _) STUD, 3/8" X 1-1/2"
	14H 812	} -) NUT, 3/8"
7	R 11117	} _) RING, RETAINING
8	R 48976	}) STOP, PINION
9	1873796	}) BUSHING
10	R 11118	}) WIRE, LOCK, MOTOR DRIVE (2 USED)
1 11	AR 76841	}) DRIVE, MOTOR (SUB. FOR AR44700)
12	R 11095	}) WASHER, BRAKE
13	AR 11128	}) LEVER, SHIFT
14	R 11222	}) PIN
15	R 11223	}) RETAINER, SPRING
16	30H 7	}) PLUG, EXPANSION, 5/8" (2 USED)
17	R 11215	}) SHAFT, SHIFT LEVER (2 USED)
18	30H 16	}) PLUG, EXPANSION, 1-3/16" (2 USED)
19	R 11016	}) PLUG, PIPE
20	R 11201	}) WICK
21	AR 11126	}) HOUSING, LEVER, WITH BUSHING
22	R 11026	}) RING, RETAINING
23	R 11129	} <u>-</u>) RETAINER, SPRING
23 24	R 11128	}) SPRING
25	R 11126	}) RETAINER, SPRING
26	R 11127	} -) BOOT
		} -) WASHER
27		}) PLUNGER ASSEMBLY
28		} -) SCREW, SOLENOID SWITCH MOUNTING (4 USED)
29 30	T 19909	} -	SWITCH, SOLENOID (12-VOLT) (DELCO-REMY NO. 1115510) (FOR PARTS
30	R 11292	(-	SEE PAGE 85-11)
21	R 11096	() WASHER
31 32		} -) ARMATURE
		} -	·
33	R 11291	} -) SPACER
34	AR 62964	} -) SEAL, OIL
35	R 11212	} -) BUSHING
36	AR 62963	} -) SCREW, AND WASHER (4 USED)
07	12H 303	} -) WASHER, LOCK, 5/16" (4 USED)
37	R 40545	} -) GASKET, LEVER HOUSING TO DRIVE HOUSING
	AR 62267	} -) STARTER, COMPLETE (12-VOLT) (DELCO-REMY) (SUB. FOR AR55638)
	AR 40174	-) KIT, STARTING MOTOR SEALING

SEE FOLLOWING PAGE FOR ADDITIONAL STARTER SERVICE PARTS.

STARTER MAIN FRAME, COIL, AND COMMUTATOR END FRAME (12-VOLT) (DELCO-REMY) (MODEL NO. 1113402 OR 1113672) CODE 3004 STARTING MOTOR, HEAVY DUTY

R14133




KEY PAF	RT NO.	ENGINE SERIAL NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 H 15 16 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	44699 (11003 (11253 (11059 (11058 (11087 (1280 (11000 (1303 (11296 (304 (732 (11124 (11233 (11290 (738 T (11001 (42574 (COIL ASSEMBLY, FIELD SHOE, POLE (4 USED) INSULATOR, FIELD COIL (2 USED) STUD, FIELD TERMINAL BUSHING, INSULATOR (2 USED) PIN, DOWEL FRAME, MAIN (SUB. AR62267) SCREW, MACH., FILT. HD., 3/8" X 3/4" (4 USED) WASHER, INSULATING (2 USED) WASHER, 13/32" X 11/16" X .060" CONNECTOR, FIELD COIL TO SOLENOID SWITCH WASHER, LOCK, 3/8" (2 USED) NUT, JAM, 3/8" (2 USED) SUPPORT, BRUSH, PACKAGE (2 USED) PIN, BRUSH HOLDER (2 USED) SPRING, BRUSH (2 USED) HOLDER, BRUSH (2 USED) HOLDER, BRUSH, GROUND (2 USED) LEAD, BRUSH, GROUND BRUSH (4 USED) SCREW, TAPPING, NO. 8 X 3/4" (4 USED) BUSHING FRAME, COMMUTATOR END, WITH BUSHING AND EXPANSION PLUG PLUG, PIPE, 1/8" WICK O-RING, THRU BOLT (2 USED) WASHER, 11/32" X 11/16" X .060" (2 USED) BOLT, THRU (2 USED) PLUG, EXPANSION, 3/4" STARTER, COMPLETE (12-VOLT) (DELCO-REMY) (SUB. FOR AR55638) KIT, STARTING MOTOR SEALING

SEE PRECEDING PAGE FOR ADDITIONAL STARTER SERVICE PARTS.

SOLENOID SWITCH (12-VOLT) (DELCO-REMY) (MODEL NO. 1113402 OR 1113672) COE 3004 STARTING MOTOR, HEAVY DUTY


R14134



KEY PART NO.	ENGINE SERIAL NO.	DESCRIPTION
1		CASE AND COIL (SUB. R11292) STUD, SWITCH TERMINAL CLIP, TERMINAL STUD, MOTOR TERMINAL STUD, RESISTOR TERMINAL CLIP CONTACT AND PUSH ROD ASSEMBLY SPRING, RETURN STUD, BATTERY TERMINAL GASKET, COVER COVER COVER WASHER, SEALING (2 USED) WASHER, 13/32" X 11/16" X .060" NUT, JAM, 3/8" (4 USED) WASHER, LOCK, 3/8" (2 USED) WASHER, SEALING WASHER, SEALING WASHER, SEALING WASHER, SEALING WASHER, SEALING WASHER, LOCK, NO. 10 (2 USED) WASHER, SEALING WASHER, LOCK, INTERNAL TOOTH, NO. 8 (2 USED) SWITCH, SOLENOID (DELCO-REMY NO. 1115510)

STARTER, ARMATURE, DRIVE END HOUSING AND DRIVE (12-VOLT) (DELCO-REMY) (MODEL NO. 1113391)

R25652




KEY	PAF	AT NO.	ENGII SERIAL		DESCRIPTION
1 2 3 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 12 22 32 4	TRR15HH 1912R RRARARRRRRRRRRRR RR RR RR RR RR RR RR	11743 62674 40337 566 1721 301 77261 11133 11121 4365 F 62670 3917 F 77260 62671 11026 11129 11128 11126 77255 19909 11096 77257	SERIAL (NO.	BUSHING, DRIVE END SCREW, SPECIAL (2 USED) WICK (2 USED) PLUG, PIPE, 1/8" (2 USED) SCREW, CAP, 1/2" X 1-1/2" (3 USED) WASHER, LOCK, 1/2" (3 USED) LEVER, SHIFT PLUG GASKET O-RING SHAFT, SHIFT LEVER O-RING HOUSING, LEVER NUT, SPECIAL RING, RETAINING RETAINER, SPRING SPRING, SHIFT LEVER BOOT WASHER PLUNGER CASE AND COIL (FOR PARTS SEE PAGE 85-9) BOLT, HEX HEAD (4 USED) WASHER ARMATURE
25 26	R AR	11291 62964	} -	,	SPACER SEAL, OIL
27	R	11120	} -	(O-RING
28 29	R R	11212 11026	} -	{	BUSHING RING, RETAINING
30	19H	3005		Ś	SCREW, CAP, 1/4" X 1" (5 USED)
	<u>1</u> 2H	302	(-)	WASHER, LOCK, 1/4" (5 USED)
31	Ŗ	11095	(}	WASHER, BRAKE
32	R	62673	} -	{	O-RING DRIVE MOTOR
33 34	AR R	76841 48976	}	{	STOP, PINION
35	R	11117	}	{	RING, RETAINING
36	ÄR	77259	}	{	HOUSING, DRIVE
	AR	78538	(-	'	STARTER, COMPLETE (12-VOLT) (DELCO-REMY) (SUB. FOR AR77215)

SEE FOLLOWING PAGE FOR ADDITIONAL STARTER SERVICE PARTS

STARTER MAIN FRAME, COIL, AND COMMUTATOR END FRAME (12-VOLT) (DELCO-REMY) (MODEL NO. 1113391)

R25653




	ENGINE	
KEY PART NO.	SERIAL NO.	DESCRIPTION
4 AD 77050	,) 0011 A005MBLV 515LB
1 AR 77258 (-) COIL ASSEMBLY, FIELD
2 R 11003 (-) SHOE, POLE (4 USED)
3 R 62672 (-) INSULATION, FIELD COIL (2 USED)
4 R 11146 (-) STUD, FIELD TERMINAL
5 AR 40171 (-) INSULATOR, TERMINAL STUD
6 (-) FRAME, MAIN (AR78538)
7 21H 1280 (-) SCREW, MACH., FILT. HD., 3/8" X 3/4" (4 USED)
8 R 11011 (-) WASHER, INSULATING (2 USED)
9 811912 (-) WASHER (2 USED)
10 14H 971 (-) NUT, HEX., 1/2" (2 USED)
11 R 62669 (-	CONNECTOR, FIELD COIL TO SOLENOID SWITCH
12 12H 301 (-) WASHER, LOCK, 1/2"
13 R 11250 (<u>-</u>) PIN, BRUSH HOLDER SUPPORT (2 USED)
14 R 61933 (·) PIN BRUSH HOLDER (2 USED)
15 AR 75908 (; _	SUPPORT, BRUSH, PACKAGE (2 USED)
16 AR 11001 (; -	LEAD, BRUSH, GROUND
17 R 11209 (·) SPRING, BRUSH (2 USED)
18 R 11290 (·) HOLDER, BRUSH (2 USED)
I 19 T 738 T (·	HOLDER, BRUSH GROUND (2 USED)
20 R 42574 (·) BRUSH (4 USED)
21 37H 78 (· <u>-</u>) SCREW, TAPPING, NO. 8 X 3/4" (4 USED)
22 R 61932 (·	BUSHING
23 AR 75905 (·	FRAME, COMMUTATOR END. WITH BUSHING AND EXPANSION PLUG
24 15H 566 (· _ :) PLUG. PIPE. 1/8"
25 R 61934 () WICK
26 19H 3005 (· <u>-</u>) WIGH) SCREW, CAP, 1/4" X 1" (4 USED)
12H 302 (: <u>-</u>) WASHER, LOCK, 1/4" (4 USED)
AD 70500 /		STARTER, COMPLETE (12-VOLT) (DELCO-REMY) (SUB. FOR AR77215)
AH /8538 (. - .	, STATTLES, CONFLETE (12-VOLT) (DELOC-NEWIT) (SUB. FUR ART/215)

SEE FOLLOWING PAGE FOR ADDITIONAL STARTER SERVICE PARTS

SOLENOID SWITCH (12-VOLT) (DELCO-REMY) (MODEL NO. 1113391)

R25654



KEY PART NO	ENGINE D. SERIAL NO.	DESCRIPTION
KEY PART NO). SERIAL NO.	BESCHIII THEN
1	(-) CASE AND COIL (SUB. AR77255)
2 T 181) STUD, SWITCH TERMINAL (2 USED)
3 R 112	.93 (-) STUD, MOTOR TERMINAL
4 AR 110) CONTACT AND PUSH ROD ASSEMBLY
5 R 110) SPRING, RETURN
6 R 626) STUD, BATTERY TERMINAL
7 R 405	i48 (-) GASKET, COVER
) COVER
8 R 626 9 T 181) WASHER, SEALING (2 USED)
	io3 (-) WASHER, 13/32" X 11/16" X .060" (2 USED)
	'32 (-) NUT, JAM, 3/8" (4 USED)
12 12H 3	104 (-) WASHER, LOCK, 3/8" (2 USED)
13 T 181	06 (-) WASHER, SEALING (2 USED)
14 24H 12	.83 (-) WASHER, 7/32" X 1/2" X .048" (2 USED)
15 14H 6	631 (-) NUT, NO. 10 (4 USED)
16 12H 2	?46 (· -) WASHER, LCOK, NO. 10 (2 USED)
17 R 110)39 (-) WASHER (2 USED)
18 21H 12	.98 (-) SCREW, MACH., PAN HD., NO. 10 X 3/8" (2 USED)
AR 772	255 (-) SWITCH, SOLENOID (12-VOLT) (DELCO-REMY NO. 1115530)

			NUM	ERICAL INDEX				
PART NO. 811912 1873796	GRID KEY G22 9 G18 9	PAGE 85-13 85-9	PART NO. AR 41691 AR 41691 AR 41785 AR 41870 AR 43634 AR 43652	GRID KEY C14 6 C15 7 A14 A14 B13 2 B14 5	PAGE 20-4 20-5 10-1 10-1 10-22 10-23	PART NO. AR 50781 AR 51481 AR 51481 AR 51717 AR 51717 AR 51719	GRID KEY E3 3 G6 12 G8 12 D6 8 D18 8 D6 12	PAGE 25-28 75-6 75-8 25-8 25-22 25-8
A 3539 R A 3917 R A 4365 R A 4365 R A 4827 R A 5203 R	G12 G21 11 A15 26 G21 9 A17 5 C18 4	85-3 85-12 10-2 85-12 10-4 20-8	AR 43945 AR 43954 AR 43974 AR 43976 AR 44402 AR 44625 AR 44698 AR 44699 AR 44700	C13 2 B4 9 C3 15 C3 3 B10 B2 8 G18 32 G19 1 G18 11	20-23 10-13 15-10 15-10 10-19 10-11 85-9 85-10 85-9	AR 51719 AR 51741 AR 51988 AR 51988 AR 52063 AR 52064 AR 52065 AR 52066 AR 52375	D18 12 B6 1 C1 19 C2 19 C6 8 C6 7 C6 6 C6 3 E12 7	25-22 10-15 15-8 15-9 15-13 15-13 15-13 25-37
AM 52191	G11 3	85-2	AR 44840 AR 44840 AR 45530 AR 45723 AR 45723 AR 46395	C16 10 C17 2 B8 3 B5 9 B6 9 B5 9	20-6 20-7 10-17 10-14 10-15 10-14	AR 52570 AR 52720 AR 53091 AR 53091 AR 53443 AR 53443	B12 18 E3 6 E5 2 E12 B5 10 B6 10	10-21 25-28 25-30 25-37 10-14 10-15
AN 114058 AN 114058 AN 114059	G16 1 G17 G16 15	85-7 85-8 85-7	AR 46395 AR 46396 AR 46396 AR 46397 AR 46397 AR 46398 AR 46398	B6 9 B5 9 B6 9 B6 9 B6 9 B6 9	10-15 10-14 10-15 10-14 10-15 10-14 10-15	AR 53461 AR 53745 AR 53746 AR 53746 AR 53747 AR 53748 AR 53748	G6 13 G6 13 G6 13 G6 13 G6 13	25-30 75-7 75-6 75-8 75-6 75-6 75-8
AR 11001 AR 11051 AR 11051 AR 11051 AR 11124 AR 11126 AR 11127 AR 11128 AR 11132 AR 11140 AR 21839 AR 21839 AR 21839 AR 21840 AR 21841 AR 21841 AR 21842 AR 21999 AR 21999 AR 21999 AR 26328 AR 26516 AR 27977 AR 28482 AR 28602 AR 30736	G19 19 G22 16 G20 7 G23 4 G19 14 G18 21 G18 2 G18 13 G18 28 G19 23 B8 10 B20 16 C18 1 C12 1 C13 17 B23 3 C7 5 B23 1 C7 2 C7 3 C13 14 B5 8 B8 4 A15 C12 7 C13 1 D6 12 D18 12 D6 20 D18 20 C14 15 G22 5 G18 G19 G19 G19 B10 20 B6 8	85-10 85-13 85-11 85-14 85-10 85-9 85-9 85-9 85-9 85-10 10-17 15-4 20-2 20-3 15-7 15-14 15-7 15-14 20-3 10-14 20-3 10-17 10-2 20-3 25-8 25-22 25-8 25-22 85-3 20-4 85-9 85-9	AR 46400 AR 46401 AR 46402 AR 46843 AR 46843 AR 46843 AR 47296 AR 47943 AR 48236 AR 48236 AR 48236 AR 48502 AR 48675 AR 48675 AR 48751 AR 48871 AR 49025 AR 49232 AR 49232 AR 49232 AR 49233 AR 49236 AR 49236 AR 49236 AR 49650 AR 50041 AR 50399 AR 50399 AR 50411 AR 50411 AR 50411 AR 50411 AR 50732 AR 50732 AR 50781	B2 8 B2 8 B2 8 B2 8 D6 4 D18 4 D1 13 B8 6 D10 16 D4 20 E5 13 B18 4 C18 9 F21 28 C15 16 B1 1 B	10-11 10-11 10-11 10-11 25-8 25-10 25-22 25-3 10-17 25-6 25-30 15-2 20-8 30-3 20-5 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-13 15-13 15-13 15-13 25-2 25-2 25-3 25-4 15-15 15-15 15-15 15-15 15-15 15-15 25-30 25-6	AR 53750 AR 53869 AR 53897 AR 53897 AR 54554 AR 54556 AR 54557 AR 54559 AR 54576 AR 54577 AR 54578 AR 54578 AR 54578 AR 54590 AR 54591 AR 54793 AR 54793 AR 54796 AR 54796 AR 54796 AR 54796 AR 54796 AR 54905 AR 54904 AR 54905 AR 55487 AR 55638	G11 1 C12 8 G6 19 G8 19 B6 2 B7 14 B20 10 A15 21 B12 25 B22 11 B23 12 B23 17 C15 9 D1 11 D2 11 D1 11 G15 G14 1 G15 G15 B9 12 B9 6 C1 4 A22 3 G11 7 D4 29 E15 20 G18 G19 G15 8 G15 8	85-2 20-2 75-6 75-8 10-15 10-16 15-4 10-2 10-21 15-6 15-7 20-5 25-3 25-4 25-3 85-6 85-6 85-6 10-18 15-9 10-9 85-2 10-9 85-2 10-20 25-3 25-40 85-6 85-6 85-6 85-6 85-6 85-6 85-6 85-6 85-9 85-6 85-6 85-6 85-6 85-6 85-6 85-6 85-6 85-6 85-9 85-9 85-6

				NI	JMERICA	L INDEX -	CON	ITINUED					
PART NO.	GRID	KEY	PAGE I		RT NO.	GRID	KEY	PAGE I	PAF	RT NO.	GRID	KEY	PAGE
AR 5582		7	85-6	AR	61515	D1	15	25-3	AR	63229	A14		10-1
AR 5583		27	85-6	AR	61516	E5	11	25-30	AR	63230	A14		10-1
AR 5583	_	23	85-6	AR	61517	E5	10	25-30	AR	63267	A16		10-3
AR 5583		25	85-6	AR	61518	E5	9	25-30	AR	63269	A20		10-7
		4	85-6	AR	61519	E5	8	25-30	AR	63270	A20		10-7
AR 5583				AR	61520	E5	6	25-30	AR	63270	B7		10-16
AR 5583		1	85-6				3	25-30	AR	63271	A15	1	10-2
AR 5583		21	85-6	AR	61521	E5	25	10-2	AR	63272	B6	2	10-15
AR 5583		11	85-6	AR	61533	A15			AR	63551	E8	32	25-33
AR 5583		7	85-6	AR	61589	A15	27	10-2		63551	E17	32	25-42
AR 5596		8	20-4	AR	61590	B23	7	15-7	AR				25-42 25-48
AR 5601		15	85-4	AR	61860	C3	15	15-10	AR	63551	F1	32	25-46
AR 5601		15	85-5	AR	61967	C6	5	15-13	AR	63552	E7	18	25-32
AR 5601		14	85-7	AR	61968	C6	2	15-13	AR	63552	E17	17	25-42
AR 5622		21	25-30	AR	61968	C6	5	15-13	AR	63552	F1	17	25-48
AR 5663		22	10-21	AR	61989	D6	25	25-8	AR	63553	E7	10	25-32
AR 5672		1	85-4	AR	61989	D9	31	25-11	AR	63553	E17	10	25-42
AR 5672	8 G14	1	85-5	AR	61989	D10	20	25-12	AR	63553	<u>F1</u>	10	25-48
AR 5672	8 G15		85-6	AR	61989	D12	41	25-15	AR	63554	E7	9	25-32
AR 5724	1 B3	7	10-12	AR	61989	D18	25	25-22	AR	63554	E17	9	25-42
AR 5725	64 D4	17	25-6	AR	61989	D20	9	25-24	AR	63554	F1	9	25-48
AR 5725	55 D4	19	25-6	AR	61990	D11	5	25-14	AR	63555	E8	37	25-33
AR 5725	6 D4	16	25-6	AR	61990	D20	16	25-24	AR	63555	E18	37	25-43
AR 5725		15	25-6	AR	61993	D13	24	25-16	AR	63555	F2	37	25-49
AR 572		14	25-6	AR	61993	E1	21	25-26	AR	63555	F8	38	25-55
AR 572		4	25-6	AR	61994	D13	12	25-16	AR	63555	F14	38	25-61
AR 5726		3	25-6	AR	61995	D15	12	25-18	AR	63556	E8	38	25-33
AR 5726		2	25-6	AR	61995	E2	9	25-27	AR	63556	E18	38	25-43
AR 5726		22	25-6	AR	61996	E6	29	25-31	AR	63556	F2	38	25-49
AR 5726		6	25-1	AR	62062	Ē5	17	25-30	AR	63556	F8	39	25-55
AR 5726		2	25-1	AR	62267	G18		85-9	AR	63556	F14	39	25-61
AR 5726		14	20-5	AR	62267	G19		85-10	AR	63557	E8	22	25-33
		6	85-5	AR	62267	G19	7	85-10	AR	63557	E17	22	25-42
		6	85-7	AR	62395	G15	7	85-6	AR	63557	F1	22	25-48
		8	75-6	AR	62934	C14	7	20-4	AR	63557	F8	23	25-55
AR 5812		8	75-8	AR	62934	C15	8	20-5	AR	63557	F14	23	25-61
AR 5812		27	25-31	AR	62936	B18	4	15-2	AR	63558	E8	32	25-33
AR 588			10-5	AR	62936	B19	3	15-3	AR	63558	F8	33	25-55
AR 589		4	10-6	AR	62963	G18	36	85-9	AR	63558	F14	33	25-61
AR 589		6 7	10-24	AR	62964	G18	34	85-9	AR	63559	E7	10	25-32
AR 589				AR	62964	G21	26	85-12	AR	63559	F7	10	25-54
AR 589		14	10-16	AR	62986	E5	20	25-30	AR	63559	F13	10	25-60
AR 589	_	19	10-2					25-30 25-7	AR	63560	E9	2	25-34
AR 591		23	25-6	AR	63029	D5	• •	25-7 25-9	AR	63560	F3	7	25-50
AR 591		33	25-21	AR	63029	D7	• •	25-9 25-11	AR	63560	F15	7	25-62
AR 591		25	25-31	AR	63029	D9	• •		AR	63561	E10	50	25-35
AR 591		30	25-39	AR	63029	D10	• •	25-12	AR	63561	F4	43	25-51
AR 591		21	25-40	AR	63029	D12	• •	25-15					25-63
AR 594		47	30-3	AR	63029	D14	• •	25-17 25-19	AR	63561	F16 E10	43 55	25-63 25-35
AR 594		26	30-2	AR	63029	D15	• •	25-18	AR	63562			25-35 25-34
AR 594		24	30-2	AR	63029	D17		25-21	AR	63563	E9	23	
AR 594		38	30-3	AR	63029	D19		25-23	AR	63564	E10	44	25-35
AR 603		29	25-31	AR	63029	D21		25-25	AR	63564	E20	50	25-45
AR 611		9	25-34	AR	63029	E1		25-26	AR	63564	F10	50	25-57
AR 611	71 E19	14	25-44	AR	63029	E2	• •	25-27	AR	63565	E10	37	25-35
AR 611	71 F9	14	25-56	AR	63095	A21	4	10-8	AR	63565	E20	35	25-45
AR 611		19	25-34	AR	63095	B3	1	10-12	AR	63565	F4	34	25-51
AR 611	72 E19	18	25-44	AR	63095	B4	1	10-13	AR	63565	F10	35	25-57
AR 611		17	25-50	AR	63218	A14		10-1	AR	63565	F16	34	25-63
AR 611		18	25-56	AR	63219	A14		10-1	AR	63566	E10	65	25-35
AR 611		17	25-62	AR	63220	A14		10-1	AR	63566	E20	68	25-45
AR 611		15	25-34	AR	63221	A14		10-1	AR	63566	F4	67	25-51
AR 611		22	25-44	AR	63222	A14		10-1	AR	63566	F10	68	25-57
AR 611		21	25-50	AR	63223	A14		10-1	AR	63566	F16	67	25-63
AR 611		22	25-56	AR	63224	A14		10-1	AR	63567	E9	5	25-34
AR 611		21	25-62	AR	63225	A14		10-1	AR	63568	E22	28	25-47
AR 615		15	25-30	AR	63226	A14		10-1	AR	63568	F12	28	25-59
AR 615		28	25-31	AR	63227	A14		10-1	AR	63569	E10	25	25-35
AR 615			25-41	AR	63228	A14		10-1	AR	63569	E19	26	25-44
				i				S 6404D 6404T	L	10.14 50			

			NUMERICAL	INDEX - CONT	INUED			
PART NO. AR 63569 AR 63698 AR 63699 AR 63699 AR 63780 AR 63780 AR 63781 AR 63781 AR 63781 AR 63831	GRID KEY F9 26 C1 C2 C3 19 C1 14 C2 14 C1 14 C2 14 C1 14 C2 15 F7 18 F13 18 E22 F12 E11 13 E11 22 E14 32 E15 5 12 E11 13 E11 22 E14 32 E15 F5 13 F5 12 E11 13 E11 22 E14 32 E15 F5 13 F5 12 E14 32 E15 F5 13 F5 12 E16 F17 12 E18 37 F17 12 E18 37 F17 12 E18 37 F17 12 E18 37 E1	PAGE 25-56 15-8 15-9 15-10 15-8 15-9 15-10 25-54 25-56 25-54 25-60 25-47 25-59 25-36 25-36 25-36 25-36 25-36 25-36 25-36 25-64 25-64 10-5 10-5 10-5 10-5 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-10 10-10 175-7 10-10 10-10 175-7 15-7 15-7 15-7 15-7 15-7 15-7 15-	PART NO. AR 65465 AR 65465 AR 65465 AR 65502 AR 65507 AR 65526 AR 65507 AR 65526 AR 65502 AR 65502 AR 656993 AR 66993 AR 67284 AR 67285 AR 67284 AR 68137 AR 68158 AR 68158 AR 68158 AR 69158 AR 69158 AR 69158 AR 69158 AR 69342 AR 69344 AR 69446 AR 69447 AR 69447 AR 69448 AR 69449 AR 69449 AR 69450 AR 69450 AR 69451 AR 69450 AR 69450 AR 69451 AR 69450 AR 69451 AR 69451 AR 69450 AR 69451 AR 69450 AR 69451 AR 69451	GRID KEY D12 D14 D15 B5 10 B6 10 E6 29 E6 29 B1 D10 D114 D15 31 D10 D10 D112 D14 D15 31 D10 D14 D15 31 D10 D14 D15 15 15 15 D1 13 15 16 E13 17 E15	PAGE 25-15 25-17 25-18 10-14 10-15 25-31 10-14 10-15 25-31 10-14 10-1 10-1 10-1 10-1 10-1 10-1 10	PART NO. AR 70655 AR 70656 AR 70657 AR 70658 AR 70910 AR 70910 AR 70912 AR 70912 AR 70912 AR 70912 AR 71121 AR 71121 AR 71121 AR 71121 AR 71121 AR 71573 AR 71573 AR 71574 AR 71575 AR 71576 AR 71575 AR 71576 AR 71576 AR 71577 AR 71576 AR 71576 AR 71577 AR 71576 AR 73576 AR 73526 AR 73520	GRID KEY D16 14 D16 12 D16 11 D17 12 D18 12 D11 12 D18 12 D11 12 D11 14 D11 12 D11 14 D11 14 D11 14 D11 14 D11 14 D11 14 D11 15 D11 14 D11 15 D11 15 D11 16 D11 17 D11 18	PAGE 25-20 25-20 25-20 25-20 25-20 10-14 10-15 15-15 10-15 10-21 10-21 10-21 10-21 10-21 10-21 10-21 10-25-5 75-5 75-5 75-5 75-5 75-5 75-5 75-5
AR 64936 AR 64937 AR 65235 AR 65236 AR 65237 AR 65238 AR 65239 AR 65240	G8 1 C5 4 B1 1 B1 1 B1 1 B1 1 B1 1	75-8 15-12 10-10 10-10 10-10 10-10 10-10 10-10	AR 69448 AR 69449 AR 69450 AR 69450 AR 69451 AR 69451 AR 70168	E15 14 E13 13 E15 13 E13 12 E15 12 E13 11 E15 11 A22 5	25-40 25-38 25-40 25-38 25-40 25-38 25-40 10-9	AR 73607 AR 73608 AR 73609 AR 73610 AR 73611 AR 73612 AR 73613 AR 73614	D8 15 D8 20 D8 13 D8 23 D8 24 D8 12 D10 19 D8 12	25-10 25-10 25-10 25-10 25-10 25-10 25-12 25-10

				N	UMERICAL	INDEX -	CON	TINUED					
PART I		GRID KEY	<i>PAGE</i> 25-36	<i>PAI</i> AR	9T NO. 77751	GRID B2	KEY 7	<i>PAGE</i> 10-11	PA	RT NO.	<i>GRID</i> E	KEY	PAGE
AR 73	3857 3857 3857 3858	E11 27 F5 23 F17 23 F3 25	25-52 25-64 25-50	AR AR AR	77752 77752 77753	B1 B2 B1	3 7 2	10-10 10-11 10-10	E	17421	C6	4	15-13
	3858 3859	F15 25 F4 77	25-62 25-51	AR AR	77753 77753	B1 B1	3 6	10-10 10-10			F		
AR 73 AR 73 AR 73 AR 74 AR 74	3859 3861 3861 3888 3888 4144 4344 4603	F16 77 E20 78 F10 78 D2 14 D3 5 B11 2 D17 38 D2	25-63 25-45 25-57 25-4 25-5 10-20 25-21 25-4	AR AR AR AR AR AR	77812 77812 77851 78019 78020 78021 78022 78023	E19 F9 G15 C4 C4 C4 C4 C4	2 27 3 14 16 	25-44 25-56 85-6 15-11 15-11 15-11 15-11	F F F F	1743 R 1743 R 2411 R 2411 R 3646 R 3646 R	A15 B7 C12 C13 A15 B13	11 13 11 5 22 9	10-2 10-16 20-2 20-3 10-2 10-22
AR 7	4624 4624	B3 5 B4 5	10-12 10-13	AR AR	78093 78538	G15 G21		85-6 85-12			Н		
AR 7- AR 7- AR 7- AR 7-	4664 4664 4665 4665	E13 7 E15 7 E13 7 E15 7	25-38 25-40 25-38 25-40	AR AR AR AR	78538 78538 79680 79685	G22 G22 C6 E4	6 2 10	85-13 85-13 15-13 25-29	H H	826 R 80753	B12 B5	3 3	10-21 10-14
AR 7	4667 4668	F18 10 F6 10	25-65 25-53	AR AR	79686 79686	D16 E4	7 13	25-20 25-29			JD		
AR 7- AR 7- AR 7- AR 7- AR 7-	4814 4815 4816 4817 4818 5893	B2 8 B2 8 B2 8 B2 8 B2 8 B12 G22 23	10-11 10-11 10-11 10-11 10-11 10-21 85-13	AR AR AT	79957 80294 10896	E1 A15 AT F20	9 4	25-26 10-2 30-2	JD JD JD JD	7365 7759 7849 8206 8537 9257	F20 F20 F21 F20 F20 C14	14 3 50 13 9	30-2 30-2 30-3 30-2 30-2 20-4
AR 7	5908 6158	G22 15 E14 34	85-13 25-39	AT AT	11924 13740	D10 A15	19 2	25-12 10-2	JD	9257	C15	11	20-5
AR 7	6326 6424	E14 39 B23 12	25-39 15-7	AT AT	13740 17503	C13 G7	11 22	20-3 75-7			М		
AR 7 AR 7 AR 7 AR 7	6488 6502 6502 6582	E14 38 E13 27 E15 18 B13 12	25-39 25-38 25-40 10-22 25-41	AT AT AT AT AT	17503 18904 23181 23182 23184	G9 C12 G17 G17 G17	22 17 9 13 15	75-9 20-2 85-8 85-8 85-8	М	3636 T	G18 R	6	85-9
AR 7 AR 7 AR 7 AR 7 AR 7 AR 7 AR 7 AR 7	76760 76841 76841 76885 77215 77255 77255 77256 77256 77258 77258 77259 77260	G18 11 G21 33 D16 17 G21 G22 G21 21 G23 G23 1 G21 20 G21 24 G22 1 G22 1 G21 36 G21 12	85-9 85-12 25-20 85-12 85-13 85-12 85-14 85-14 85-12 85-12 85-13 85-12 85-12	AT AT AT AT AT AT AT AT AT	23185 23186 23187 23188 23188 23189 23414 24834 25038 33995 33995	G17 G17 G15 G17 G17 G17 C15 B15 G7 G9	20 45 24 12 31 32 14 18 6 21 21	85-8 85-8 85-8 85-6 85-8 85-8 85-8 20-5 10-24 75-7 75-9		375 R 468 R 469 R 495 R 495 R 495 R 699 R 1612 R 11000 11003 11003 11011 11016	D3 E5 E5 A18 A20 B8 B21 A15 G19 G19 G22 G22 G18	1 18 18 22 35 1 4 10 9 2 8 19	25-5 25-30 25-30 10-5 10-7 10-17 15-5 10-2 85-10 85-10 85-13 85-13 85-9
AR 7	77261 77448	G21 6 E13 21	85-12 25-38		0005 D	В	00	75.7	R	11026	G18	22	85-9
AR 7 AR 7 AR 7 AR 7 AR 7 AR 7	77494 77747 77747 77747 77747 77748	B12 25 B1 1 B1 2 B1 3 B1 6 B1 1 B1 3	10-21 10-10 10-10 10-10 10-10 10-10	B B B B	3285 R 3285 R 30667 30667	G7 G9 G6 G8	23 23 4 4	75-7 75-9 75-6 75-8	R R R R R R R	11026 11026 11039 11039 11049 11049	G21 G20 G23 G13 G14 G15 G16	14 29 20 17 7 7 15	85-12 85-12 85-11 85-14 85-4 85-5 85-6 85-7
AR 7 AR 7 AR 7 AR 7	77748 77749 77749 77750 77750 77750	B2 7 B1 3 B2 7 B1 1 B1 3 B2 7 B1 3	10-11 10-10 10-11 10-10 10-10 10-11 10-10	00000	1220 R 2175 R 16054 16054 16054	C9 E6 C5 C7 C7	9 26 1 6 2	15-16 25-31 15-12 15-14 15-14	RRRRR	11049 11058 11059 11066 11066 11068 11087	G19 G19 G20 G23 F21 G19	5 4 8 5 30 6	85-10 85-10 85-11 85-14 30-3 85-10

				NUMERICAL	INDEX - CONT	INUED			
	11095 11095 11096 11096 11117 11118 11120 11121 11126 11127 11128 11129 11129 11129 11133 11138 11146 11199 11129 111212 11212 11212 11221 11212 11290 11291 11292 11292 11292 11292 11293 11293 11294 11295 11296 11298 15036	GRID KEY G18 12 G21 31 G18 31 G21 23 G18 7 G21 35 G18 10 G21 27 G21 8 G18 25 G21 17 G21 8 G18 25 G21 17 G18 26 G21 18 G21 18 G21 17 G18 27 G21 19 G22 4 G20 3 G18 20 G19 16 G22 17 G18 35 G21 17 G18 35 G21 17 G21 19 G22 4 G20 3 G19 16 G22 17 G18 35 G21 25 G21 17 G18 35 G21 27 G18 35 G21 37 G22 4 G20 3 G20 17 G18 35 G21 25 G21 37 G22 18 G22 17 G38 33 G20 17 G38 33 G20 17 G22 18 G39 3 G20 17 G20 4 G23 3 G20 17 G20 5 G30 5 G30 11 G30 7	PAGE 85-9 85-12 85-9 85-12 85-9 85-12 85-9 85-12 85-9 85-12 85-9 85-12 85-9 85-12 85-9 85-12 85-13 85-10 85-10 85-10 85-10 85-11 85-12 85-12 85-13 85-11 85-11 85-11 85-11 85-10 85-12 85-12 85-11 85-11 85-11 85-10 85-12 85-11 85-11 85-11 85-10 85-12 85-12 85-13 85-14 85-11 85-10 85-10 85-11 85-10 85-10 85-11 85-10 85-10 85-11 85-10 85-1	R 26287 R 26287 R 26297 R 26325 R 26325 R 26333 R 26362 R 26373 R 26373 R 26373 R 26405 R 26413 R 26417 R 26417 R 26559 R 26728 R 26730 R 26790 R 26790 R 26790 R 26790 R 26790 R 27149 R 30714 R 30714 R 30714 R 30719 R 30719 R 30719 R 30732 R 30732 R 30732 R 30732 R 30732 R 30732 R 307332 R 307333 R 307332 R 307333 R 307333 R 30964 R 31147	GRID KEY D1 7 D2 7 A18 16 B17 4 B5 6 B6 6 B3 8 B4 10 E21 3 F11 3 B8 2 C12 13 C13 7 C12 C13 6 B9 10 D4 13 E5 7 B9 11 D4 13 D17 E5 7 D4 13 D17 E5 24 D3 25 E13 20 D17 A15 12 A19 14 A15 13 C21 3 C22 B9 E5 15 E13 19 E13 22 D11 30 D20 D8 E5 E13 19 E13 22 D11 30 D20 D8 E5 E13 19 E13 22 D11 30 D20 D8 E5 E13 19 E13 22 D11 30 D20 D8 E5 E13 19 E13 22 D11 30 D20 D8 E5 E13 19 E13 22 D11 30 D12 D13 12 D13 7 D13 7 D14 7 D15 D17 7 D17 D18 D18 D18 D19 D18 D19 D18 D19 D18 D19	PAGE 25-3 25-4 10-5 15-1 10-14 10-15 10-12 10-13 15-5 25-46 25-58 10-12 20-2 20-3 20-2 20-3 20-18 25-6 25-21 25-30 25-21 25-30 25-21 25-30 25-21 25-30 25-31 25-21 25-30 25-31 25-38	PART NO. R 31378 R 31493 R 31494 R 31655 R 32006 R 32007 R 32008 R 32011 R 32012 R 32013 R 32014 R 32016 R 32017 R 32018 R 32018 R 32021 R 32022 R 32023 R 32024 R 32025 R 32025 R 32026 R 32027 R 32028 R 32029 R 32029 R 32136 R 32593 R 32595 R 335352 R 34635 R 34766	GRID KEY C8 3 C9 4 C9 3 C9 3 C9 6 C12 G12 G13 G14 G15 G16 G17 G17 G18 G19	PAGE 15-16 1
RRRRRR	26081 26115 26125 26151 26151 26172 26286	B9 2 A15 28 B9 17 B12 8 B13 16 B14 4 D5 32	10-18 10-2 10-18 10-21 10-22 10-23 25-7	R 30732 R 30732 R 30732 R 30735 R 30737 R 30939 R 30964	D9 27 D18 21 D13 9 D13 7 B5 5 G11 7	25-11 25-22 25-16 25-16 10-14 85-2	R 35304 R 35352 R 35352 R 35352 R 35352 R 36535	C12 2 D4 22 D16 17 G6 18 G8 18 D10 6	20-2 25-6 25-2 75-6 75-8 25-1 25-1

					MUMERICAL	INDEX	001		.00200		04040, 040	,41, /	
					NUMERICAL								
	RT NO.	GRID KEY	PAGE		PART NO.	GRID	KEY	PAGE		RT NO.	GRID	KEY	PAGE
R	36549 36550	D13 13 D13 13	25-16 25-16	R	43170 43369	B23	13 4	15-7	R	43821	C2	22	15-9
R R	36551	D13 13	25-16 25-16	R	43369	A22 A19	21	10-9 10-6	R	43851 43883	B14 B9	5 18	10-23 10-18
R	36552	D13 10	25-16	R	43413	B23	6	15-7	R	43986	C1	15	15-16
R	36648	D11 32	25-14	R	43416	A19	22	10-6	R	43986	C2	15	15-9
R	36846	C16 9	20-6	R	43416	B23	15	15-7	R	44161	B5	4	10-14
R	36846	C17 1	20-7	R	43424	B13	5	10-22	R	44162	B5	4	10-14
R	38614	B12 17	10-21	R	43424	G6	10	75-6	R	44163	B5	4	10-14
R	39804	G17 38	85-8	R	43424	G8	10	75-8	R	44342	G6	11	75-6
R	39832	A15 18	10-2	R	43425	B13	4	10-22	R	44342	G8	11	75-8
R	39832	E16 24	25-41	R	43428	B13	8	10-22	R	44373	A18	7	10-5
R	39886	E3 4	25-28	R	43429	B13	3	10-22	R	44373	A19	4	10-6
R	40236	B12 15	10-21	R	43491	C18	12	20-8	R	44373	B21	3	15-5
R	40337	G18 4	85-9	R	43548	B13	7	10-22	R	44373	B22	13	15-6
R	40337	G19 25	85-10	R	43549	B13	4	10-22	R	44374	A18	6	10-5
R	40337	G21 3	85-12	R	43595	A18	10	10-5	R	44374	A19	3	10-6
R	40545	G18 37	85-9 85-11	R	43595	A19	13	10-6	R	44374	B21	2	15-5
R	40546	G20 6	85-11 85-11	R	43595	B7	3	10-16	R	44374	B22	12	15-6
R R	40548 40548	G20 10 G23 7	85-11 85-14	R	43603 43603	G13 G14	4 4	85-4 85-5	R	44378 44378	B5 B6	9	10-14 10-15
R	40703	D7 33	25-9	R	43603	G14	4	85-3 85-7	R	44853	A18	9 8	10-15
R	40703	D9 39	25-11	R	43604	B18	2	15-2	R	44853	A19	7	10-5
Ŕ	40703	D19 33	25-23	R	43605	B18	5	15-2	R	44853	B14	1	10-23
R	40707	D7 35	25-9	l R	43605	B19	4	15-3	R	44925	B5	9	10-14
R	40707	D9 41	25-11	R	43621	A15	17	10-2	R	44925	B6	9	10-15
R	40707	D19 35	25-23	R	43634	A15	29	10-2	R	44926	B5	9	10-14
R	41071	B7 16	10-16	R	43660	B13	1	10-22	R	44926	B6	9	10-15
R	41203	D6 14	25-8	R	43679	B10	19	10-19	R	44927	B5	9	10-14
R	41203	D18 14	25-22	R	43680	B7	15	10-16	R	44927	B6	9	10-15
R	41285	B7 11	10-16	R	43681	B7	15	10-16	R	44928	B5	9	10-14
R	41285	B23 19	15-7	R	43682	B7	15	10-16	R	44928	B6	9	10-15
R	41285	C16 8	20-6	R	43683	B7	15	10-16	R	45003	B9	18	10-18
R	41406	A21 2	10-8	R	43724	B22	7	15-6	R	45004	B9	18	10-18
R	41412	B9 15	10-18	R	43724	B23	9	15-7	R	45005	B9	18	10-18
R	41423	B6 8	10-15	R	43751	A19	23	10-6	R	45133	B12	1	10-21
R	41425 41853	B6 4 C17 2	10-15 20-7	R	43751 43774	B23	14	15-7	R	45192	B7	7	10-16
R R	41934	C17 2 B3 2	20-7 10-12	R	43774 43774	A18 A19	18 25	10-5 10-6	R	45193 45194	B7 B7	8 8	10-16 10-16
R	41934	B4 2	10-12	R	43774	B13	10	10-22	R	45195	B7	6	10-16
R	42173	B6 5	10-15	R	43780	A18	23	10-5	R	45692	B7	17	10-16
R	42175	B6 4	10-15	R	43780	A20	34	10-7	R	45692	B7	20	10-16
R	42340	A15 7	10-2	R	43780	B23	18	15-7	R	45692	C10	2	15-17
R	42355	B11 4	10-20	R	43780	C16	6	20-6	R	45693	B7	20	10-16
R	42356	B11 6	10-20	R	43787	B10	19	10-19	R	45693	G6	7	75-6
R	42364	B7 9	10-16	R	43788	B10	19	10-19	R	45693	G8	7	75-8
R	42390	B12 24	10-21	R	43789	B10	19	10-19	R	46411	B17	2	15-1
R	42406	A18 19	10-5	R	43801	C1	9	15-8	R	46472	B22	3	15-6
R	42406	A19 19	10-6	R	43801	C2	9	15-9	R	46479	A19	10	10-6
R	42406	C14 1	20-4	R	43803	C1	12	15-8	R	46479	C18	8	20-8
R	42406	C15 1	20-5	R	43803	C2	12	15-9	R	46522	C13	13	20-3
R	42574	G19 20	85-10 85-10	R	43804	C1	17	15-8	R	46567	B12	23	10-21
R R	42574 42664	G22 20 C16 10	85-13 20-6	R	43804 43805	C2 C1	17 13	15-9 15-8	R	46626	C7	1	15-14
R	42664	C10 10	20-7	R	43805	C2	13	15-6 15-9	R	46627 46627	B23 C7	2	15-7 15-14
R	42693	A18 12	10-5	R	43806	C1	8	15-8	R R	46679	C3	6 18	15-14
R	42693	A19 24	10-6	R	43806	C2	8	15-9	R	46681	C3	14	15-10
R	42693	C16 11	20-6	R	43808	C1	10	15-8	R	46682	C3	11	15-10
R	42693	C17 4	20-7	R	43808	C2	10	15-9	R	46682	C4	9	15-10
R	42693	C18 16	20-8	R	43815	C1	21	15-8	R	46683	C3	12	15-10
R	42694	A18 17	10-5	R	43815	C2	21	15-9	R	46684	C3	13	15-10
R	42694	C16 5	20-6	R	43816	C1	11	15-8	R	46685	C3	8	15-10
R	42714	B6 4	10-15	R	43816	C2	11	15-9	R	46685	C4	8	15-11
R	42729	B12 16	10-21	R	43817	C1	2	15-8	R	46686	C3	6	15-10
R	42729	E14 31	25-39	R	43817	C2	2	15-9	R	46686	C4	6	15-11
R	42729	E15 22	25-40	R	43819	C1	20	15-8	R	4,6687	C3	7	15-10
R	42729	G3 7	75-3	R	43819	C2	20	15-9	R	46688	C3	10	15-10
R	43167	B21 6	15-5	R	43821	C1	22	15-8	B	46689	C3	9	15-10
05.6					THE ENGINES A	ND ACCES	CODIEC	- 6404D 6404Ť	AND	10.44	4554 (40 DEO 7		

		NUMERICAL INC	DEX - CONTI	NUED			
PART NO. R 46690 R 46691 R 46691 R 46692 R 46693 R 46693 R 46903 R 47049 R 47049 R 47077 R 47077 R 47092 R 47293 R 47314 R 47358	GRID KEY PAGE C3 16 15-10 C3 4 15-10 C4 4 15-11 C3 17 15-10 C4 2 15-11 B11 1 10-20 D10 8 25-12 D10 11 25-12 A21 1 10-8 D10 9 25-12 A15 4 10-2 B18 3 15-2 B20 2 15-4 D1 17 25-3 A19 11 10-6	PART NO. R 48689 R 48691 R 48692 R 48693 R 48693 R 48694 R 48695 R 48696 R 48697 R 48698 R 48699 R 48699 R 48700 R 48701	DEX - CONTI GRID KEY E12 4 E12 5 E12 6 A20 37 E12 9 E12 8 E12 3 E12 2 E12 12 E12 10 E12 10 E12 10 E12 10 E12 10 E12 10 E12 10 E12 10 E12 10	PAGE 25-37	PART NO. R 50379 R 50381 R 50384 R 50386 R 50387 R 50388 R 50389 R 50390 R 50390 R 50390 R 50392 R 50393 R 50397 R 50397 R 50397	GRID KEY B12 5 B12 2 B12 13 B12 12 B8 9 B8 12 B8 11 A18 20 A19 26 A21 8 B23 11 A21 15 B20 12 A19 8 B18 7 B19 6	PAGE 10-21 10-21 10-21 10-21 10-17 10-17 10-17 10-5 10-6 10-8 15-7 10-8 15-4 10-6 15-2 15-3
R 47395 R 47395 R 47430 R 47433 R 47692 R 47693 R 47731 R 48000 R 48000 R 48071 R 48071 R 48071 R 48291 R 48291 R 48358 R 48358 R 48358 R 48358	B20 3 15-4 B20 14 15-4 C18 2 20-8 C22 1 25-2 C8 2 15-15 C8 4 15-15 E3 5 25-28 D4 7 25-6 E3 1 25-28 C22 3 25-2 D1 8 25-3 D2 8 25-4 A19 1 10-6 B7 18 10-16 D4 18 25-6 D16 20 25-20 E5 7 25-30 D4 18 25-6 D16 20 25-20 D16 20 25-20 D16 20 25-20	R 48705 R 48706 R 48709 R 48710 R 48710 R 48712 R 48755 R 48755 R 48755 R 48795 R 48976 R 48976 R 49211 R 49211 R 49464 R 49464	E12 10 E12 10 C1 5 C2 5 C1 6 C2 6 C1 23 C6 9 A15 8 A15 15 C21 4 D10 18 G18 8 G21 34 D11 27 D21 37 E5 12 B12 7 B13 15 B12 11	25-37 25-37 15-8 15-9 15-8 15-13 10-2 10-2 25-1 25-12 85-9 85-12 25-14 25-25 25-30 10-21 10-22 10-21	R 50397 R 50398 R 50399 R 50400 R 50402 R 50403 R 50404 R 50405 R 50406 R 50406 R 50406 R 50406 R 50408 R 50409 R 50409 R 50410 R 50411 R 50411	B20 13 B20 4 A19 9 B20 9 B20 15 B20 17 C18 3 B20 7 A19 30 B20 6 A19 29 B19 1 B20 8 C15 9 C14 3 C15 4 C15 4 C14 4 C15 5 C15 6 C15 2	15-4 15-4 10-6 15-4 15-4 20-8 15-4 10-6 15-3 15-4 20-5 20-4 20-5 20-5 20-5
R 48359 R 48360 R 48360 R 48362 R 48362 R 48398 R 48399 R 48505 R 48506 R 48506 R 48515 R 48516 R 48516 R 48516 R 48517	E5 7 25-30 D4 18 25-6 D16 20 25-20 E5 7 25-30 B20 18 15-4 C18 5 20-8 B12 1 10-21 A18 14 10-5 C21 5 25-1 E1 11 25-26 E1 10 25-26 E1 18 25-26 E1 18 25-26 D7 30 25-9 D19 30 25-23 D6 12 25-8 D8 12 25-10 D18 12 25-22 D11 24 25-14 D21 40 25-25	R 49465 R 49470 R 49549 R 49551 R 49552 R 49553 R 49554 R 49555 R 49556 R 49557 R 49558 R 49629 R 49650 R 49759 R 49859 R 50201 R 50352 R 50353	B13 19 A15 1 E12 10 E12 7 A15 1 C10 1 C12 20 E5 16 A21 7 A18 26 A19 17	10-22 10-2 25-37 25-37 25-37 25-37 25-37 25-37 25-37 25-37 25-37 25-37 25-37 25-37 25-30 10-2 15-17 20-2 25-30 10-8 10-5 10-6	R 50414 R 50415 R 50416 R 50418 R 50419 R 50419 R 50420 R 50420 R 50420 R 50420 R 50420 R 50422 R 50422 R 50422 R 50424 R 50424 R 50424	B4 8 C18 7 C18 14 B15 8 A18 3 A19 2 B15 5 A18 24 A19 27 A20 32 B15 10 C18 13 B15 4 B15 11 B15 12 A18 9 A19 12 B15 13 D1 4	10-13 20-8 20-8 10-24 10-5 10-6 10-24 10-5 10-6 10-24 20-8 10-24 10-24 10-5 10-6 10-5
R 48520 R 48520 R 48521 R 48521 R 48523 R 48523 R 48531 R 48607 R 48628 R 48633 R 48633 R 48633	D12 34 25-15 D20 1 25-24 D11 26 25-14 D21 38 25-25 D11 23 25-14 D21 41 25-25 D13 23 25-16 E1 20 25-26 D21 39 25-25 A21 11 10-8 A19 28 10-6 E5 1 25-37	R 50353 R 50353 R 50354 R 50355 R 50356 R 50357 R 50358 R 50360 R 50375 R 50377 R 50378 R 50378	A19 17 A21 6 A21 9 A21 12 B7 15 B10 19 B9 18 B7 14 B15 9 B12 25 A18 25 A19 31 B12 4	10-8 10-8 10-8 10-16 10-19 10-18 10-16 10-24 10-21 10-5 10-6 10-21	R 50425 R 50426 R 50426 R 50427 R 50427 R 50502 R 50600 R 50659 R 50659 R 50660 R 50784	D2 4 D1 5 D2 5 D1 1 D2 1 C3 20 A17 1 G13 10 G14 10 G15 18 G15 17 C1 12	25-4 25-3 25-4 25-3 25-4 15-10 10-4 85-4 85-6 85-6 15-8

		·····			N	UMÉRICA	I IND	FY -	CON	TIN	HED							
	n= 4/0	22/2	<i>14</i> 514	3405						11114			PART	N/O		GRID	KEY	PAGE
PA R	97 NO. 50784			PAGE 5-9	R PA	<i>RT NO.</i> 53162		RID 2	<i>кЕҮ</i> 56	•	<i>PAGE</i> 25-49	l R		3888		F8	34	25-55
R	50785			5-8	R	53162		8	57		25-55	l R		3888		F14	34	25-61
R	50785			5-9	R	53162		14	57		25-61	R		3897		E8	28	25-33
R	50860	A22)-9	R	53200		37	14		10-16	R		3897		E17	28	25-42
R	51053)-24	R	53231		212	2	2	20-2	R	5	3897		F1	28	25-48
R	51283	B15	4 10)-24	R	53282	A	18	5		10-5	R		3897		F8	29	25-55
R	51284	B15	9 10)-24	R	53282		119	20		10-6	R		3897		F14	29	25-61
R	51347	В7	2 10)-16	R	53290		35	6		10-14	R		3899		E8	55	25-33
R	51440	C16)-6	R	53290		36	6		10-15	R		3900		E8	56	25-33
R	51528			5-6	R	53292		35	7		10-14	R		3901		E6	23	25-31
R	51529	G15		5-6	R	53292		36	7		10-15	R		3901		E8	52	25-33
R	51530	G15		5-6	R	53299		017	24		25-21	R		3901		E11	6	25-36
R	51531	G15		5-6	R	53300		017 E20	22		25-21 25-45	R		3901 3901		E18 F2	53 53	25-43 25-49
R	51532 51533	G15 G15		5-6 5-6	R	53300 53300		-20 -4	64 63		25-45 25-51	R		3901		F5	6	25-49
R R	51533			5-6	R	53300		10	64		25-57 25-57	l R		3901		F8	54	25-55
R	51534			5-6	R	53300		16	63		25-63	R		3901		F14	54	25-61
R	51603)-7	R	53307		20	16		30-2	R		3901		F17	6	25-64
R	51603	E4		5-29	R	53308		20	12		30-2	R		3902		E8	57	25-33
R	51603			5-37	R	53309		20	1		30-2	R	5	3902		E11	8	25-36
R	51603	F6		5-53	R	53310		21	46	;	30-3	R	5	3902		F5	8	25-52
R	51603	F18		5-65	R	53311		20	4		30-2	R		3902		F17	8	25-64
R	51682	C14)-4	R	53312		-21	43		30-3	R		3903		E5	22	25-30
R	51683	C14)-4	R	53313		-21	40		30-3	R		3903		E8	54	25-33
R	51684)-5	R	53314		20	27		30-2	R		3903		E8	58	25-33
R	51822	C9		5-16	R	53316		20	25		30-2	R		3903		E11	7	25-36
R	51936			5-30	R	53317		20	18		30-2	R		3903		E18	55 57	25-43
R	51937			5-30	R	53319		-21 -20	44		30-3	R		3903 3903		E18 F2	57 55	25-43 25-49
R	51944	A17)-4)-8	R	53323 53325		-20 -21	15 45		30-2 30-3	R		3903		F2	57	25-49 25-49
R R	51960 52048)-8)-21	R	53327		21	28		30-3 30-3	R		3903		F5	7	25-52
R	52048)-5)-5	R	53332		20	8		30-2	R		3903		F8	56	25-55
R	52049)-6	R	53333		20	11		30-2	R		3903		F8	58	25-55
R	52049)-21	R	53334		20	15		30-2	R		3903		F14	56	25-61
R	52159	G13		5-4	R	53335		20	6		30-2	R		3903		F14	58	25-61
R	52159			5-6	R	53336		21	29	;	30-3	R	5	3903		F17	7	25-64
R	52161	G14	9 85	5-5	R	53338		-20	10A		30-2	R		3911		E9	18	25-34
R	52161	G15		5-6	R	53340		-21	51		30-3	R		3911		E19	16	25-44
R	52288	B18		5-2	R	53341		21	36		30-3	R		3911		F3	15	25-50
R	52288	B19		5-3	R	53344		21	32		30-3	R		3911		F9	16	25-56
R	52429)-3	R	53345		-21	39		30-3	R		3911		F15	15 17	25-62 25-34
R	52509	C16)-6)-4	R	53346 53349		-21 -20	37 10B		30-3 30-2	R		3912 3912		E9 E19	15	25-34 25-44
R R	52591 52592)-4)-5	R	53350		-20 -21	31		30-2 30-3	R		3912		F3	14	25-50
R	52603)-4	R	53423		218	10		20-8	R		3912		F9	15	25-56
R	52603	G13		5-4	R	53437		C14	12		20-4	l R		3912		F15	14	25-62
R	52773)-19	R	53438		118	1		10-5	R	5	3914		E9	6	25-34
R	52775			5-7	R	53597		213	21		20-3	R		3915		E9	11	25-34
R	52811		33 10)-7	R	53598		212	14		20-2	R		3915		E19	13	25-44
R	52811			5-4	R	53598		213	9		20-3	R		3915		F9	13	25-56
R	53013	A17)-4	R	53885		8	45		25-33	R		3917		E9	8	25-34
R	53108)-5	R	53885		<u> 19</u>	3		25-44	R		3917		E19	8	25-44
R	53108			0-6	R	53885		-3	3		25-50	R		3917		F3	9	25-50
R	53108	G18		5-9	R	53885		9	3		25-56	R		3917		F9	8	25-56
R	53138	A17		0-4	R	53885		-15 -0	3		25-62	R		3917		F15	9	25-62 25-34
R	53141 53161			D-2 5-33	l R	53886 53886		≣8 ≣18	42 42		25-33 25-43	R R		3918 3918		E9 E19	2 6	25-34 25-44
R				5-36	R R	53886		-2	42		25-43 25-49	R		3918		F3	7	25-50
R R	53161 53161			5-36 5-42	R	53886		-8	43		25-49 25-55	R		3918		F9	6	25-56
R	53161			5-42 5-48	R	53886		-14	43		25-61	R		3918		F15	7	25-62
R	53161			5-40 5-52	R	53887		E18	43		25-43	R		3919		E19	11	25-44
R	53161			5-55 5-55	R	53887		2	43		25-49	R		3919		F9	11	25-56
R	53161			5-61	R	53887		-8	44		25-55	R		3920		E9	20	25-34
R	53161	F17		5-64	R	53887		-14	44		25-61	R		3920		E19	19	25-44
R	53162	E6	23 25	5-31	R	53888	E	=8	33		25-33	R		3920		F3	18	25-50
R	53162			5-33	R	53888		E17	33		25-42	R		3920		F9	19	25-56
R	53162	E18	56 2	5-43	R	53888	F	=1	33	:	25-48	R	5	3920		F15	18	25-62
05.0					L	M ENGINEO	4110 4	0050	200150		10.15	T AND	2 4 6 4	A DC	1554 (4	0.050.5	70)	ITHO IN U.S.A

NUMERICAL INDEX - CONTINUED												
PAR	RT NO.	GRID KEY	PAGE	PART NO.	GRID	KEY	PAGE		RT NO.	GRID KEY	PAGE	
R	53921	E9 20	25-34	R 53934	F16	46	25-63	R	53949	F4 30 F10 31	25-51 25-57	
R	53921	E19 19	25-44	R 53935	E10	48	25-35 25-45	R R	53949 53949	F16 30	25-63	
R	53921	F3 18	25-50	R 53935	E20 F4	46 45	25-45	R	53950	E10 27	25-35	
R	53921	F9 19	25-56	R 53935 R 53935	F10	46	25-57	Ř	53950	E20 28	25-45	
R	53921	F15 18	25-62 25-34	R 53935	F16	45	25-63	R	53950	F4 27	25-51	
R	53922	E9 20 E19 19	25-44	R 53936	E10	49	25-35	R	53950	F10 28	25-57	
R R	53922 53922	F3 18	25-50	R 53936	E20	45	25-45	R	53950	F16 27	25-63	
R	53922	F9 19	25-56	R 53936	F4	44	25-51	R	53951	E10 28	25-35 25-45	
R	53922	F15 18	25-62	R 53936	F10	45	25-57	R	53951 53951	E20 29 F4 28	25-45 25-51	
R	53923	E9 20	25-34	R 53936	F16	44	25-63 25-35	R R	53951	F10 29	25-57	
R	53923	E19 19	25-44	R 53937	E10 E20	46 48	25-35	R	53951	F16 28	25-63	
R	53923	E20 42	25-45 25-50	R 53937 R 53937	F4	47	25-51	Ř	53952	E10 29	25-35	
R	53923 53923	F3 18 F9 19	25-56	R 53937	F10	48	25-57	R	53952	E20 30	25-45	
R R	53923	F10 42	25-57	R 53937	F16	47	25-63	R	53952	F4 29	25-51	
R	53923	F15 18	25-62	R 53938	E10	45	25-35	R	53952	F10 30	25-57 25-63	
R	53924	E9 21	25-34	R 53938	E20	49	25-45	R	53952 53953	F16 29 E10 26	25-65 25-35	
R	53924	E19 20	25-44	R 53938	F4	48	25-51 25-57	R R	53953	E19 27	25-44	
R	53924	F3 19	25-50	R 53938 R 53938	F10 F16	49 48	25-63	Ŕ	53953	F3 26	25-50	
R	53924	F9 20	25-56 25-62	R 53938 R 53939	E10	45	25-35	R	53953	F9 27	25-56	
R	53924 53925	F15 19 E10 54	25-35	R 53939	E20	49	25-45	R	53953	F15 26	25-62	
R R	53925	E20 77	25-45	R 53939	F4	48	25-51	R	53955	E10 34	25-35	
R	53925	F4 76	25-51	R 53939	F10	49	25-57	R	53955	E20 39	25-45	
R	53925	F10 77	25-57	R 53939	F16	48	25-63	R	53955	F4 38 F10 39	25-51 25-57	
R	53925	F16 76	25-63	R 53940	E10	45	25-35 25-45	R	53955 53955	F16 38	25-63	
R	53926	E10 53	25-35	R 53940 R 53940	E20 F4	49 48	25-45 25-51	R	53956	E10 36	25-35	
R	53926	E20 74	25-45	R 53940 R 53940	F10	49	25-57	R	53956	E20 38	25-45	
R	53926	F4 73 F10 74	25-51 25-57	R 53940	F16	48	25-63	R	53956	F4 37	25-51	
R R	53926 53926	F16 74	25-63	R 53941	E10	39	25-35	R	53956	F10 38	25-57	
R	53927	E10 52	25-35	R 53941	E10	42	25-35	R	53956	F16 37	25-63 25-35	
R	53927	E20 75	25-45	R 53941	F4	36	25-51	R	53958	E10 40 E20 43	25-35 25-45	
R	53927	F4 74	25-51	R 53941	F16	36 43	25-63 25-35	R	53958 53958	F4 42	25-51	
R	53927	F10 75	25-57	R 53942 R 53942	E10 E20	53	25-45	R	53958	F10 43	25-57	
R	53927	F16 74 E10 56	25-63 25-35	R 53942 R 53942	E22	40	25-47	R	53958	F16 42	25-63	
R	53928 53928	E10 56 E20 73	25-45	R 53942	F4	52	25-51	R	53959	E10 77	25-35	
R R	53928	F4 72	25-51	R 53942	F10	53	25-57	R	53959	E20 56	25-45	
R	53928	F10 73	25-57	R 53942	F12	40	25-59	R	53959	F10 56 E10 75	25-57 25-35	
R	53928	F16 72	25-63	R 53942	F16	52	25-63	R	53960 53960	E20 54	25-45	
R	53929	E10 57	25-35	R 53943	E9 E19	16 21	25-34 25-44	R	53960	F4 53	25-51	
R	53929	E20 72	25-45 25-51	R 53943 R 53943	F9	21	25-56	R	53960	F10 54	25-57	
R	53929	F4 71 F10 72	25-57	R 53945	E9	12	25-34	R	53960	F16 53	25-63	
R R	53929 53929	F16 72	25-63	R 53945	E19	12	25-44	R	53961	E10 71	25-35	
R	53930	E19 24	25-44	R 53945	F3	11	25-50	R	53961	E20 59 F4 58	25-45 25-51	
R	53930	F3 23	25-50	R 53945	F9	12	25-56	R	53961 53961	F4 58 F10 59	25-57	
R	53930	F9 24	25-56	R 53945	F15	11 33	25-62 25-35	R	53961	F16 58	25-63	
R	53930	F15 23	25-62	R 53946 R 53946	E10 E20	32	25-45	R	53962	E10 70	25-35	
R	53931	E9 22 E19 23	25-34 25-44	R 53946 R 53946	F4	31	25-51	R	53962	F4 57	25-51	
R	53931 53931	F3 22	25-50	R 53946	F10	32	25-57	R	53962	F16 57	25-63	
R R	53931	F9 23	25-56	R 53946	F16	31	25-63	R	53963	E10 73	25-35	
Ŕ	53931	F15 22	25-62	R 53947	E10	32	25-35	R	53963	E20 61 F4 60	25-45 25-51	
R	53932	E9 24	25-34	R 53947	E20	40	25-45	R	53963	F4 60 F10 61	25-57	
R	53932	E19 25	25-44	R 53947	F4	39 40	25-51 25-57	R	53963 53963	F16 60	25-63	
R	53932	E21 11	25-46	R 53947 R 53947	F10 F16	40 39	25-57 25-63	R	53964	E10 74	25-35	
R	53932	F3 24	25-50 25-56	R 53947 R 53948	E10	31	25-35	R	53964	E20 62	25-45	
R	53932	F9 25 F11 11	25-56 25-58	R 53948	E20	41	25-45	R	53964	F4 61	25-51	
R R	53932 53932	F15 24	25-62	R 53948	F4	40	25-51	R	53964	F10 62	25-57	
R	53934	E10 47	25-35	R 53948	F10	41	25-57	R	53964	F16 61	25-63 25-35	
R	53934	E20 47	25-45	R 53948	F16	40	25-63	R	53966	E10 64 E20 69	25-35 25-45	
R	53934	F4 46	25-51	R 53949	E10	30	25-35 25-45	R	53966 53966	F4 68	25-45 25-51	
R	53934	F10 47	25-57	R 53949	E20							
			OLOUD CLOUT	AND 6404A PC-15	54 (10-DEC-7	6) [[THO IN U.S.A.				95-9	

								VI LIVO	IINES AND A	TOOLO	SOTTIES -	04040, 04		AND 6404A
					1	NUMERICA	AL INDEX	- CON	ITINUED					
R R R R R R R R R R R R R R R R R R R	NO. 13966 13969 13969 13969 13969 13970 13970 13970	GRID F10 F16 E10 E20 F4 F10 E10 E20 F4 F10	KEY 69 68 62 71 70 71 70 62 71 70 71	PAGE 25-57 25-63 25-35 25-45 25-51 25-63 25-35 25-45 25-51 25-57		ART NO. 54004 54004 54004 54004 54004 54004 54005 54005 54006 54011	AL INDEX GRID E17 E21 F1 F8 F11 F14 E21 F11 E22 F12 E11	- CON KEY 24 25 24 25 25 25 24 24 44 44 11	PAGE 25-42 25-46 25-55 25-58 25-61 25-46 25-58 25-47 25-59 25-36		54223 54224 54224 54225 54225 54226 54226 54227 54227 54228 54228	GRID D15 D11 D21 D11 D20 D15 E2 D11 D20 D4 D17	KEY 9 20 33 2 12 14 11 3 13 25 31	PAGE 25-18 25-14 25-25 25-14 25-24 25-18 25-27 25-14 25-24 25-6 25-21
**************************************	3970 3971 3971 3971 3971 3971 3972 3972 3972 3972 3972 3972 3972 3972	F16 E10 E20 F4 F10 F16 E9 E10 E19 E20 E21 F3 F3	70 51 76 75 76 75 2 4 67 5 66 21 6	25-63 25-35 25-45 25-51 25-57 25-63 25-34 25-34 25-35 25-44 25-45 25-46 25-50 25-50		54011 54011 54012 54013 54013 54013 54016 54016 54021 54021 54021 54022 54022	F5 F17 E11 E11 F5 F17 E11 F5 F17 F17	11 11 7 14 14 10 10 10 26 24 24 5	25-52 25-64 25-36 25-36 25-52 25-64 25-52 25-64 25-52 25-64 25-52 25-64 25-52		54228 54229 54229 54230 54230 54231 54231 54232 54233 54233 54233 54233	D20 D4 D17 D20 D11 D20 D15 E2 D11 D20 D4 D17 D20 D15	20 28 28 10 7 18 13 10 8 15 24 32 21 11A	25-24 25-6 25-21 25-24 25-14 25-24 25-14 25-24 25-6 25-21 25-24
R 5 5 R S 5 R R S 5 R R R R R R R R R R	3972 3972 3972 3972 3972 3972 3972 3975 3976 3976 3976 3976 3976	F4 F9 F10 F11 F15 F15 F16 E10 E20 E20 E20 F4	65 5 66 21 6 7 65 59 61 37 51 65 50	25-51 25-56 25-57 25-58 25-62 25-62 25-63 25-35 25-35 25-45 25-45 25-45 25-45		54023 54023 54023 54024 54024 54025 54025 54025 54026 54026 54026 54027	E11 F5 F17 E11 F5 F17 E11 F5 F17 E11 F5 F17 E11	4 4 4 2 2 2 3 3 3 20 20 20	25-36 25-52 25-64 25-36 25-52 25-64 25-52 25-64 25-52 25-64 25-36		54235 54235 54237 54237 54238 54239 54240 54240 54241 54241 54242 54242	D11 D20 D15 E2 D6 D13 E1 D13 E1 D13 E1 D13	6 17 6 3 25 25 22 26 23 27 24 16 15	25-14 25-24 25-18 25-27 25-8 25-16 25-26 25-16 25-26 25-16 25-26 25-16 25-26
R 5 R 5 R 5 R 5 R 5 R 5 R 5 R 5 R 5 R 5	3976 3976 3976 3976 3978 3978 3981 3981 3982 3982 3982 3983	F10 F10 F10 F16 E22 F12 E22 F12 E22 F12 E22 F12 E22 F12 E22	37 51 65 50 29 29 34 34 30 30 36 36 36	25-57 25-57 25-57 25-63 25-47 25-59 25-47 25-59 25-47 25-59 25-47 25-59		54027 54027 54028 54028 54029 54029 54029 54030 54030 54031 54031	F17 F17 E11 F5 F17 E11 F5 F17 E11 F5 F17	18 18 21 21 21 19 19 19 15 15 17	25-56 25-52 25-64 25-36 25-52 25-64 25-36 25-36 25-52 25-64 25-36 25-36 25-52		54242 54243 54244 54245 54245 54246 54246 54247 54248 54248 54249 54249 54250	D11 D15 E2 D6 D18 D15 E2 D11 D13 E1 D13	15 4 17 14 13 10A 7 29 3 18 17 27	25-14 25-18 25-27 25-8 25-22
R 55 R 55 R 75 R 75 R 75 R 75 R 75 R 75	3985 3986 3986 3987 3987 3988 3988 3989 3989 3991 3991 3995 3995	F12 E22 F12 E22 F12 E22 F12 E21 F11 E21 F11	31 37 38 38 42 42 47 47 22 22 13 19	25-59 25-47 25-59 25-47 25-59 25-47 25-59 25-46 25-58 25-46 25-58 25-46	R R R R R R R R R R R R	54031 54032 54032 54033 54033 54033 54088 54088 54088 54088 54114 54176 54177	F17 E11 F5 F17 E11 F5 F17 D16 E5 E13 E15 B6 C3 C3	17 16 16 16 1 1 1 18 19 26 17 3 1 5	25-64 25-36 25-52 25-64 25-52 25-64 25-20 25-30 25-30 25-38 25-40 10-15 15-10		54250 54250 54251 54251 54251 54252 54252 54253 54253 54254 54254 54254 54255 54255	D17 D20 D7 D9 D19 D13 E1 D15 E2 D7 D9 D19 D11	29 19 38 44 38 17 16 7 4 36 42 36 18 31	25-21 25-24 25-9 25-11 25-23 25-16 25-26 25-18 25-27 25-9 25-11 25-23 25-14 25-25
	3997 4004 	F11 E8	19 24	25-58 25-33	R R OE	54222 54222 M ENGINES	D15 E2	8 5 SORIES	25-18 25-27 - 6404D, 6404T,	R R	54257 54259	D13 D15	1 2	25-16 25-18 ITHO IN U.S.A.

NUMERICAL INDEX - CONTINUED												
PART NO. R 54260 D11 13 R 54261 D15 1 R 54263 B6 4 R 54264 B6 4 R 54300 E10 78 R 54300 F10 57 R 54300 F1 56 R 54300 F10 57 R 54400 B22 8 R 54500 B22 8 R 54500 B23 10 R 54565 B9 13 R 54565 B9 3 R 54565 B9 13 R 54626 E1 9 R 54626 E1 9 R 54626 E1 9 R 54627 D11 31 R 54628 D15 3 R 54626 F1 18 R 54840 F1 16 R 54847 F7 16 R 54847 F7 16 R 54847 F7 16 R 54848 F1 15 R 54848 F1 15 R 54848 F1 15 R 54848 F1 15 R 54849 F1 14 R 54850 F7 13 R 54851 F1 11 R 54851 F1 11 R 54851 F1 11 R 54851 F7 11 R 54850 F7 13 R 5	25-54 25-60 25-32 25-42 25-48 25-54 25-32 25-42 25-48 25-54 25-32 25-32 25-32 25-42 25-48 25-54 25-54 25-60	PART NO. R 54857 R 54857 R 54857 R 54857 R 54858 R 54858 R 54858 R 54858 R 54859 R 54859 R 54859 R 54859 R 54860 R 54860 R 54861 R 54861 R 54861 R 54863 R 54863 R 54863 R 7 54863 R 7 54864 R 7 54864 R 7 54865 R 8 54865 R 8 54866 R 8 54866 R 8 54866 R 8 54867 R 7 8 54867 R 8 54868 R 8 54868 R 8 54866 R 8 54866 R 8 54866 R 7 54867 R 7 8 54867 R 8 54868 R 8 54869 R 8 54870 R 8 54870 R 8 54870 R 8 54870 R 9 54870	HNDEX - CONTINUEX	NUED PAGE 25-48 25-54 25-55 25-54 25-55 25	PART NO. R 54871 R 54872 R 54872 R 54872 R 54873 R 54874 R 54874 R 54874 R 54874 R 54875 R 54876 R 54876 R 54876 R 54876 R 54877 R 54878 R 54879 R 54879 R 54879 R 54879 R 54880 R 54881 R 54881 R 54881 R 54881 R 54882 R 54882 R 54883 R 54883 R 54883 R 54884 R 54884 R 54884 R 54884 R 54885 R 54885	GRID KEY E8 43 E18 47 F14 48 E18 48 F14 48 E18 48 F14 49 E18 46 F14 47 E17 E18 E17 E17 E17 E17 E17 E18 E17 E17 E17 E18 E17 E17 E17 E18 E17 E17 E17 E18 E18 40	PAGE 25-33 25-49 55-61 32 2 85-56 1 32 2 85-56 1 32 2 85-56 1 32 2 85-61 33 2 85-61 33 2 85-61 33 2 85-61 33 2 85-61 33 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 32 2 85-61 33 2 85-61 32 2 85-61 33 2 85-61 32 2 85-61 33 2					
R 54857 E7 2		R 54870			1 0		95-11					

							INDEX	001	TIMUED	-		<u> </u>		
						NUMERICA								
	IRT NO.	GRID	KEY	PAGE 05.55		ART NO.	GRID	KEY	PAGE	2	RT NO.	GRID	KEY	PAGE
R	54885	F8	45	25-55	R	54912	E7	17	25-32	R	55059	B9	18	10-18
R	54885	F14	45 46	25-61 25-47	R	54912	F7	17 17	25-54	R	55060 55061	B10 B7	19 15	10-19 10-16
R	54887	E22	46	25-47	R	54912	F13	17	25-60	R		E8	29	25-33
R	54887	F12	46	25-59	R	54919	E9	14	25-34	R	55062			
R	54891	E7	15	25-32	R	54921	E9	12	25-34	R	55062	F8	30	25-55
R	54891	F7	15	25-54	R	54921	E9	13	25-34	R	55062	F14	30	25-61
R	54891	F13	15	25-60	R	54921	E19	12	25-44	R	55063	E8	59	25-33
R	54892	E7	9	25-32	R	54921	E19	17	25-44	R	55063	F7 F13	19	25-54 25-60
R	54892	F7	9	25-54	R	54921	F3	11	25-50	R	55063		19	25-60 25-34
R	54892	F13	9	25-60	R	54921	F3	16	25-50	R	55064	E9 E19	1	25-34 25-44
R	54893	E8	34	25-33	R	54921	F9 F9	12	25-56	R	55064		1	25-44 25-50
R	54893	F8 F14	35	25-55	R	54921	F15	17	25-56 25-62	R	55064 55064	F3 F9	1	25-50 25-56
R	54893		35 17	25-61	R	54921	F15	11 16	25-62 25-62	R R	55064	F15	1	25-56 25-62
R	54894 54894	E7 F7	17 17	25-32 25-54	R	54921 54922	E10	35	25-62 25-35	R	55065	E10	58	25-62 25-35
R	54894	F13	17	25-60	R	54922	E20	33	25-35 25-45	R	55065	F4	49	25-55
R	54895	E7	17	25-32	R	54922	F4	32	25-45 25-51	R	55066	E20	49 64	25-45
R	54895	F7	17	25-52 25-54	R	54922	F10	33	25-57	R	55066	F4	63	25-43
R	54895	F13	17	25-60	R	54922	F16	32	25-63	R	55066	F10	64	25-57
R R	54896	E7	17	25-32	R	54922	E10	32 41	25-65 25-35	R	55066	F16	63	25-63
	54896	F7	17	25-52 25-54	R	54923	F4	41	25-55 25-51	R	55067	E11	12	25-36
R	54896	F13	17	25-60	R	54923	F16	41	25-63	R	55068	E11	13	25-36
R	54897	E7	17	25-32	R	54923	E10	70	25-35	R	55069	E11	9	25-36
R		F7	17	25-52 25-54	R	54924	E20	58	25-35 25-45	R	55069	F5	9	25-52
R	54897 54897	F13	17	25-60	R	54924 54924	F10	58	25-45 25-57	R	55069	F17	9	25-52 25-64
R R	54898	E7	17	25-32	R	54925	E10	74	25-35	R	55070	E11	23	25-36
R	54898	F7	17	25-52 25-54	R	54926	E10	66	25-35 25-35	R	55070	E11	27 27	25-36
	54898	F13	17	25-60	R	54926	E20	67	25-45	R	55071	E11	25	25-36
R R	54899	E7	17	25-32	R	54926	F4	66	25- 4 5 25-51	R	55072	E11	24	25-36
R	54899	F7	17	25-54	R	54926	F10	67	25-57	R	55074	E11	5	25-36
R	54899	F13	17	25-60	R	54926	F16	66	25-63	R	55078	B22	6	15-6
R	54990	E7	17	25-32	R	54927	E10	68	25-35	R	55078	B23	13	15-7
R	54900	F7	17	25-52 25-54	R	54930	E22	41	25-47	R	55152	E8	35	25-33
R	54900	F13	17	25-60	R	54930	F12	41	25-59	R	55152	E18	36	25-43
R	54901	E7	17	25-32	R	54931	E21	26	25-46	R	55152	F2	36	25-49
R	54901	F7	17	25-54	R	54931	F11	26	25-58	R	55152	F8	37	25-55
R	54901	F13	17	25-60	R	54932	E9	10	25-34	R	55152	F14	37	25-61
R	54902	E7	17	25-32	R	54932	E20	80	25-45	R	55153	E8	36	25-33
R	54902	F7	17	25-54	R	54932	E22	27	25-47	R	55153	E18	36	25-43
R	54902	F13	17	25-60	R	54932	F10	80	25-57	R	55153	F2	36	25-49
R	54903	E7	17	25-32	R	54932	F12	27	25-59	R	55153	F8	37	25-55
R	54903	F7	17	25-54	R	54933	E21	14	25-46	R	55153	F14	37	25-61
R	54903	F13	17	25-60	R	54933	F11	14	25-58	R	55154	E8	36	25-33
R	54904	E7	17	25-32	R	54936	E21	20	25-46	R	55154	E18	36	25-43
R	54904	F7	17	25-54	R	54936	F11	20	25-58	R	55154	F2	36	25-49
R	54904	F13	17	25-60	R	54937	E19	10	25-44	R	55154	F8	37	25-55
R	54905	E7	17	25-32	R	54937	F9	10	25-56	R	55154	F14	37	25-61
R	54905	F7	17	25-54	R	54938	E19	9	25-44	R	55155	E8	36	25-33
R	54905	F13	17	25-60	R	54938	F9	9	25-56	R	55155	E18	36	25-43
R	54906	E7	17	25-32	R	55022	E11	5	25-36	R	55155	F2	36	25-49
R	54906	F7	17	25-54	R	55024	C1	18	15-8	R	55155	F8	37	25-55
R	54906	F13	17	25-60	R	55024	C2	18	15-9	R	55155	F14	37	25-61
R	54907	E7	17	25-32	R	55025	C1	3	15-8	R	55156	E8	36	25-33
R	54907	F7	17	25-54	R	55025	C2	3	15-9	R	55156	E18	36	25-43
R	54907	F13	17	25-60	R	55026	C1	1	15-8	R	55156	F2	36	25-49
R	54908	E7	17	25-32	R	55027	C1	1	15-8	R	55156	F8	37	25-55
R	54908	F7	17	25-54	R	55027	C2	1	15-9	R	55156	F14	37	25-61
R	54908	F13	17	25-60	R	55028	C1	23	15-8	R	55157	E8	36	25-33
R	54909	E7	17	25-32	R	55028	C2	23	15-9	R	55157	E18	36	25-43
R	54909	F7	17	25-54	R	55029	C3	5	15-10	R	55157	F2	36	25-49
R	54909	F13	17	25-60	R	55030	C3	1	15-10	R	55157	F8	37	25-55
R	54910	E7	17	25-32	R	55030	C4	1	15-11	R	55157	F14	37	25-61
R	54910	F7	17	25-54	R	55031	C3	20	15-10	R	55158	E8	36	25-33
R	54910	F13	17	25-60	R	55055	B9	18	10-18	R	55158	E18	36	25-43
R	54911	E7	17	25-32	R	55056	B10	19	10-19	R	55158	F2	36	25-49
R	54911	F7	17	25-54	R	55057	B9	18	10-18	R	55158	F8	37	25-55
R	54911	F13	17	25-60	R	55058	B10	19	10-19	R	55158	F14	37	25-61
95-1	12				OF	M ENGINES	AND ACCES	SORIES	- 6404D, 6404T	, AND 6	404A PC-	1554 (10-DEC-	76) LI	THO IN U.S.A.
33-	-				٥.							,	-,	

NUMERICAL INDEX - CONTINUED												
PART NO. R 55159 R 55159 R 55159 R 55159 R 55159 R 55160 R 551	GRID KEY E8 36 E18 36 F2 36 F3 37 F14 37 E8 36 F2 F8 37 F14 37 E8 E18 36 F8 37 F14 37 E8 E18 52 F8 11 1 F1 1 1 F1	PAGE 25-33 25-43 25-49 25-55 25-61 25-33 25-49 25-55 25-61 25-33 25-49 25-55 25-61 25-33 25-49 25-55 25-61 25-33 25-49 25-55 25-61 10-22 75-6 75-8 75-8 75-9 10-10	NUMERICAL PART NO. R 56629 R 56630 R 56631 R 56760 R 56934 R 56934 R 569962 R 56997 R 56989 R 56999 R 56989 R 56990 R 56990 R 56990 R 56990 R 56990 R 56990 R 57137 R 57258 R 57841 R 57641 R 57641 R 57641 R 57779 R 57780 R 57780 R 57781 R 57781 R 57781 R 57782 R 57841 R 57641 R 57799 R 57800	HNDEX - CONTROL REPY 16 3 3 2 2 5 5 7 7 5 5 5 2 2 5 5 5 10 11 1 12 7 19 5 8 AA 12 8 18 8 18 1 12 17 19 18 18 18 18 18 18 18 18 18 18 18 18 18	PAGE 15-10 15-10 15-10 15-10 15-10 15-10 15-10 15-10 15-10 15-10 15-12 10-13 10-9 15-16 10-12 10-13 25-34 25-50 25-62 15-6 15-7 25-16 25-38 25-38 25-49 10-10 10-10 25-26 25-26 25-26 15-6 25-26 25-26 15-16 25-26 25-26 15-10 25-26 25-26 15-10 25-26 25-26 15-10 25-26 25-26 15-10 25-26 25-26 25-26 15-10 25-26	PART NO. R 59293 R 59293 R 59294 R 59294 R 59294 R 59299 R 59299 R 59300 R 59300 R 593002 R 59302 R 59304 R 59305 R 59305 R 59305 R 59305 R 59307 R 59308 R 59307 R 59308 R 59307 R 60270 R 60272 R 60272 R 60272 R 60273 R 60273 R 60273 R 60273 R 60274 R 60275 R 60275 R 60276 R 60277 R 60278 R 60279 R 60279 R 60280 R 60281 R 60281 R 60282 R 60283 R 60284 R 60283 R 60284 R 60284 R 60284 R 60285	GRID 6 4 4 4 5 5 5 5 40 0 0 0 37 8 7 8 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PAGE 25-20 25-30 2				
		- 10 1D 010 1T	AND CADAA DC 15	54 (10-DEC-76) LITE	O IN U.S.A.			95-13				

R								- OLIV	LING	INLO AND A	COLS	3011123 -	04040, 04	041,	AND O404A
R 60285 F6 6 25-53 R 60876 E13 9 25-38 R 61894 G22 25 52-54 R 60286 E4 6 25-29 R 60877 D16 8 25-20 R 62104 E21 5 25-88 R 60286 E4 6 25-29 R 60877 D16 8 25-20 R 62104 E21 5 25-88 R 60287 E4 6 25-29 R 60877 E18 8 25-30 R 62105 E11 4 25-48 R 60287 E4 6 25-29 R 60987 E18 4 25-24 R 62287 E4 6 25-29 R 60988 E18 45 25-43 R 62286 E21 1 25-58 R 60988 E4 6 25-53 R 60989 E4 6 25-53 R 60999 E4 6 25-54 R 60999 E4 6 25-54 R 60999 E4 6 25-55 R						1	NUMERICAL	L INDEX	- CON	TINUED					
R	PA	ART NO.	GRID	KEY	PAGE I	PA	ART NO.	GRID	KEY	PAGE	l P	ART NO.	GRID	KEY	PAGE
R											1				
R 60266 E4 6 25-29 R 60877 D16 8 25-20 R 62104 F11 5 25-28 R 60266 F16 6 25-53 R 60877 D16 8 25-20 R 62105 E21 4 25-68 R 60266 F16 6 25-53 R 60877 D17 E15 8 25-40 R 62105 E21 4 25-68 R 60266 F16 6 25-63 R 60267 F18 6 25-63 R 60268 F16 6 25-28 R 60268 F18 6 25-45 R 6												62104			25-46
R 60286 F6 6 25-53 R 60877 E13 8 25-38 R 62105 E21 4 25-46 R 60287 E4 6 25-29 R 60808 E18 45 25-40 R 62105 E21 4 25-58 R 60287 E4 6 25-29 R 60808 E18 45 25-43 R 62106 E21 1 25-46 R 60287 E4 6 25-29 R 60808 E18 45 25-43 R 62106 E21 1 25-46 R 60288 E4 6 25-29 R 60808 E8 46 25-55 R 62107 E71 2 25-58 R 60808 E8 46 25-55 R 62107 E71 2 25-58 R 60808 E8 46 25-55 R 62107 E71 2 25-58 R 62108 E4 6 25-55 R 60808 E74 46 25-55 R 62107 E71 2 25-58 R 62108 E4 6 25-55 R 60808 E74 46 25-55 R 62107 E71 2 25-58 R 62108 E4 6 25-55 R 60808 E74 46 25-55 R 62107 E71 2 25-58 R 62108 E71										25-20		62104		5	25-58
R 60286									8	25-38	R	62105	E21	4	25-46
R 60287 F6 6 25-59 R 60008 E18 45 25-49 R 62106 E21 1 25-46 R 60287 F19 6 25-55 R 60008 F4 64 25-51 R 62107 E21 2 25-46 R 60208 F18 6 25-53 R 60008 F14 64 25-51 R 62107 E21 2 25-46 R 60208 F18 6 25-53 R 60008 F14 64 25-55 R 62107 E21 2 25-46 R 62107 E21 2 25-46 R 62107 E21 2 25-46 R 62107 E21 2 2 25-47 R 62298 E23 E21							60877							4	25-58
R 60287 F6 6 25-53 R 800008 F2 45 25-51 R 62106 F11 1 25-58 R 60288 F4 6 22-53 R 80008 F8 46 25-51 R 62107 F11 2 25-58 R 60288 F4 6 25-25 R 80009 F16 66 22-25 R 62107 F11 2 2-5-58 R 60289 F18 6 22-25 R 60009 F18 69 25-43 R 62210 B13 14 10-25 R 60289 F18 6 25-53 R 60009 F2 49 25-43 R 62245 D16 10-25-20 R 60290 F6 6 25-53 R 60090 F14 50 25-51 R 62245 D16 10-25-30 R 60290 F6							60908	E18					E21	1	
R 60287 F18 6 25-65 R 600008 F4 64 25-55 R 602107 E21 2 25-58 R 60288 F6 6 25-53 R 600008 F14 46 25-55 R 62107 F11 2 25-58 R 60288 F6 6 25-253 R 600008 F14 46 25-431 R 621010 B13 14 10-22 R 60289 F6 6 25-253 R 60000 F16 64 25-404 R 62210 B13 12 10-22 R 60289 F18 6 25-65 R 60000 F14 50 25-55 R 62210 10 25-29 R 60290 F18 6 25-53 R 60910 F12 33 25-99 R 62410 A18 8 10-5 60000 60000													F11		
R 60288 E4 6 25-29 R 60908 F9 46 25-55 R 62107 F11 2 25-58 R 60288 F16 6 25-55 R 60909 F16 64 25-63 R 62110 B13 14 10-25 R 60289 F16 6 25-35 R 60090 F16 64 25-43 R 62239 B23 12 11-27 R 60289 F16 6 25-35 R 60090 F18 49 25-44 R 62238 B23 12 11-2 25-28 R 60290 F16 6 25-53 R 60010 F22 33 25-59 R 62410 A18 B 10-25 R 60291 F6 6 25-53 R 60911 F12 23 25-59 R 62410 A19 7 10-6													E21		25-46
R 60288 F6 6 25-53 R 609098 F14 46 25-61 R 62109 B13 12 10-22 R 60289 F6 6 25-59 R 609099 F18 49 25-43 R 62239 B23 12 15-7 R 60289 F18 6 25-55 R 60909 F18 9 25-43 R 62239 B23 20 15-7 R 60289 F18 6 25-55 R 60909 F18 50 25-55 R 62245 E18 10 25-28 R 60280 F18 6 25-28 R 60010 F12 23 22-547 R 62245 E18 10 25-29 R 602291 F6 6 25-53 R 60011 F12 22 25-59 R 62410 B14 1 10-23 R									46	25-55			F11		25-58
R 60288 FIR 6 25-65 R 609098 FIR 49 25-43 R 62210 B13 12 10-22 R 60289 FIR 6 25-53 R 60909 F2 49 25-49 R 62239 B23 12 11-57 R 60289 FIR 6 25-53 R 60909 F2 49 25-49 R 62239 B23 12 11-57 R 60290 FR 60290 FR 60290 FR 60290 FR 60280 FR 60281 FR 60281 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>46</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									46						
R 60289 EA 6 25-29 R 60909 E18 99 25-49 R 62299 B23 12 15-77 R 60289 F16 6 25-55 R 60290 F2 89 25-55 R 62245 D16 10 25-20 R 60290 F2 6 25-53 R 60901 F2 29 25-47 R 62245 E16 10 25-26 R 60220 F6 6 25-53 R 60911 F12 23 25-59 R 62410 AM 8 10-16 R 60291 F6 6 25-53 R 60911 F12 33 25-59 R 62410 AM 8 10-12 R 60291 F18 6 25-53 R 60911 F15 12 25-62 R 62419 B7 7 10-23 R															
R 60289 F6 6 25-53 R 60909 F2 49 25-49 R 62239 B23 20 15-7 R 60290 F4 6 25-59 R 60909 F8 50 25-56 R 62245 E13 10 25-29 R 60290 F18 6 25-58 R 60910 E22 33 25-54 R 62245 E13 10 25-48 R 60291 F18 6 25-58 R 60911 E22 33 25-59 R 62410 A18 8 10-16 R 60281 F18 6 25-53 R 60911 F12 32 25-59 R 62410 A18 1 10-16 R 60281 F18 6 25-53 R 60912 F3 12 25-59 R 62410 A18 1 10-16 R <					25-29		60909								
R 60289 F18 6 25-65 R 60909 F14 50 25-55 R 62245 D16 10 25-28 R 60909 F14 50 25-51 R 62245 E13 10 25-38 R 60290 F16 6 25-53 R 60910 F12 33 25-59 R 62245 E13 10 25-38 R 60290 F18 6 25-55 R 60910 F12 33 25-59 R 62410 A18 R 60291 F16 6 25-53 R 60911 F12 32 25-50 R 62410 A19 7 10-6 R 60291 F18 6 25-65 R 60911 F12 32 25-59 R 62410 A19 7 10-6 R 60291 F18 6 25-55 R 60912 F15 12 25-62 R 62410 B14 1 10-23 R 60291 F18 6 25-55 R 60912 F15 12 25-62 R 62418 B7 7 10-16 R 60282 F16 6 25-53 R 60912 F15 12 25-62 R 62418 B7 7 10-16 R 60282 F16 6 25-53 R 60912 F15 2 25-62 R 62418 B7 8 10-16 R 60283 F16 8 25-63 R 60913 F15 20 25-50 R 62420 B7 8 10-16 R 60283 F16 6 25-53 R 60913 F15 20 25-50 R 62420 B7 8 10-16 R 60283 F16 6 25-53 R 60913 F15 20 25-50 R 62420 B7 8 10-16 R 60283 F16 8 25-63 R 60913 F15 20 25-50 R 62420 B7 8 10-16 R 60283 F16 6 25-53 R 60914 F16 55 25-53 R 60913 F15 20 25-60 R 62421 B7 8 10-16 R 60283 F16 8 25-63 R 60914 F16 55 25-53 R 60916 F16 70 25-50 R 62620 R 62670 G22 R 62420 R 62421 B7 8 10-16 R 60284 F16 6 25-53 R 60916 F15 10 25-62 R 62670 G22 1 8 55-14 R 60284 F16 6 25-53 R 60916 F10 79 25-50 R 62670 G21 10 85-12 R 60295 F18 6 25-53 R 60916 F10 79 25-57 R 62670 G21 13 85-12 R 60295 F18 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-59 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-59 R 60916 F10 79 25-57 R 62670 G21 13 85-12 R 60296 F18 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-59 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-59 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-59 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60296 F18 6 25-59 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60916 F10 79 25-57 R 62673 G21 32 85-13 R 60916 F10 79 25-57 R															
R 600290 E4 6 25-29 R 600910 E22 33 25-61 R 602245 E13 10 25-86 R 60290 F18 6 25-85 R 60910 E22 33 25-59 R 62410 A18 8 10-5 R 60291 F6 6 25-53 R 60911 F12 32 25-59 R 62410 A18 8 10-16 R 60291 F6 6 25-53 R 60912 F3 12 25-50 R 62410 B14 1 10-26 R 60292 F6 6 25-53 R 60913 F3 20 25-50 R 62419 B7 10-16 R 60292 F18 6 25-53 R 60913 F3 20 25-62 R 62419 B7 10-16 R 60293 F18															25-20
R 600290 F6 6 25-53 R 60910 F12 33 25-69 R 62201 E4 6 25-65 R 60910 F12 33 25-59 R 62410 A18 8 10-5 R 60291 F6 6 25-53 R 60911 F12 32 25-59 R 62410 A19 7 10-6 R 60291 F18 6 25-65 R 60912 F15 12 25-50 R 62418 B7 7 10-16 R 60292 F6 6 25-53 R 60912 F15 12 25-50 R 62419 B7 7 10-16 R 60292 F6 6 25-53 R 60913 F15 20 25-50 R 62419 B7 8 10-16 R 60283 F6 6 25-53 R 60914															
R 600291 F18 6 25-65 R 60910 F12 33 25-59 R 62410 A18 8 10-5 R 600291 F6 6 25-53 R 60911 F12 32 25-50 R 62410 A19 7 10-6 R 600291 F18 6 25-53 R 60912 F3 12 25-50 R 62418 B7 7 10-16 R 600292 F6 6 25-53 R 60912 F15 12 25-50 R 62419 B7 7 10-16 R 600292 F18 6 25-65 R 60913 F15 20 25-62 R 62420 B7 8 10-16 R 600293 F6 6 25-53 R 60915 F3 10 25-50 R 62667 G23 8 62410 B9 7											1				
R 60291 E4 6 25-29 R 60911 F12 32 25-59 R 62410 B14 1 10-28 R 60291 F18 6 25-65 R 60912 F13 12 25-50 R 62419 B7 7 10-16 R 60282 F6 6 25-53 R 60912 F15 12 25-62 R 62419 B7 8 10-16 R 60282 F6 6 25-53 R 60913 F15 20 25-62 R 62421 B7 8 10-16 R 60293 F6 6 25-53 R 60914 F16 55 25-61 R 62667 G23 6 86-14 R 60293 F6 6 25-53 R 60915 F15 10 25-62 R 62670 G21 11 86-12 R 6												62410			
R 60291 F6 6 25-53 R 60912 F3 32 25-59 R 62418 B7 7 10-16 R 60292 F6 6 25-53 R 60912 F13 12 25-50 R 62418 B7 7 10-16 R 60292 F16 6 25-53 R 60913 F13 20 25-50 R 62419 B7 8 10-16 R 60293 F18 6 25-563 R 60914 F4 65 25-51 R 62667 G23 6 10-16 8-14 R 60293 F6 6 25-53 R 60914 F16 65 25-35 R 62668 G23 8 8-14 R 60293 F16 6 25-53 R 60916 F10 0 25-83 R 62669 G22 1 85-12															
R 600291 F18 6 25-65 R 60912 F13 12 25-50 R 62419 B7 7 10-16 R 60292 F6 6 25-53 R 60913 F13 20 25-50 R 62421 B7 8 10-16 R 60292 F18 6 25-53 R 60913 F15 20 25-62 R 62421 B7 6 10-16 R 60293 F6 6 25-53 R 60914 F16 65 25-63 R 62668 G23 8 6-14 R 60293 F18 6 25-65 R 60915 F15 10 25-62 R 62667 G21 11 85-12 R 60294 F6 6 25-53 R 60916 F4 78 25-51 R 62672 G23 85-12 R 60295															
R 60292 F6 6 25-53 R 60913 F3 20 25-50 R 62420 B7 8 10-16 R 60292 F18 6 25-65 R 60913 F3 20 25-60 R 62420 B7 8 10-16 R 60293 F4 6 25-65 R 60913 F18 20 25-60 R 62421 B7 6 10-16 R 60293 F6 6 25-53 R 60914 F4 55 25-61 R 62421 B7 6 10-16 R 60293 F18 6 25-65 R 60914 F4 55 25-61 R 62421 B7 6 10-16 R 60293 F18 6 25-65 R 60914 F16 55 25-61 R 62668 G23 6 85-14 R 60293 F18 6 25-65 R 60915 F3 10 25-60 R 62668 G23 8 85-14 R 60294 F6 6 25-53 R 60916 F20 79 25-45 R 62669 G22 11 85-12 R 60294 F6 6 25-53 R 60916 F10 79 25-62 R 62671 G21 13 85-12 R 60294 F6 6 25-65 R 60916 F10 79 25-65 R 62671 G21 13 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-67 R 62672 G22 3 85-13 R 60295 F6 6 25-53 R 60916 F10 79 25-67 R 62673 G21 32 85-12 R 60295 F18 6 25-65 R 60921 F10 79 25-67 R 62673 G21 32 85-12 R 60296 F6 6 25-53 R 60921 F10 79 25-67 R 62873 G21 32 85-12 R 60296 F6 6 25-53 R 60921 F10 34 25-65 R 62986 B1 6 10-11 R 60296 F6 6 25-53 R 60921 F10 34 25-67 R 62898 B2 7 10-11 R 60297 F6 6 25-53 R 60921 F10 34 25-67 R 63000 B2 7 10-11 R 60297 F6 6 25-53 R 60921 F10 34 25-67 R 63000 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63000 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61119 D15 9 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 11B 25-18 R 63000 B2 7 10-11 R															
R 60292 F18 6 25-55 R 60913 F15 20 25-62 R 62421 B7 6 10-16 R 60293 F18 6 25-65 R 60913 F15 20 25-62 R 62421 B7 6 10-16 R 60293 F6 6 25-53 R 60914 F16 55 25-563 R 62868 G23 8 85-14 R 60293 F18 6 25-65 R 60914 F16 55 25-563 R 62868 G23 8 85-14 R 60293 F18 6 25-65 R 60914 F16 55 25-563 R 62868 G23 8 85-14 R 60293 F18 6 25-65 R 60915 F13 10 25-50 R 62868 G22 11 85-13 R 60294 F18 6 25-56 R 60915 F15 10 25-50 R 62868 G22 11 85-13 R 60294 F18 6 25-56 R 60915 F15 10 25-50 R 62869 G22 11 85-13 R 60294 F18 6 25-55 R 60915 F15 10 25-50 R 62869 G22 11 85-13 R 60294 F18 6 25-55 R 60916 F10 79 25-56 R 62870 G21 10 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62870 G21 10 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62873 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62874 G21 2 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-56 R 62868 B1 6 10-10 R 60295 F18 6 25-69 R 60921 F4 33 25-51 R 62868 B1 6 10-10 R 60296 F18 6 25-59 R 60921 F40 33 25-51 R 62887 B2 7 10-11 R 60296 F18 6 25-55 R 60921 F10 34 25-57 R 62888 B2 7 10-11 R 60296 F18 6 25-55 R 60921 F10 34 25-57 R 62987 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63002 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63000 B2 7 10-11 R 60298 F18 6 25-65 R 60921 F10 34 25-57 R 63004 B2 7 10-11 R 60298 F18 6 25-65 R 60921 F10 34 25-57 R 63004 B2 7 10-11 R 60299 F18 6 25-65 R 60921 F10 B2 25-83 R 61119 D15 11B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 6011 R 61119 D15 11B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10B 25-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 60120 D15 10B 25-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 60120 D15 10B 25-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 60120 D15 10B 25-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 60120 D15 10B 25-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 60120 D15 10B 25-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 60060 F18 D15 10B 25-86 R 60007 F18 D15 10B 25-66 R 60007 F18 D15 10B 25-66 R 60007 F18 D15 10B 25-66 R 60007 F18 D1								F15					B7		
R 60293 E4 6 25-29 R 60914 F4 55 25-51 R 62867 G23 6 85-14 R 60293 F6 6 25-53 R 60914 F4 55 25-51 R 62867 G23 6 85-14 R 60293 F6 6 25-53 R 60914 F4 55 25-50 R 62868 G23 6 85-14 R 60293 F18 6 25-65 R 60915 F3 10 25-50 R 62868 G23 8 85-14 R 60294 F6 6 25-53 R 60915 F3 10 25-62 R 62869 G22 11 85-14 R 60294 F6 6 25-53 R 60915 F3 10 25-62 R 62869 G22 11 85-14 R 60294 F6 6 25-53 R 60915 F3 10 25-62 R 62867 G21 13 85-12 R 60294 F6 6 25-53 R 60916 F2 79 25-45 R 62867 G21 13 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-67 R 62867 G21 32 85-12 R 60295 F6 6 25-65 R 60916 F10 79 25-67 R 62867 G21 32 85-12 R 60295 F6 6 25-65 R 60916 F10 79 25-67 R 62867 G21 32 85-12 R 60295 F18 6 25-65 R 60916 F10 79 25-67 R 62867 G21 32 85-12 R 60295 F18 6 25-65 R 60921 F20 34 25-65 R 62868 B1 6 10-10 R 60296 F18 6 25-65 R 60921 F10 39 25-67 R 62886 B1 6 10-10 R 60296 F18 6 25-53 R 60921 F10 39 25-67 R 62886 B1 6 10-10 R 60297 F6 6 25-53 R 60921 F10 33 25-67 R 62888 B2 7 10-11 R 60297 F6 6 25-53 R 60921 F10 33 25-63 R 63000 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63000 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61119 D15 118 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60472 B2 8 10-11 R 61122 D13 4 25-51 R 63006 F11 10 25-48 R 60473 B2 8 10-11 R 61124 D13 5 25-18 R 63000 B2 7 10-11 R 60473 B2 8 10-11 R 61124 D13 5 25-18 R 63000 B2 7 10-11 R 60473 B2 8 10-11 R 61124 D13 5 25-18 R 63000 B2 7 10-11 R 60473 B2 8 10-11 R 61124 D13 5 25-18 R 63000 B2 7 10-11 R 60473 B2 8 10-11 R 61124 D13 5 25-18 R 63000 B2 7 10-11 R 60473 B2 8 10-11 R 61124 D13 5 25-18 R 63000 F11 10 25-58 R 60473 B2 8 10-11 R 61124 D13 5 25-28 R 63000 F11 10 25-58 R 60473 B2 8 10-11 R														-	
R 60293 F6 6 25-59 R 60914 F4 55 25-51 R 62667 Q23 6 85-14 R 60293 F18 6 25-63 R 60914 F16 55 25-63 R 62669 Q22 11 85-13 R 60294 E4 6 25-65 R 60915 F3 10 25-50 R 62669 Q22 11 85-13 R 60294 E4 6 25-29 R 60915 F3 10 25-62 R 62670 Q21 10 85-12 R 60294 F18 6 25-65 R 60915 F15 10 25-62 R 62671 Q21 13 85-12 R 60294 F18 6 25-65 R 60916 F20 79 25-45 R 62671 Q21 13 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62673 Q21 32 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62673 Q21 32 85-12 R 60295 F18 6 25-53 R 60916 F10 79 25-57 R 62673 Q21 32 85-12 R 60295 F18 6 25-65 R 60921 E20 34 25-45 R 62674 Q21 2 85-12 R 60295 F18 6 25-65 R 60921 E20 34 25-45 R 62966 B1 6 10-10 R 60296 F18 6 25-59 R 60921 F10 34 25-57 R 62966 B1 6 10-10 R 60295 F6 6 25-53 R 60921 F10 34 25-57 R 62968 B2 7 10-11 R 60296 F18 6 25-65 R 60921 F10 34 25-57 R 62098 B2 7 10-11 R 60297 F18 6 25-65 R 60921 F18 32 25-63 R 63003 B2 7 10-11 R 60297 F18 6 25-53 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-53 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60299 F18 6 25-65 R 61119 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61119 D15 11B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10B 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 61120 D15 10B 25-18 R 63005 B2 7 10-11 R 60299 F18 6 25-56 R 60060 B1 3 10-10 R 61144 D16 19 25-26 R 63057 F11 15 25-56 R 60071 B1 3 10-10 R 61144 D16 19 25-26 R 63055 F11 1 25-56 R 60060 B1 3 10-10 R 611													B7		
R 60293 F18 6 25-65 R 60915 F3 10 25-50 R 62668 Q22 8 85-14 R 60294 F6 6 25-29 R 60915 F15 10 25-62 R 62670 Q21 10 85-12 R 60294 F6 6 25-53 R 60916 F4 78 25-51 R 62670 Q21 10 85-12 R 60294 F18 6 25-65 R 60916 F4 78 25-51 R 62671 Q21 13 85-12 R 60295 F4 6 25-65 R 60916 F4 78 25-51 R 62672 Q22 3 85-12 R 60295 F4 6 25-59 R 60916 F4 78 25-51 R 62672 Q22 3 85-12 R 60295 F6 6 25-59 R 60916 F4 78 25-51 R 62672 Q22 3 85-12 R 60295 F6 6 25-59 R 60916 F10 79 25-57 R 62672 Q22 3 85-12 R 60295 F18 6 25-65 R 60916 F10 79 25-57 R 62674 Q21 2 85-12 R 60295 F18 6 25-65 R 60916 F16 78 25-57 R 62674 Q21 2 85-12 R 60295 F18 6 25-65 R 60921 F20 34 25-57 R 62887 B2 7 10-11 R 60296 F6 6 25-53 R 60921 F10 33 25-51 R 62987 B2 7 10-11 R 60297 F6 6 25-53 R 60921 F10 34 25-57 R 62987 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 118 25-18 R 63003 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 118 25-18 R 63000 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 118 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D2 7 25-27 R 63006 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60047 B2 8 10-11 R 60047 B2 8 10-11 R 60047 B2 8 10-11															
R 60294 E4 6 25-65 R 60915 F3 10 25-62 R 62669 G22 11 85-13 R 606915 F3 10 25-62 R 62670 G21 10 85-12 R 60294 F16 6 25-53 R 60916 E20 79 25-45 R 62671 G21 13 85-12 R 60294 F18 6 25-65 R 60916 F4 78 25-51 R 62672 G22 3 85-12 R 60295 F16 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-12 R 60295 F16 6 25-65 R 60916 F10 79 25-57 R 62673 G21 32 85-12 R 60295 F18 6 25-65 R 60921 F20 34 25-51 R 62673 G21 32 85-12 R 60295 F18 6 25-65 R 60921 F10 79 25-57 R 62687 G21 32 85-12 R 60295 F18 6 25-65 R 60921 F10 79 25-57 R 62897 B2 7 10-11 R 60296 F16 6 25-53 R 60921 F10 34 25-57 R 62986 B1 6 10-10 R 60297 F18 6 25-65 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F18 6 25-65 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F18 6 25-65 R 60921 F10 34 25-57 R 63002 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 11 S2-18 R 63003 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 11 S2-18 R 63004 B2 7 10-11 R 60298 F18 6 25-53 R 61119 D15 11 S2-18 R 63004 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 11 S2-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61119 D15 11 S2-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 S2-51 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10 R 60472 B2 R 60473 B2 R 60473 B2 R 10-11 R 61123 D15 AB 25-18 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D13 6 25-16 R 63005 F11 17 25-86 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63005 F11 17 25-86 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63005 F11 17 25-86 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63005 F11 10 25-58 R 60471 B2 8 10-11 R 61124 D13 5 25-16 R 63005 F11 10 25-58 R 60484 B1 3 10-10 R 61144 D16 19 25-20 R 63005 F11 10 25-58 R 60484 B1 3 10-															
R 60294 E4 6 25-29 R 60915 F15 10 25-62 R 62670 G21 10 85-12 R 60294 F6 6 25-53 R 60916 F4 78 25-51 R 62873 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62873 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62873 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62873 G21 32 85-12 R 60295 F18 6 25-63 R 60916 F10 79 25-57 R 62873 G21 32 85-12 R 60295 F18 6 25-63 R 60916 F10 79 25-57 R 62873 G21 32 85-12 R 60295 F18 6 25-63 R 60916 F10 79 25-57 R 62887 B2 7 10-11 R 60296 F18 6 25-65 R 60921 F20 34 25-45 R 62986 B1 6 10-10 R 60296 F18 6 25-59 R 60921 F10 34 25-57 R 62987 B2 7 10-11 R 60296 F18 6 25-55 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F6 6 25-59 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F18 6 25-65 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F18 6 25-55 R 61118 D15 9 25-18 R 63002 B2 7 10-11 R 60297 F18 6 25-55 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60298 F18 6 25-55 R 61119 D15 11B 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-59 R 61119 D15 11B 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-59 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-59 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-59 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-59 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-59 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-59 R 61121 E1 3 25-26 R 63008 B2 7 10-11 R 60299 F18 6 25-59 R 61121 E1 3 25-26 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 10B 25-18 R 63008 B2 7 10-11 R 60299 F18 6 25-65 R 61122 E1 1 25-26 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61122 E1 1 25-26 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61122 E1 1 25-26 R 63007 B2 7 10-11 R 61123 E2 1 25-46 R 63007 B2 7 10-11 R 61124 E1 2 25-26 R 63007 B2 7 10-11 R 61124 E1 2 25-26 R 63007 B2 7 10-11 R 61124 E1 2 25-26 R 63007 F11 15 25-26 R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63067 F21 15 25-48 R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63066 F11 17 25-88 R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63066 F11 1 2 25-58 R 60478 B1 3 10-10 R 6114															
R 60294 F18 6 25-53 R 60916 E20 79 25-45 R 62671 G21 13 85-12 R 60294 F18 6 25-55 R 60916 F10 79 25-57 R 62673 G22 385-13 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-12 R 60295 F18 6 25-65 R 60916 F10 79 25-57 R 62986 B1 6 10-10 R 60296 F6 6 25-53 R 60921 F20 34 25-45 R 62297 B2 7 10-11 R 60296 F6 6 25-53 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F4 6 25-29 R 60921 F16 33 25-63 R 63002 B2 7 10-11 R 60297 F6 6 25-53 R 60921 F16 33 25-63 R 63002 B2 7 10-11 R 60297 F18 6 25-65 R 61118 E2 6 25-27 R 63004 B2 7 10-11 R 60297 F18 6 25-55 R 61118 E2 8 25-27 R 63005 B2 7 10-11 R 60298 F6 6 25-53 R 61119 E2 8 25-27 R 63006 B2 7 10-11 R 60298 F6 6 25-53 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60298 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 B2 7 10-11 R 60299 F18 6 25-65 R 61120 E2 7 25-27 R 63006 F11 10 25-58 R 60473 B2 8 10-11 R 61122 E1 1 25-66 R 63010 B1 6 10-10 R 61144 E1 25-66 R 63010 B1 6 10-10 R 61144 E1 25-66 R 63054 E21 10 25-68 R 60473 B2 8 10-11 R 61122 E1 1 25-26 R 63057 F11 15 25-68 R 60478 B1 3 10-10 R 61144 E1 25-26 R 63057 F11 10 25-58 R 60478 B1 3 10-10 R 61144 E1 30 25-39 R 63060 F11 9 25-46 R 60478 B1 3 10-10 R 61144 E1 30 25-39 R 63060 F11 9 25-46 R 60479 B1 3 10-10 R 61144 E1 30 25-39 R 63060 F11 9 25-46 R 60484 B1 3 10-10 R 61144 E1 30 25-39 R 63060 F11 9 25-46 R 60484 B1 3 10-10 R 61144 E1 30 2								F15							
R 60294 F18 6 25-65 R 60916 F4 78 25-51 R 62872 G22 3 85-13 R 60295 F4 6 25-29 R 60916 F10 79 25-57 R 62873 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F16 78 25-63 R 62874 G21 2 85-12 R 60295 F18 6 25-65 R 60921 F10 34 25-67 R 62878 B2 7 10-11 R 60296 F1 6 25-29 R 60921 F10 34 25-57 R 62878 B2 7 10-11 R 60296 F18 6 25-65 R 60921 F10 34 25-57 R 62888 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-65 R 61118 D15 9 25-18 R 63004 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 118 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 118 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 118 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 118 25-18 R 63007 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 108 25-18 R 63007 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 108 25-18 R 63007 B2 7 10-11 R 60298 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61122 D13 4 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61122 D13 4 25-16 R 63054 E21 16 25-66 R 60472 B2 8 10-11 R 61123 E2 1 25-26 R 63056 E21 17 25-46 R 60478 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-88 R 60478 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-88 R 60479 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-88 R 60479 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-88 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63066 F11 7 25-88 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63060 E21 10 25-68 R 60479 B1 3 10-10 R 61144 E14 36 25-29 R 63066 F11 17 25-88 R 60479 B1 3 10-10 R 61144 E14 36 25-29 R 63066 F11 17 25-88 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63066 F11 17 25-88 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63066 F11 1 2 25-88															
R 60295 F6 6 25-53 R 60916 F10 79 25-57 R 62673 G21 32 85-12 R 60295 F6 6 25-53 R 60916 F16 78 25-63 R 62674 G21 2 85-12 R 60295 F18 6 25-65 R 60921 F20 34 25-45 R 62986 B1 6 10-10 R 60296 F6 6 25-53 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60296 F6 6 25-53 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F4 6 25-29 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-65 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 118 25-18 R 63000 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 118 25-18 R 63005 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 118 25-18 R 63005 B2 7 10-11 R 60298 F18 6 25-65 R 61119 D15 108 25-18 R 63005 B2 7 10-11 R 60298 F18 6 25-65 R 61120 D15 108 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F6 6 25-53 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61120 D15 108 25-18 R 63000 B2 7 10-11 R 60299 F18 6 25-65 R 61121 D13 6 25-16 R 63001 B1 6 10-10 R 60472 B2 8 10-11 R 61122 D13 4 25-16 R 63054 F11 16 25-48 R 60473 B2 8 10-11 R 61122 D13 4 25-16 R 63054 F11 16 25-48 R 60473 B2 8 10-11 R 61123 D15 48 25-18 R 63056 E21 17 25-48 R 60473 B2 8 10-11 R 61123 D15 48 25-18 R 63056 F21 17 25-548 R 60473 B2 8 10-11 R 61124 D13 5 25-16 R 63057 E21 15 25-54 R 60479 B1 3 10-10 R 61144 D16 19 25-20 R 63058 E21 12 25-46 R 60479 B1 3 10-10 R 61144 D16 19 25-20 R 63059 E21 10 25-34 R 60482 B1 3 10-10 R 61144 D16 19 25-20 R 63059 F11 10 25-34 R 60483 B1 3 10-10 R 61144 D16 19 25-20 R 63059 F11 10 25-34 R 60483 B1 3 10-10 R 61144 D16 19 25-20 R 63059 E21 10 25-34 R 60483 B1 3 10-10 R 61144 D16 19 25-20 R 63059 E21 10 25-34 R 60483 B1 3 10-10 R 61144 D16 19 25-20 R 63059 E21 10 25-34 R 60483 B1 3 10-10 R 61144 D16 19 25-20 R 63059 F11 10 25-34 R 60483 B1 3 10-10 R 61147 E16 28 25-41 R 63059 F11 10 25-34 R 60483 B1 3 10-10 R 61147 E16 28 25-41 R 63059 F															
R 60295 F6 6 25-65 R 60916 F16 78 25-63 R 62674 G21 2 85-12 R 60295 F18 6 25-65 R 60921 F4 33 25-51 R 62987 B2 7 10-11 R 60296 F6 6 25-53 R 60921 F10 34 25-57 R 62987 B2 7 10-11 R 60296 F18 6 25-65 R 60921 F10 33 25-63 R 63002 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63004 B2 7 10-11 R 60297 F6 6 25-63 R 61119 D15 118 25-18 R 63004 B2 7 10-11 R 6029															
R 60295 F18 6 25-65 R 60921 E20 34 25-45 R 62986 B1 6 10-10 R 60296 F6 6 25-29 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60296 F16 6 25-25 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F4 6 25-29 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-565 R 61119 D15 118 25-18 R 63004 B2 7 10-11 R 60298 F4 6 25-53 R 61120 D15 108 25-18 R 63006 B2 7 10-11 R 6															
R 60296 E4 6 25-29 R 60921 F4 33 25-51 R 62987 B2 7 10-11 R 60296 F18 6 25-53 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 F6 6 25-53 R 61118 D15 9 25-18 R 63002 B2 7 10-11 R 60297 F6 6 25-563 R 61118 E2 6 25-27 R 63004 B2 7 10-11 R 60298 F4 6 25-65 R 61119 D15 118 25-18 R 63005 B2 7 10-11 R 60298 F6 6 25-53 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60299<															
R 60296 F18 6 25-53 R 60921 F10 34 25-57 R 62988 B2 7 10-11 R 60297 E4 6 25-29 R 61118 D15 9 25-18 R 63002 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 118 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-65 R 61119 D15 118 25-18 R 63004 B2 7 10-11 R 60298 F18 6 25-29 R 61119 D15 118 25-18 R 63005 B2 7 10-11 R 60298 F18 6 25-29 R 61119 D15 108 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-29 R 61119 D15 108 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60298 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60298 F18 6 25-65 R 61120 D15 108 25-18 R 63007 B2 7 10-11 R 60299 F6 6 25-53 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61122 D13 4 25-16 R 63010 B1 6 10-10 R 60472 B2 8 10-11 R 61123 D15 48 25-18 R 63054 E21 16 25-48 R 60474 B2 8 10-11 R 61123 D15 48 25-18 R 63054 E21 17 25-46 R 60474 B2 8 10-11 R 61123 D15 48 25-18 R 63056 E21 17 25-46 R 60476 B2 8 10-11 R 61123 D15 48 25-18 R 63056 E21 17 25-46 R 60476 B1 3 10-10 R 61124 D13 5 25-16 R 63057 F11 15 25-46 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 F11 15 25-46 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 F11 15 25-46 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 F11 15 25-46 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 F11 15 25-46 R 60480 B1 3 10-10 R 61144 D16 19 25-20 R 63058 E21 12 25-48 R 60480 B1 3 10-10 R 61144 D16 19 25-20 R 63059 E21 10 25-48 R 60480 B1 3 10-10 R 61144 D16 19 25-20 R 63059 E21 10 25-48 R 60480 B1 3 10-10 R 61144 D16 19 25-20 R 63059 E21 10 25-48 R 60480 B1 3 10-10 R 61144 D16 19 25-20 R 63060 E21 9 25-48 R 60480 B1 3 10-10 R 61144 D16 19 25-20 R 63060 E21 9 25-48 R 60480 B1 3 10-10 R 61144 D16 19 25-20 R 63060 E21 9 25-48 R 60480 B1 3 10-10 R 61144 D16 E14 40 25-39 R 63060 E21 12 25-48 R 60480 B1 3 10-10 R 61144 D16 E14 40 25-39 R 63060 E21 12 25-48 R 60480 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 12 25-48 R 60480 B1 3 10-10 R 61146 E14 40 25-39 R 6306							60021						B2		
R 602967 F4 6 25-65 R 60921 F16 33 25-63 R 63002 B2 7 10-11 R 60297 F6 6 25-29 R 61118 D15 9 25-18 R 63004 B2 7 10-11 R 60297 F6 6 25-53 R 61118 E2 6 25-27 R 63004 B2 7 10-11 R 60298 F4 6 25-53 R 61119 E2 8 25-27 R 63005 B2 7 10-11 R 60298 F4 6 25-63 R 61120 E2 7 25-27 R 63000 B2 7 10-11 R 60298 F4 6 25-63 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60122 D13													D2		
R 60297 E4 6 25-29 R 61118 D15 9 25-18 R 63003 B2 7 10-11 R 60297 F18 6 25-53 R 61119 D15 118 25-18 R 63005 B2 7 10-11 R 60298 F4 6 25-29 R 61119 D15 118 25-18 R 63006 B2 7 10-11 R 60298 F6 6 25-53 R 61120 D15 108 25-18 R 63006 B2 7 10-11 R 60298 F6 6 25-65 R 61120 D15 108 25-16 R 63008 B2 7 10-11 R 60299 F6 6 25-53 R 61121 D13 6 25-16 R 63008 B2 7 10-11 R 604													D2		
R 60297 F6 6 25-53 R 61118 E2 6 25-27 R 63005 B2 7 10-11 R 60298 E4 6 25-65 R 61119 D15 11B 25-18 R 63005 B2 7 10-11 R 60298 F4 6 25-29 R 61120 D15 10B 25-18 R 63006 B2 7 10-11 R 60298 F18 6 25-63 R 61120 D2 7 25-27 R 63008 B2 7 10-11 R 60299 F4 6 25-53 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-63 R 61121 E1 3 25-26 R 63054 E21 16 25-58 R 60472 </td <td></td> <td>D2</td> <td></td> <td></td>													D2		
R 60297 F18 6 25-65 R 61119 D15 11B 25-18 R 63005 B2 7 10-11 R 60298 F6 6 25-29 R 61120 D15 10B 25-18 R 63006 B2 7 10-11 R 60298 F6 6 25-53 R 61120 D2 7 25-27 R 63008 B2 7 10-11 R 60299 F6 6 25-53 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F6 6 25-53 R 61122 D13 4 25-16 R 63054 E21 10-11 R 60472 B2 8 10-11 R 61122 D13 4 25-18 R 63054 F11 16 25-58 R 60473 B													D2		
R 60298 E4 6 25-29 R 61119 E2 8 25-27 R 63006 B2 7 10-11 R 60298 F18 6 25-53 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60298 F18 6 25-65 R 61120 E2 7 25-27 R 63008 B2 7 10-11 R 60299 E4 6 25-29 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61121 E1 3 25-26 R 63010 B1 6 10-10 R 60299 F18 6 25-65 R 61122 D13 4 25-16 R 63004 E21 16 25-46 R 60472 B2 8 10-11 R 61122 D13 4 25-16 R 63054 E21 16 25-46 R 60473 B2 8 10-11 R 61123 D15 4B 25-18 R 63056 E21 17 25-46 R 60473 B2 8 10-11 R 61123 D15 4B 25-18 R 63056 E21 17 25-48 R 60475 B2 8 10-11 R 61124 D13 5 25-16 R 63057 E21 15 25-48 R 60476 B1 3 10-10 R 61124 D13 5 25-16 R 63057 E21 15 25-48 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 E21 15 25-48 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 E11 12 25-48 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 E11 15 25-48 R 60478 B1 3 10-10 R 61124 D13 5 25-16 R 63057 E11 15 25-48 R 60479 B1 3 10-10 R 61124 D16 19 25-20 R 63058 E21 17 25-46 R 60481 B1 3 10-10 R 61144 D16 19 25-20 R 63058 E21 10 25-46 R 60481 B1 3 10-10 R 61144 E16 27 25-41 R 63059 E21 10 25-46 R 60481 B1 3 10-10 R 61144 E16 27 25-41 R 63059 F21 10 25-46 R 60482 B1 3 10-10 R 61144 E16 27 25-41 R 63060 E21 9 25-48 R 60480 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60482 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60484 B1 2 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60484 B1 2 10-10 R 61147 E14 37 25-39 R 63060 E21 9 25-46 R 60484 B1 2 10-10 R 61147 E14 37 25-39 R 63060 E21 9 25-48 R 60650 B9 3 10-18 R 61147 E14 37 25-39 R 63060 E21 9 25-48 R 60711 D8 18 25-10 R 61608 B2 8 10-11 R 63064 F11 R 63064 F11 R 63064 F11 R 63064 F11 R 63065 F11 R 63065 F1 4 25-48 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63065 F1 4 25-48 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63065 F1 4 25-48 R 60764 B12 20 10-21 R 61610 B2 8 10-11 R 63065 F1 4 25-48 R 60764 B12 20 10-21 R 61610 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 E2 85-13 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 E2 85-13 R 63065 F1 4 25-48 R 60866 D16 9 25-20													D2		
R 60298 F6 6 25-53 R 61120 D15 10B 25-18 R 63007 B2 7 10-11 R 60299 F18 6 25-65 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F6 6 25-53 R 61121 E1 3 25-26 R 63010 B1 6 10-10 R 60472 B2 8 10-11 R 61122 D13 4 25-16 R 63054 E21 16 25-46 R 60472 B2 8 10-11 R 61123 D15 4B 25-18 R 63054 E21 16 25-46 R 60473 B2 8 10-11 R 61123 D15 4B 25-18 R 63056 E21 17 25-48 R 60													D2		
R 60298 F18 6 25-65 R 61120 E2 7 25-27 R 63008 B2 7 10-11 R 60299 E4 6 25-29 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F18 6 25-65 R 61122 D13 4 25-16 R 63054 E21 16 25-46 R 60472 B2 8 10-11 R 61122 E1 1 25-26 R 63054 F11 16 25-86 R 60473 B2 8 10-11 R 61123 E2 1 25-27 R 63056 F11 17 25-58 R 60474 B2 8 10-11 R 61123 E2 1 25-27 R 63056 F11 17 25-58 R 60475<															
R 60299 E4 6 25-29 R 61121 D13 6 25-16 R 63009 B2 7 10-11 R 60299 F6 6 25-65 R 61121 E1 3 25-26 R 63010 B1 6 25-46 R 60472 B2 8 10-11 R 61122 E1 1 25-26 R 63054 E21 16 25-48 R 60473 B2 8 10-11 R 61123 D15 4B 25-18 R 63056 E21 17 25-58 R 60474 B2 8 10-11 R 61123 D15 4B 25-18 R 63056 E21 17 25-58 R 60475 B2 8 10-11 R 61124 D13 5 25-16 R 63057 F21 15 25-46 R 6047															
R 60299 F6 6 25-53 R 61121 E1 3 25-26 R 63010 B1 6 10-10 R 60299 F18 6 25-65 R 61122 D13 4 25-16 R 63054 E21 16 25-46 R 60472 B2 8 10-11 R 61123 D15 4B 25-18 R 63054 F11 16 25-86 R 60473 B2 8 10-11 R 61123 E2 1 25-27 R 63056 E21 17 25-46 R 60475 B2 8 10-11 R 61124 D13 5 25-16 R 63057 E21 15 25-46 R 60476 B1 3 10-10 R 61124 E1 2 25-26 R 63058 E21 12 25-58 R 604					25-05								D2		
R 60299 F18 6 25-65 R 61122 D13 4 25-16 R 63054 E21 16 25-46 R 60472 B2 8 10-11 R 661122 E1 1 25-26 R 63054 F11 16 25-46 R 60473 B2 8 10-11 R 661123 E2 1 25-27 R 63056 E21 17 25-86 R 60475 B2 8 10-11 R 61124 D13 5 25-16 R 63057 E21 15 25-46 R 60476 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-46 R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63058 E21 12 25-48 R <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>															
R 60472 B2 8 10-11 R 61122 E1 1 25-26 R 63056 E21 17 25-46 R 60473 B2 8 10-11 R 61123 E2 1 25-27 R 63056 E21 17 25-56 R 60474 B2 8 10-11 R 61123 E2 1 25-27 R 63056 E21 17 25-56 R 60476 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-46 R 60477 B1 3 10-10 R 61128 C18 3 20-8 R 63058 E21 12 25-58 R 60479 B1 3 10-10 R 61144 D16 19 25-20 R 63058 E21 12 25-46 R 6048											1				
R 60473 B2 8 10-11 R 61123 D15 4B 25-18 R 63056 E21 17 25-46 R 60474 B2 8 10-11 R 61123 E2 1 25-27 R 63056 F11 17 25-58 R 60476 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F21 15 25-48 R 60477 B1 3 10-10 R 61128 C18 3 20-8 R 63058 E21 12 25-46 R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63058 E21 12 25-46 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63059 E21 10 25-48 R															
R 60474 B2 8 10-11 R 61123 E2 1 25-27 R 63056 F11 17 25-58 R 60475 B2 8 10-11 R 61124 D13 5 25-16 R 63057 E21 15 25-48 R 60476 B1 3 10-10 R 61128 C18 3 20-8 R 63057 F11 15 25-46 R 60477 B1 3 10-10 R 61124 D16 19 25-20 R 63058 E21 12 25-46 R 60478 B1 3 10-10 R 61144 E14 36 25-39 R 63059 E21 10 25-46 R 60480 B1 3 10-10 R 61144 E16 27 25-41 R 63060 E21 9 25-46 R															
R 60475 B2 8 10-11 R 61124 D13 5 25-16 R 63057 E21 15 25-46 R 60476 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-58 R 60477 B1 3 10-10 R 61128 C18 3 20-8 R 63058 E21 12 25-56 R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63058 E21 12 25-546 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63059 E21 10 25-46 R 60480 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>															
R 60476 B1 3 10-10 R 61124 E1 2 25-26 R 63057 F11 15 25-58 R 60477 B1 3 10-10 R 61128 C18 3 20-8 R 63058 E21 12 25-46 R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63058 F11 12 25-58 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63059 E21 10 25-46 R 60480 B1 3 10-10 R 61144 E16 27 25-41 R 63059 F11 10 25-58 R 60481 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60482 B1 3 10-10 R 61146 E16 30 25-41 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61147 E14 37 25-39 R 63060 F11 9 25-58 R 60484 B1 2 10-10 R 61147 E14 37 25-39 R 63061 E21 8 25-46 R 60650 B9 3 10-18 R 61147 E16 28 25-41 R 63061 F11 8 25-58 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 E21 7 25-46 R 60712 D8 22 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61497 C10 1 15-17 R 63063 F11 6 25-58 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63065 F1 4 25-42 R 60754 B12 20 10-21 R 61608 B2 8 10-11 R 63065 F1 4 25-48 R 60744 D9 29 25-11 R 61608 B2 8 10-11 R 63065 F1 4 25-48 R 60754 B12 20 10-21 R 61608 B2 8 10-11 R 63065 F1 4 25-48 R 60754 B12 20 10-21 R 61608 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-58 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F1 4 25-68															
R 60477 B1 3 10-10 R 61128 C18 3 20-8 R 63058 E21 12 25-46 R 60479 B1 3 10-10 R 61144 D16 19 25-20 R 63058 F11 12 25-46 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63059 E21 10 25-46 R 60480 B1 3 10-10 R 61144 E16 27 25-41 R 63059 E21 10 25-46 R 60481 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60482 B1 3 10-10 R 61146 E16 30 25-41 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61146 E16 30 25-41 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61147 E16 28 25-41 R 63061 E21 8 25-46 R 60484 B1 2 10-10 R 61147 E16 28 25-41 R 63061 E21 8 25-46 R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60710 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 F11 18 25-58 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61600 B2 8 10-11 R 63065 F1 4 25-42 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F1 4 25-48 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F1 4 25-60											ı				
R 60478 B1 3 10-10 R 61144 D16 19 25-20 R 63058 F11 12 25-58 R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63059 E21 10 25-46 R 60480 B1 3 10-10 R 611446 E16 27 25-41 R 63059 F11 10 25-58 R 60481 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-58 R 60482 B1 3 10-10 R 61147 E14 37 25-39 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61147 E16 28 25-41 R 63061 F21 8 25-58 R															
R 60479 B1 3 10-10 R 61144 E14 36 25-39 R 63059 E21 10 25-46 R 60480 B1 3 10-10 R 61144 E16 27 25-41 R 63059 F11 10 25-58 R 60481 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60482 B1 3 10-10 R 61147 E14 37 25-39 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61147 E14 37 25-39 R 63061 E21 8 25-46 R 60484 B1 2 10-10 R 61147 E16 28 25-41 R 63061 F11 8 25-58 R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61609 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F1 4 25-60															25-46
R 60480 B1 3 10-10 R 61144 E16 27 25-41 R 63059 F11 10 25-58 R 60481 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60482 B1 3 10-10 R 61146 E16 30 25-41 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61147 E14 37 25-39 R 63061 E21 8 25-46 R 60484 B1 2 10-10 R 61147 E16 28 25-41 R 63061 F11 8 25-58 R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 F1 4 25-42 R 60824 F16 49 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-48 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60						1									
R 60481 B1 3 10-10 R 61146 E14 40 25-39 R 63060 E21 9 25-46 R 60482 B1 3 10-10 R 61146 E16 30 25-41 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61147 E14 37 25-39 R 63061 E21 8 25-46 R 60484 B1 2 10-10 R 61147 E16 28 25-41 R 63061 F11 8 25-58 R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 F1 4 25-58 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 F1 4 25-42 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60	_										1				
R 60482 B1 3 10-10 R 61146 E16 30 25-41 R 63060 F11 9 25-58 R 60483 B1 3 10-10 R 61147 E14 37 25-39 R 63061 E21 8 25-46 R 60484 B1 2 10-10 R 61147 E16 28 25-41 R 63061 F11 8 25-58 R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61608 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61609 B2 8 10-11 R 63065 F1 4 25-42 R 60863 D3 4 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-42 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60	_														
R 60483 B1 3 10-10 R 61147 E14 37 25-39 R 63061 E21 8 25-46 R 60484 B1 2 10-10 R 61147 E16 28 25-41 R 63061 F11 8 25-58 R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61609 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 F1 4 25-42 R 60863 D3 4 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-58 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60	_														25-46
R 60484 B1 2 10-10 R 61147 E16 28 25-41 R 63061 F11 8 25-58 R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 E21 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61609 B2 8 10-11 R <td></td>															
R 60650 B9 3 10-18 R 61150 B11 2 10-20 R 63062 E21 7 25-46 R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-58 R 60714 D9 29 25-11 R 61609 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R </td <td></td>															
R 60710 D8 14 25-10 R 61289 B2 8 10-11 R 63062 F11 7 25-58 R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61609 B2 8 10-11 R 63064 E21 18 25-46 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 E17 4 25-42 R 60824 F16 49 25-63 R 61611 B2 8 10-11 R<															
R 60711 D8 18 25-10 R 61497 C10 1 15-17 R 63063 E21 6 25-46 R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61609 B2 8 10-11 R 63064 F11 18 25-46 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 E17 4 25-42 R 60824 F16 49 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 28 85-13<	_					1					1				
R 60712 D8 22 25-10 R 61521 B7 14 10-16 R 63063 F11 6 25-58 R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61609 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 E17 4 25-42 R 60824 F16 49 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 28-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R </td <td></td>															
R 60713 D8 21 25-10 R 61608 B2 8 10-11 R 63064 E21 18 25-46 R 60714 D9 29 25-11 R 61609 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 E17 4 25-42 R 60824 F16 49 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60						1									
R 60714 D9 29 25-11 R 61609 B2 8 10-11 R 63064 F11 18 25-58 R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 E17 4 25-42 R 60824 F16 49 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60															
R 60754 B12 20 10-21 R 61610 B2 8 10-11 R 63065 E17 4 25-42 R 60824 F16 49 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60	_														
R 60824 F16 49 25-63 R 61611 B2 8 10-11 R 63065 F1 4 25-48 R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60															
R 60863 D3 4 25-5 R 61932 G22 22 85-13 R 63065 F7 4 25-54 R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60	R					i									
R 60876 D16 9 25-20 R 61933 G22 14 85-13 R 63065 F13 4 25-60	R														
	R														25-54
Q5-14 OEM ENGINES AND ACCESSORIES - 6404D. 6404A PC-1554 (10-DEC-76) LITHO IN U.S.	R	60876	D16	9	25-20	R	61933	G22	14	85-13	R	63065	F13	4	25-60
	95	14	·			OE	EM ENGINES	AND ACCES	SORIES	- 6404D, 6404T	, AND	6404A PC-	1554 (10-DEC-	76)	LITHO IN U.S.A.

NUMERICAL INDEX - CONTINUED												
PART NO. R 63118 R 63119 R 63120 R 63121 R 63122 R 63123 R 63125 R 63126 R 63127 R 63128 R 63127 R 63128 R 63129 R 63271 R 63757 R 63758 R 63975 R 64306 R 64307 R 64308	B19 2 C10 1 E1 8 D20 4 D20 4 E1 9 E1 12 E1 12 E1 12 E1 12 E1 12 D20 5 D21 35 D18 23 B12 6 T T S T G19 18 S T G22 19 G13 8	PAGE 15-11 15-11 15-11 15-11 15-11 15-11 15-11 15-11 15-11 15-17 25-26 25-24 25-24 25-26 25-26 25-26 25-26 25-26 25-26 25-26 25-26 25-27 25-21 10-21	PART NO. T 11887 T 11888 T 11891 T 11899 T 11899 T 11899 T 11899 T 11906 T 11911 T 11911 T 11913 T 11913 T 11914 T 11915 T 11915 T 11915 T 11915 T 11915 T 11915 T 11917 T 11917 T 11917 T 11917 T 11917 T 11918 T 11919 T 11920 T 11920 T 11920 T 11921 T 11921	GRID KEY D13 21 D13 20 D13 22 E1 19 D7 39 D9 45 D19 39 D19 27 D6 19 D8 25 D18 19 D6 17 D18 17 D6 18 D18 18 D7 31 D9 37 D11 17 D12 38 D19 31 D20 30 D6 6 D8 6 D18 9 D18 9 D18 9 D18 9 D6 10 D8 10 D18 10	25-16 25-16 25-16 25-16 25-26 25-9 25-23 25-8 25-22 25-8 25-22 25-8 25-22 25-8 25-22 25-8 25-22 25-9 25-11 25-14 25-15 25-24 25-24 25-24 25-8 25-22 25-8 25-10 25-22 25-8 25-10 25-22 25-8 25-10 25-22 25-8 25-10 25-22	PART NO. T 12637 T 15539 T 15710 T 15712 T 15712 T 15712 T 15715 T 15720 T 15720 T 15720 T 15720 T 15721 T 17117 T 17117 T 17117 T 17117 T 17117 T 17119 T 17122 T 17122 T 17124 T 17135 T 17135 T 17135 T 17144 T 17949 T 17949 T 17949 T 17949 T 17950 T 17950 T 17950 T 17951 T 17951 T 17951	GRID KEY A22 6 B1 5 D11 22 D20 2 D7 34 D9 40 D19 34 D10 4 D7 32 D9 38 D10 2 D11 15 D12 35 D20 28 D11 25 D11 16 D12 37 D20 29 D12 36 D11 21 D21 34 D20 4 D6 3 D8 3 D18 3 D18 3 D6 2 D18 37 D9 43 D19 37 D9 43 D19 37	PAGE 10-9 10-10 25-14 25-24 25-9 25-11 25-23 25-12 25-12 25-14 25-15 25-14 25-15 25-14 25-15 25-24 25-15 25-24 25-16 25-22 25-8 25-10 25-22 25-9 25-11 25-23 25-8 25-10 25-22 25-9 25-11 25-23				
T 10745 T 10745 T 10745 T 11045 T 11075 T 11077 T 11087 T 11087 T 11087 T 11087 T 11087 T 11087 T 1187 T 1188 T 1188 T 1188 T 1188 T 1188	G14 8 G15 16 G16 8 F20 6 F20 7 F21 35 F21 35 F20 20 F21 34 F21 33 F20 19 F21 34 F20 22 G19 1 F21 42	85-5 85-6 85-7 30-2 30-3 30-3 30-3 30-2 30-2 30-2 85-10 85-9 85-12 30-3 25-14 25-24 25-14 25-24 25-15 25-15 25-14 25-24 25-15 25-14 25-24 25-15 25-14 25-24 25-14 25-24 25-16 25-26	T 11923 T 11924 T 11924 T 11925 T 11925 T 11926 T 11926 T 11927 T 11927 T 11927 T 11927 T 11929 T 11929 T 11929 T 11929 T 11929 T 11930 T 11930 T 11932 T 11935 T 11935 T 11936 T 11937 T 11938 T 11937 T 11938 T 11943 T 11945 T 11946 T 11947 T 11948 T 11948 T 11948 T 11948	D7 42 D19 42 D6 16 D18 16 D6 26 D9 32 D18 26 D13 12 E1 9 D6 24 D9 30 D18 24 D9 30 D18 24 D9 35 D18 11 D7 29 D8 11 D9 35 D18 11 D19 29 D12 39 D20 7 D7 28 D9 34 D19 28 D10 17 D10 12 D10 15 D10 10 D7 41 D8 17 D10 12 D10 15 D10 10 D7 41 D8 17 D10 12 E1 12	25-9 25-23 25-8 25-22 25-8 25-16 25-26 25-16 25-26 25-16 25-26 25-10 25-23 25-11 25-23 25-15 25-24 25-23 25-15 25-24 25-29 25-12 25-12 25-12 25-12 25-12 25-26 25-26 25-26 25-26 25-26	T 17952 T 17952 T 18012 T 18105 T 18106 T 18106 T 18107 T 18110 T 18110 T 18110 T 19607 T 19859 T 19859 T 19859 T 19860 T 19860 T 19860 T 19861 T 19861 T 19861 T 19861 T 19861 T 19909 T 19977 T 20129 T 20294 T 20328 T 20328 T 20328 T 20328 T 20328 T 23425 T 23425 T 23425 T 23425 T 24223	D6 15 D18 15 E13 15 G20 9 G20 16 G23 13 G20 12 G23 9 G20 2 G23 2 G20 22 D6 1 D8 1 D18 5 D18 5 D18 5 D18 7 D10 7 B9 14 B9 13 A21 11 B8 8 A18 15 A20 38 A21 10 B8 7 D16 3 E13 3 E15 3 E22 43	25-8 25-22 25-38 85-11 85-14 85-11 85-14 85-11 85-14 85-11 25-8 25-10 25-22 25-8 25-10 25-22 25-8 25-10 25-22 25-8 25-10 25-22 25-8 25-10 25-22 25-10 10-18 10-17 10-18 10-17 25-20 25-38 25-40 25-20 25-38 25-40 25-20 25-38 25-40 25-20 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-40 25-38 25-38 25-40 25-38 25-40 25-38				

				NU	MERICAL	INDEX -	CONT	TINUED			
PA	RT NO.	GRID KEY	PAGE	PAR	T NO.	GRID	KEY	PAGE	PART NO.	GRID	KEY PAGE
Т	24223	F12 43	25-59	Ţ	25360	G17	21	85-8			
Ţ	24224	E7 20	25-32	Ţ	26041	G17	4	85-8 25-16			
T	24224	E10 76	25-35	Ţ	26223 26236	D13 D13	8 2	25-16			
Ţ	24224	E17 19	25-42	Ţ	26256	D13	19	25-10			
Ţ	24224	E20 55 F1 19	25-45 25-48	T T	30367	D2	15	25-4			
Ţ	24224 24224	F4 54	25-40	÷	30738	C21	1	25-1			
T T	24224	F8 20	25-55	Ť	30738	C22	7	25-2			
†	24224	F10 55	25-57	Ť	31124	D13	19	25-16			
Ť	24224	F14 20	25-61	Т	31125	D13	19	25-16			
Т	24224	F16 54	25-63	T	31126	D13	19	25-16			
Τ	24229	E8 27	25-33	Т	31127	D13	19	25-16			
T	24229	E9 6	25-34	<u>T</u>	31128	D13	19	25-16			
T	24229	E10 38	25-35	T	31508	E18	59 50	25-43			
Ţ	24229	E10 60	25-35	T	31508	F2 F8	59 60	25-49 25-55			
Ţ	24229	E17 26	25-42	T T	31508 31508	F14	60	25-61			
T	24229 24229	E19 3 E20 36	25-44 25-45	Ť	31556	E8	26	25-33			
T T	24229	E20 52	25-45	Τ̈́	31556	E9	3	25-34			
†	24229	E21 23	25-46	Ť	31556	Ē10	63	25-35			
Ť	24229	E22 35	25-47	T	31556	E17	27	25-42			
Ť	24229	F1 26	25-48	Т	31556	E19	7	25-44			
Τ	24229	F3 3	25-50	Т	31556	E20	70	25-45			
Т	24229	F4 35	25-51	T	31556	E22	39	25-47			
Τ	24229	F4 51	25-51	I	31556	F1	27	25-48			
Ţ	24229	F8 27	25-55	Ţ	31556	F3	8	25-50 25-51			
T	24229	F9 3	25-56	T T	31556 31556	F4 F8	69 28	25-55			
Ţ	24229 24229	F10 36 F10 52	25-57 25-57	†	31556	F9	7	25-56			
T T	24229	F10 32 F11 23	25-58	Τ̈́	31556	F10	70	25-57			
÷	24229	F12 35	25-59	Ť	31556	F12	39	25-59			
÷	24229	F14 27	25-61	T	31556	F14	28	25-61			
Ť	24229	F15 3	25-62	T	31556	F15	8	25-62			
Т	24229	F16 35	25-63	Т	31556	F16	69	25-63			
Т	24229	F16 51	25-63	T	31575	E9	2	25-34			
Τ	24282	E10 72	25-35	Ţ	31575	E9	4	25-34			
Ţ	24282	E20 60	25-45	Ţ	31575	E10 E19	67 5	25-35 25-44			
Ţ	24282	F4 59 F10 60	25-51 25-57	T	31575 31575	E20	66	25-45			
T T	24282 24282	F10 60 F16 59	25-63	'	31575	E21	21	25-46			
†	24295	E9 7	25-34	ΙĖ	31575	F3	-6	25-50			
÷	24295	E19 4	25-44	ΙĖ	31575	F3	7	25-50			
Ť	24295	F3 4	25-50	T	31575	F4.	65	25-51			
Ť	24295	F9 4	25-56	T	31575	F9	5	25-56			
T	24295	F15 4	25-62	T	31575	F10	66	25-57			
Ţ	25118	E10 69	25-35	Ţ	31575	F11	21	25-58 25-62			
T	25118	E20 63	25-45	Ţ	31575	F15 F15	6 7	25-62 25-62			
Ţ	25118	F4 62 F10 63	25-51 25-57	T	31575 31575	F16	65	25-63			
Ţ	25118 25118	F10 63 F16 62	25-63	Ϊ́	32330	E22	45	25-47			
T T	25343	G17 5	85-8	Ϊ́τ	32330	F12	45	25-59			
Ť	25344	G17 10	85-8	ΙŤ	39881	G17	5	85-8			
Ť	25345	G17 11	85-8	T	43032	G16	9	85-7			
Т	25346	G17 12	85-8	T	43032	G17	3	85-8			
T	25347	G17 18	85-8								
T	25348	G17 19	85-8	ŀ							
T	25349	G17 28	85-8 85-8			U					
Ţ	25350	G17 17	85-8 95-8	υ	13639	B12	14	10-21			
T	25351 25352	G17 27 G17 16	85-8 85-8	0	17409	B12	9	10-21			
T T	25352 25353	G17 16	85-8	Ιŭ	17409	B13	17	10-22			
Ť	25353	G17 43	85-8	Ιŭ	40750	B13	6	10-22			
Ť	25355	G17 42	85-8	Ū	45538	E14		25-39			
Ť	25356	G17 22	85-8	U	45538	E16	26	25-41			
Т	25357	G17 25	85-8	U	45538	F8	59	25-55			
Т	25358	G17 26	85-8	U	45538	F14	59	25-61			
Т	25359	G17 29	85-8								
				OF.	A ENGINES	AND ACCES	SOBIES	- 6404D 6404T	AND 6404A	PC-1554 (10-DEC-7	6) LITHO IN U.S.A.